

mix_variance_component_colours.R

June 18, 2026

Contents

mix_variance_component_colours	1
Index	3

mix_variance_component_colours	
<i>Mix Variance Component Colours</i>	

Description

Mixes component colours per observation using weighted colour-space coordinates.

Usage

```
mix_variance_component_colours(  
  data_component_shares,  
  vec_component_colours,  
  vec_required_components = base::c("Abiotic", "Spatial", "Associations"),  
  observation_id_column = "observation_id",  
  component_column = "component",  
  share_column = "component_share",  
  method = base::c("HCL", "perc_avg")  
)
```

Arguments

data_component_shares
Data frame with observation identifiers, component IDs, and component shares.

vec_component_colours
Named character vector mapping canonical component IDs to HEX base colours.

vec_required_components
Character vector of required canonical component IDs. Defaults to 'c("Abiotic", "Spatial", "Associations")'.

observation_id_column
Single character string naming the observation ID column.

component_column	Single character string naming the component ID column.
share_column	Single character string naming the numeric share column.
method	Character string selecting the colour-mixing method. "HCL" keeps the historical weighted polar LUV/HCL blend. "perc_avg" averages weighted CIE LAB coordinates for a perceptual-average blend.

Value

Tibble with one row per observation and columns 'observation_id' and 'tile_fill_colour'.

Examples

```
data_component_shares <-
  tibble::tibble(
    observation_id = base::c(
      "obs_1",
      "obs_1",
      "obs_1",
      "obs_2",
      "obs_2",
      "obs_2"
    ),
    component = base::c(
      "Abiotic",
      "Spatial",
      "Associations",
      "Abiotic",
      "Spatial",
      "Associations"
    ),
    component_share = base::c(50, 30, 20, 30, 30, 40)
  )

mix_variance_component_colours(
  data_component_shares = data_component_shares,
  vec_component_colours = base::c(
    "Abiotic" = "#D95F02",
    "Spatial" = "#7570B3",
    "Associations" = "#1B9E77"
  )
)
```

Index

`mix_variance_component_colours`, [1](#)