

plot_variance_component_triangle_legend.R

June 18, 2026

Contents

plot_variance_component_triangle_legend	1
Index	3

plot_variance_component_triangle_legend
<i>Plot Variance Component Triangle Legend</i>

Description

Draws a ternary colour legend for three variance components. Each triangle corner represents the maximum value for one component, and interior points are coloured by the blended component shares.

Usage

```
plot_variance_component_triangle_legend(  
  vec_component_colours,  
  vec_required_components = base::c("Abiotic", "Spatial", "Associations"),  
  vec_component_labels = vec_required_components,  
  max_component_value = 100,  
  component_step = 2,  
  plot_title = NULL,  
  font_family = NULL,  
  label_colour = "grey35",  
  title_colour = label_colour,  
  border_colour = "grey35",  
  background_colour = "transparent",  
  point_size = 2.3,  
  label_size = 3.2,  
  title_size = 10,  
  triangle_x_offset = 0.16,  
  method = base::c("perc_avg", "HCL")  
)
```

Arguments

<code>vec_component_colours</code>	Named character vector mapping component IDs to HEX colours.
<code>vec_required_components</code>	Character vector with exactly three component IDs. These IDs are used to read colours from <code>'vec_component_colours'</code> .
<code>vec_component_labels</code>	Character vector with exactly three display labels. Defaults to <code>'vec_required_components'</code> .
<code>max_component_value</code>	Numeric scalar giving the value represented at each triangle corner. Defaults to <code>'100'</code> .
<code>component_step</code>	Numeric scalar giving the grid step used to fill the triangle.
<code>plot_title</code>	Optional character scalar shown as the plot title.
<code>font_family</code>	Optional character scalar giving the font family for labels.
<code>label_colour</code>	Character vector giving the corner-label colour. Must have length <code>'1'</code> for one shared colour or length <code>'3'</code> for one colour per label. If length <code>'3'</code> and named, names are matched to <code>'vec_required_components'</code> ; otherwise colours are used in order.
<code>title_colour</code>	Character scalar giving the title colour.
<code>border_colour</code>	Character scalar giving the triangle-border colour.
<code>background_colour</code>	Character scalar giving the plot background colour.
<code>point_size</code>	Numeric scalar giving the size of interior colour points.
<code>label_size</code>	Numeric scalar giving the size of corner labels.
<code>title_size</code>	Numeric scalar giving the size of the optional title.
<code>triangle_x_offset</code>	Numeric scalar shifting the triangle horizontally.
<code>method</code>	Character string selecting the colour-mixing method passed to <code>[mix_variance_component_colours()]</code> .

Value

A `'ggplot'` object.

Index

`plot_variance_component_triangle_legend,`
[1](#)