

build_cross_validation_branch_assignments.R

August 31, 2026

Contents

build_cross_validation_branch_assignments	1
Index	3

build_cross_validation_branch_assignments	
<i>Make Cross-Validation Branch Assignments</i>	

Description

Reuses a shared pre-resolution assignment for a response-resolution branch when coverage and balance remain valid, otherwise recalibrates that branch.

Usage

```
build_cross_validation_branch_assignments(  
  data_locations = NULL,  
  data_fold_resolution = NULL,  
  data_shared_assignments = NULL,  
  target_locations_per_cell = 5,  
  grid_size_multipliers = 2^base::seq(-2, 2),  
  n_repeats = 1L,  
  occupancy_criterion = "median",  
  lower_quantile_probability = 0.25,  
  max_fold_location_difference = 1L,  
  max_fold_sample_difference = Inf,  
  seed = 900723L  
)
```

Arguments

`data_locations` Branch location table returned by [build_cross_validation_location_table()].

`data_fold_resolution` One-row branch table returned by [resolve_cross_validation_fold_count()].

`data_shared_assignments` Assignment table built from the shared pre-resolution sample universe.

target_locations_per_cell, grid_size_multipliers, n_repeats
 occupancy_criterion, lower_quantile_probability, max_fold_location_difference, max_fold_sample_d
 Grid-calibration and assignment controls used only when branch fallback is re-
 quired.

Value

Assignment tibble with the stable assignment schema. 'assignment_source' is '"shared_pre_resolution"', '"branch_fallback"', or '"branch_no_holdout"'.

Examples

```
data_locations <-
  tibble::tibble(
    location_id = base::letters[1:6],
    coord_x_km = base::seq_len(6L),
    coord_y_km = base::seq_len(6L),
    n_samples = base::rep(1L, 6L),
    row_indices = base::as.list(base::seq_len(6L))
  )
data_resolution <-
  resolve_cross_validation_fold_count(6L, 5L)
data_shared <-
  build_leave_one_location_out_assignments(data_locations)
build_cross_validation_branch_assignments(
  data_locations = data_locations,
  data_fold_resolution = data_resolution,
  data_shared_assignments = data_shared
)
```

Index

build_cross_validation_branch_assignments,
1