

build_trait_review_programmatic_triage.R

August 31, 2026

Contents

build_trait_review_programmatic_triage	1
Index	3

build_trait_review_programmatic_triage
<i>Build Programmatic Trait Review Triage</i>

Description

Proposes no action only after completed investigation, retains unresolved evidence for programmatic review, and groups reproducible correction hypotheses for cost-gated agent investigation.

Usage

```
build_trait_review_programmatic_triage(  
  data_candidate_recommendations,  
  data_approved_decisions,  
  data_proposal_diagnostics,  
  data_dataset_evidence,  
  data_record_evidence,  
  data_agent_adjudications,  
  evidence_reference,  
  min_source_pattern_candidates = 3L,  
  source_factor_relative_tolerance = 0.25,  
  agent_groups_per_batch = 10L  
)
```

Arguments

data_candidate_recommendations	Candidate recommendations from [diagnose_trait_review_candidates()].
data_approved_decisions	Current canonical decisions from [load_trait_review_decisions()].
data_proposal_diagnostics	Recovered selector diagnostics from [diagnose_trait_review_candidates()].

`data_dataset_evidence`

Dataset summaries from `[build_trait_review_evidence_packets()]`.

`data_record_evidence`

Record evidence from `[build_trait_review_evidence_packets()]`.

`data_agent_adjudications`

Completed adjudications. May be a zero-row data frame.

`evidence_reference`

Non-empty path to the human-readable triage report.

`min_source_pattern_candidates`

Minimum candidates sharing a source/factor pattern before escalation.

`source_factor_relative_tolerance`

Maximum relative error from factors 10, 100, or 1000.

`agent_groups_per_batch`

Maximum exception groups assigned to one initial agent batch.

Value

A named list containing candidate triage, completed-investigation no-action proposals, pending programmatic cases, exception memberships and groups, a cost-gated agent queue, and summary.

Index

build_trait_review_programmatic_triage,
[1](#)