

# evaluate\_sjsdm\_cross\_validated\_predictions.R

August 31, 2026

## Contents

|                                                      |          |
|------------------------------------------------------|----------|
| evaluate_sjsdm_cross_validated_predictions . . . . . | 1        |
| <b>Index</b>                                         | <b>3</b> |

---

|                                                   |
|---------------------------------------------------|
| evaluate_sjsdm_cross_validated_predictions        |
| <i>Evaluate sjSDM Cross-Validated Predictions</i> |

---

## Description

Pools selected-candidate out-of-fold predictions within each repeat and taxon, then calculates taxon and community predictive metrics.

## Usage

```
evaluate_sjsdm_cross_validated_predictions(  
  data_predictions = NULL,  
  epsilon = 1e-06  
)
```

## Arguments

|                  |                                                                                                                             |
|------------------|-----------------------------------------------------------------------------------------------------------------------------|
| data_predictions | Long selected-candidate prediction table returned in the data-prediction element of [run_sjsdm_selected_candidate_folds()]. |
| epsilon          | Probability clipping tolerance passed to [evaluate_binary_log_loss()]. Defaults to 1e-6.                                    |

## Details

Folds are pooled before metrics are calculated. Any non-ok prediction row makes all metrics for that repeat and taxon incomplete. One-class pooled responses retain the metric-specific undefined statuses from the binary evaluators, while binary log loss remains evaluable.

**Value**

Named list containing `data_taxon_metrics` and `data_community_summary`. Taxon metrics have one row per repeat, taxon, and metric. Community summaries contain the mean finite estimate across evaluable taxa for each repeat and metric.

**Examples**

```
## Not run:  
evaluate_sjsdm_cross_validated_predictions(  
  data_predictions = data_predictions  
)  
  
## End(Not run)
```

# Index

`evaluate_sjsdm_cross_validated_predictions,`  
[1](#)