

project_spatial_mev_basis.R

August 31, 2026

Contents

project_spatial_mev_basis 1

Index 3

project_spatial_mev_basis
Project a Reusable Spatial MEM Basis

Description

Projects exact or fast training MEMs to held-out locations with the matching construction method.

Usage

```
project_spatial_mev_basis(  
  list_spatial_mev_basis = NULL,  
  data_coords_projected_pred = NULL,  
  data_coords_projected_train = NULL,  
  spatial_scale_attributes = NULL,  
  projection_chunk_size = 5000L,  
  exact_projection_function = interpolate_mev_to_grid,  
  fast_projection_function = NULL  
)
```

Arguments

`list_spatial_mev_basis`
List returned by `[compute_spatial_mev_basis()]`.

`data_coords_projected_pred`
Projected coordinates for prediction locations.

`data_coords_projected_train`
Training coordinates required for exact IDW compatibility.

`spatial_scale_attributes`
Optional training scale attributes passed to `[scale_predictors_with_training_attributes()]`.

`projection_chunk_size`
Positive integer limiting prediction rows processed in one operation.

`exact_projection_function`

Exact-basis projection function. Defaults to `[interpolate_mev_to_grid()]`.

`fast_projection_function`

Fast-basis projection function. Defaults to `[spmoran::meigen0()]`.

Value

Data frame of projected ‘`mev_*`’ columns in prediction-row order.

Index

`project_spatial_mev_basis`, [1](#)