

summarise_sjsdm_tuning_execution.R

August 31, 2026

Contents

summarise_sjsdm_tuning_execution 1

Index 3

summarise_sjsdm_tuning_execution
Summarise sjSDM Tuning Execution

Description

Records the shared tuning strategy, executed fit count, prepared-fold count, and selected-candidate refits avoided through probability reuse.

Usage

```
summarise_sjsdm_tuning_execution(  
  data_tuning = NULL,  
  data_schedule = NULL,  
  data_work_items = NULL  
)
```

Arguments

`data_tuning` Fold-level tuning table from `[run_sjsdm_tuning_candidates()]`.
`data_schedule` Validated schedule from `[build_sjsdm_tuning_schedule()]`.
`data_work_items` Optional work-item table from `[build_sjsdm_tuning_work_items()]`.

Value

One-row execution-provenance tibble containing strategy identifiers, fit counts, prediction source, and fit-reduction fraction relative to the former unconditional selected-candidate refit path.

Examples

```
## Not run:
summarise_sjsdm_tuning_execution(
  data_tuning = data_sjsdm_tuning_candidates,
  data_schedule = data_sjsdm_tuning_schedule
)

## End(Not run)
```

Index

`summarise_sjsdm_tuning_execution`, [1](#)