

validate_abiotic_interpolation_contract.R

August 31, 2026

Contents

validate_abiotic_interpolation_contract	1
Index	3

validate_abiotic_interpolation_contract
<i>Validate Abiotic Interpolation Contract</i>

Description

Validates that abiotic interpolation inputs use the deterministic interpolation contract and do not contain age-uncertainty routing artifacts.

Usage

```
validate_abiotic_interpolation_contract(  
  data_source,  
  grouping_variables = "dataset_name",  
  age_variable_name = "age"  
)
```

Arguments

- data_source A data frame containing abiotic data to interpolate.
- grouping_variables A character vector of column names that will be used to group interpolation. Must not include uncertainty iteration columns.
- age_variable_name Name of the age variable column used for interpolation. Must not be ‘age_uncertainty’.

Details

Abiotic predictors must use deterministic sample ages. Age uncertainty is restricted to paleo community interpolation through [interpolate_paleo_community_with_age_uncertainty()]. This guard fails fast if uncertainty columns or uncertainty-routing arguments reach the abiotic path.

Value

The input 'data_source', invisibly, when the contract is valid.

See Also

[[interpolate_grouped_time_series\(\)](#)], [[interpolate_paleo_community_with_age_uncertainty\(\)](#)]

Index

`validate_abiotic_interpolation_contract,`
[1](#)