prepare_sjsdm_cv_calibration_result_migration.R

October 22, 2026

Contents

prepare_sjsdm_cv_calibration_result_migration 1

Index **3**

`prepare_sjsdm_cv_calibration_result_migration`
Prepare a Verified Calibration Evidence Migration

Description

Migrates content-matched calibration evidence without refitting models.

Usage

```
prepare_sjsdm_cv_calibration_result_migration(
  list_result,
  list_prepared_folds,
  config_model_fitting,
  list_legacy_prepared_folds = NULL,
  migrated_at = base::Sys.time()
)
```

Arguments

`list_result`	Accepted saved calibration result.
`list_prepared_folds`, `config_model_fitting`	Current production fold records and structural model configuration.
`list_legacy_prepared_folds`	Optional independently reconstructed original folds for operational-only version-four migration. Exact original and current analytical proof is required by [validate_sjsdm_cv_calibration_evidence()].
`migrated_at`	Explicit timestamp for the migration provenance.

Details

This function does not write files. Callers must archive the original evidence before saving its result. An already-current result is unchanged.

Value

A migrated result preserving fitting evidence and prior history.

Examples

```
## Not run:
prepare_sjsdm_cv_calibration_result_migration(result, folds, config_model)

## End(Not run)
```

Index

prepare_sjsdm_cv_calibration_result_migration,
        1