

build_sjsdm_artifact_envelope.R

August 12, 2026

Contents

build_sjsdm_artifact_envelope 1

Index 3

build_sjsdm_artifact_envelope
Build an sjSDM Artifact Envelope

Description

Builds and validates one native cross-validation v2 artifact.

Usage

```
build_sjsdm_artifact_envelope(  
  artifact_type = NULL,  
  payload = NULL,  
  provenance = NULL  
)
```

Arguments

artifact_type	Registered non-empty character scalar artifact type.
payload	Named list with the exact payload names registered for the artifact type.
provenance	One-row data frame with common and artifact-specific provenance.

Value

Validated named v2 artifact list with deterministic content hash.

Examples

```
build_sjsdm_artifact_envelope(  
  artifact_type = "sjsdm_cv_predictions",  
  payload = list(  
    data_predictions = tibble::tibble(),  
    data_fold_diagnostics = tibble::tibble()  
  ),  
  provenance = tibble::tibble(  
    created_at = as.POSIXct("2026-08-11", tz = "UTC"),  
    pipeline_id = "pipeline_paleo_core",  
    configuration_profile = "project_cz_paleo",  
    source_schema_version = "2.0.0",  
    migration_applied = FALSE,  
    migration_function = NA_character_  
  )  
)
```

Index

`build_sjsdm_artifact_envelope`, [1](#)