

# filter\_community\_to\_plantae.R

August 10, 2026

## Contents

filter\_community\_to\_plantae . . . . . 1

**Index** 3

---

filter\_community\_to\_plantae  
*Filter Community to Plantae*

---

## Description

Removes taxa that do not belong to the kingdom Plantae from a community data frame, using a classification table to determine the kingdom assignment for each taxon.

## Usage

```
filter_community_to_plantae(  
  data_community,  
  data_classification_table,  
  verbose = TRUE  
)
```

## Arguments

**data\_community** A data frame containing community data with at minimum a column named 'taxon'.

**data\_classification\_table** A data frame with columns 'sel\_name' and 'kingdom', mapping taxon names to their kingdom classification.

**verbose** Logical scalar. If 'TRUE', warn when non-Plantae or unclassified taxa are removed.

**Details**

Performs a left join between 'data\_community' and 'data\_classification\_table' on 'taxon == sel\_name' to retrieve the kingdom for each taxon. Any taxon where 'kingdom' is not exactly '"Plantae"', including taxa with 'kingdom = NA', is treated as non-plant and removed. When any taxa are dropped, 'cli::cli\_warn()' is issued reporting the count and the full vector of removed taxon names. Note: the upstream 'load\_taxa\_classification()' already filters to Plantae during the taxospace lookup, so in practice this function mainly catches taxa that are genuinely unclassifiable (i.e. not found in any classification source).

**Value**

A data frame identical in structure to 'data\_community' but with all rows belonging to non-Plantae taxa removed. Taxa with 'kingdom = NA' (unclassifiable) are also removed.

**See Also**

[classify\_taxonomic\_resolution()], [filter\_community\_by\_minimum\_proportion()]

# **Index**

`filter_community_to_plantae`, [1](#)