

interpolate_fossil_age_iteration_batch.R

August 10, 2026

Contents

<code>.interpolate_fossil_age_iteration_batch</code>	1
Index	3

<code>.interpolate_fossil_age_iteration_batch</code>
<i>Interpolate One Fossil Age-Iteration Batch</i>

Description

Expands one fossil community dataset across selected age-model iterations and interpolates each taxon-iteration series on a shared age grid.

Usage

```
.interpolate_fossil_age_iteration_batch(  
  vec_iterations,  
  dataset_name,  
  data_community,  
  data_age_uncertainty,  
  list_interpolation_arguments,  
  interpolate_grouped_time_series_function  
)
```

Arguments

<code>vec_iterations</code>	Integer age-model iterations included in the batch.
<code>dataset_name</code>	Dataset identifier restored after joining the nested community records.
<code>data_community</code>	Nested community proportions with ‘sample_name’, ‘taxon’, and ‘value’.
<code>data_age_uncertainty</code>	Nested age-model records with ‘sample_name’, ‘iteration’, and ‘age_uncertainty’.
<code>list_interpolation_arguments</code>	Additional arguments forwarded to <code>[interpolate_grouped_time_series()]</code> .
<code>interpolate_grouped_time_series_function</code>	Grouped interpolation function supplied explicitly for dependency-safe execution inside a dynamic target branch.

Value

Interpolated community proportions for every selected age-model iteration.

Index

* **internal**
 .interpolate_fossil_age_iteration_batch,
 [1](#)
.interpolate_fossil_age_iteration_batch,
 [1](#)