Assess sjSDM Scientific Predictive Performance

Description

Applies a versioned predictive-performance policy to repeated spatial CV evidence while keeping technical validity and calibration separate.

Usage

```
evaluate_sjsdm_scientific_performance(
  data_model_repeat_metrics = NULL,
  data_paired_repeat_metrics = NULL,
  data_eligible_model_repeat_metrics = NULL,
  data_taxon_eligibility = NULL,
  data_fold_diagnostics = NULL,
  data_predictions = NULL,
  list_policy = NULL
)
```

Arguments

`data_model_repeat_metrics`	Repeat-level model metrics from 'summarise_sjsdm_fold_metrics()'.
`data_paired_repeat_metrics`	Repeat-level model-minus-null improvements from the same summary.
`data_eligible_model_repeat_metrics`	Repeat-level model metrics restricted to prespecified eligible taxa.
`data_taxon_eligibility`	Taxon eligibility table containing 'mean_tjur_r2' and 'eligible'.
`data_fold_diagnostics`	Fold fitting diagnostics.
`data_predictions`	Out-of-fold prediction rows.

`list_policy`	Named policy list containing the versioned thresholds and requirements.

Details

Tjur R2 is treated as a discrimination measure, not a percentage of variance explained. Calibration is diagnostic and cannot silently override the held-out discrimination and proper-score decision.

Value

A named list containing criterion-level evidence and a one-row decision.

Examples

```
## Not run:

evaluate_sjsdm_scientific_performance(

  data_model_repeat_metrics = data_model_metrics,

  data_paired_repeat_metrics = data_improvements,

  data_eligible_model_repeat_metrics = data_eligible_metrics,

  data_taxon_eligibility = data_eligibility,

  data_fold_diagnostics = data_diagnostics,

  data_predictions = data_predictions,

  list_policy = list_policy

)


## End(Not run)
```