

build_sjsdm_tier_survivor_artifacts.R

September 23, 2026

Contents

build_sjsdm_tier_survivor_artifacts 1

Index 2

build_sjsdm_tier_survivor_artifacts
Build sjSDM Tier Survivor Artifacts

Description

Pools one tuning round across every source ID in each compatible model context, then records the tier-wide candidates that may enter the next round. Pruning never occurs from a single unit's evidence.

Usage

```
build_sjsdm_tier_survivor_artifacts(  
  data_tuning_summary = NULL,  
  data_schedule = NULL,  
  round_id = NULL,  
  data_prior_decisions = NULL  
)
```

Arguments

`data_tuning_summary` Bound unit tuning summaries for exactly one staged round.

`data_schedule` Staged schedule returned by [build_sjsdm_tuning_schedule()].

`round_id` Positive integer tuning-round identifier represented by the summaries.

`data_prior_decisions` Tier-wide decisions from the preceding round. Required after round one and used to restrict cumulative evidence to the candidates entering this round.

Value

Named list containing 'data_survivor_decisions', 'data_source_candidate_loss', 'data_candidate_aggregation', and the cumulative 'data_tuning_entering' tibble. Decision rows retain model context, strategy, round, and repeat provenance.

Index

build_sjsdm_tier_survivor_artifacts, [1](#)