

# summarise\_sjsdm\_metric\_repeats.R

August 11, 2026

## Contents

|                                          |          |
|------------------------------------------|----------|
| summarise_sjsdm_metric_repeats . . . . . | 1        |
| <b>Index</b>                             | <b>3</b> |

---

|                                       |
|---------------------------------------|
| summarise_sjsdm_metric_repeats        |
| <i>Summarise sjSDM Metric Repeats</i> |

---

## Description

Summarises the distribution of repeat-level source estimates and paired improvements returned by [summarise\_sjsdm\_fold\_metrics()].

## Usage

```
summarise_sjsdm_metric_repeats(list_fold_metric_summaries = NULL)
```

## Arguments

list\_fold\_metric\_summaries  
Named list returned by [summarise\_sjsdm\_fold\_metrics()].

## Details

The 95 percent bounds are the 2.5th and 97.5th percentiles of repeat-level estimates. They describe stability across the supplied repeated splits and are not population-level confidence intervals.

## Value

Named list containing 'data\_source\_repeat\_distributions' and 'data\_paired\_repeat\_distributions'. Each table reports the mean, median, standard deviation, empirical 95 percent repeat interval, repeat counts, and fold-taxon coverage across repeats. Paired output also reports the proportion of evaluable repeats with positive model improvement.

**Examples**

```
## Not run:  
summarise_sjsdm_metric_repeats(  
  list_fold_metric_summaries = list_fold_metric_summaries  
)  
  
## End(Not run)
```

# Index

`summarise_sjsdm_metric_repeats`, [1](#)