

build_prediction_frame.R

June 18, 2026

Contents

build_prediction_frame 1

Index 3

build_prediction_frame
Build Prediction Frame

Description

Builds one animation frame for the IAVS paleo prediction animation, showing a spatial prediction grid optionally overlaid with observation points.

Usage

```
build_prediction_frame(  
  data_frame,  
  age_value,  
  value_column,  
  subtitle_label,  
  fill_label,  
  fill_limits,  
  list_prediction_grid,  
  data_world,  
  grid_resolution,  
  fill_trans = scales::transform_identity(),  
  fill_colors = c("black", "white"),  
  data_points = NULL,  
  point_color = "red",  
  metric_label = NULL,  
  vec_palette = NULL,  
  font_family = "VT323"  
)
```

Arguments

<code>data_frame</code>	Tibble with columns 'age', 'coord_long', 'coord_lat', and the column named by 'value_column'.
<code>age_value</code>	Numeric scalar. Age slice to plot.
<code>value_column</code>	Character scalar. Name of the fill value column in 'data_frame'.
<code>subtitle_label</code>	Character scalar. Plot subtitle.
<code>fill_label</code>	Character scalar. Legend title.
<code>fill_limits</code>	Numeric vector of length 2. Limits for the fill scale.
<code>list_prediction_grid</code>	Named list with 'x_lim' and 'y_lim' entries.
<code>data_world</code>	World polygon tibble with columns 'long', 'lat', and 'group'.
<code>grid_resolution</code>	Numeric scalar. Tile width and height in degrees.
<code>fill_trans</code>	Scale transform passed to 'ggplot2::scale_fill_gradientn()'.
<code>fill_colors</code>	Character vector of length ≥ 2 . Fill gradient colours.
<code>data_points</code>	Optional tibble with 'age', 'coord_long', 'coord_lat' for overlaid observation points.
<code>point_color</code>	Character scalar. Colour for observation points.
<code>metric_label</code>	Optional character vector. Metrics appended as a caption.
<code>vec_palette</code>	Optional named character vector of ORACLE colours. If 'NULL', colours are read with 'get_oracle_palette_values()'.
<code>font_family</code>	Character scalar. Font family for all text elements.

Value

A 'ggplot' object for one prediction frame.

Index

`build_prediction_frame`, [1](#)