

build_spatial_unit_frame.R

June 18, 2026

Contents

build_spatial_unit_frame	1
------------------------------------	---

Index	3
--------------	----------

build_spatial_unit_frame
<i>Build Spatial Unit Frame</i>

Description

Builds one animation frame for the spatial units map, drawing world polygons, fossil pollen points, and a highlighted bounding box.

Usage

```
build_spatial_unit_frame(  
  data_unit,  
  data_points,  
  scale_label,  
  data_world,  
  x_limits,  
  y_limits,  
  buffer_degrees,  
  vec_palette = NULL,  
  font_family = "VT323"  
)
```

Arguments

data_unit	One-row tibble with columns 'x_min', 'x_max', 'y_min', and 'y_max'.
data_points	Tibble with columns 'coord_long' and 'coord_lat'.
scale_label	Character scalar. Scale label shown in the upper-left corner.
data_world	World polygon tibble with columns 'long', 'lat', and 'group'.
x_limits	Numeric vector of length 2. Longitudinal map extent.
y_limits	Numeric vector of length 2. Latitudinal map extent.

<code>buffer_degrees</code>	Numeric scalar. Buffer in degrees added around map limits.
<code>vec_palette</code>	Optional named character vector of ORACLE colours. If 'NULL', colours are read with 'get_oracle_palette_values()'. read with 'get_oracle_palette_values()'.
<code>font_family</code>	Character scalar. Font family for all text elements.

Value

A 'ggplot' object for one animation frame.

Index

`build_spatial_unit_frame`, [1](#)