

save_prediction_animation.R

June 18, 2026

Contents

save_prediction_animation 1

Index 3

save_prediction_animation
Save Prediction Animation

Description

Renders one prediction variable across all age slices, saves individual PNG frames, and combines them into a GIF animation.

Usage

```
save_prediction_animation(  
  data_frame,  
  value_column,  
  subtitle_label,  
  fill_label,  
  fill_limits,  
  vec_age_slices,  
  path_output,  
  list_prediction_grid,  
  data_world,  
  grid_resolution,  
  time_step,  
  fill_trans = scales::transform_identity(),  
  fill_colors = NULL,  
  data_points = NULL,  
  point_color = "#ff4d4d",  
  metric_label = NULL,  
  frame_directory_name,  
  output_file_name,  
  vec_palette = NULL,  
  font_family = "VT323"  
)
```

Arguments

<code>data_frame</code>	Tibble with columns 'age', 'coord_long', 'coord_lat', and the column named by 'value_column'.
<code>value_column</code>	Character scalar. Name of the fill value column.
<code>subtitle_label</code>	Character scalar. Plot subtitle.
<code>fill_label</code>	Character scalar. Legend title.
<code>fill_limits</code>	Numeric vector of length 2. Fill scale limits.
<code>vec_age_slices</code>	Numeric vector of age values, one per animation frame.
<code>path_output</code>	Character scalar. Root output directory for frames and GIF.
<code>list_prediction_grid</code>	Named list with 'x_lim' and 'y_lim' entries.
<code>data_world</code>	World polygon tibble with columns 'long', 'lat', and 'group'.
<code>grid_resolution</code>	Numeric scalar. Tile width and height in degrees.
<code>time_step</code>	Numeric scalar. Half-window in years for matching 'data_points' ages to each frame age.
<code>fill_trans</code>	Scale transform passed to 'ggplot2::scale_fill_gradientn()'.
<code>fill_colors</code>	Optional character vector of fill gradient colours.
<code>data_points</code>	Optional tibble with 'age', 'coord_long', 'coord_lat' for overlaid observation points.
<code>point_color</code>	Character scalar. Colour for observation points.
<code>metric_label</code>	Optional character vector appended as a plot caption.
<code>frame_directory_name</code>	Character scalar. Name of the sub-directory for PNG frames.
<code>output_file_name</code>	Character scalar. Output GIF file name.
<code>vec_palette</code>	Optional named character vector of ORACLE colours. If 'NULL', colours are read with 'get_oracle_palette_values()'.
<code>font_family</code>	Character scalar. Font family for all text elements.

Value

List returned by [build_gif_from_frames()] with 'animation_path' and 'used_magick' entries.

Index

save_prediction_animation, [1](#)