

# build\_sjsdm\_tier\_survivor\_artifacts.R

August 16, 2026

## Contents

build\_sjsdm\_tier\_survivor\_artifacts . . . . . 1

**Index** 2

---

build\_sjsdm\_tier\_survivor\_artifacts  
*Build sjSDM Tier Survivor Artifacts*

---

## Description

Pools one tuning round across every source ID in each compatible model context, then records the tier-wide candidates that may enter the next round. Pruning never occurs from a single unit's evidence.

## Usage

```
build_sjsdm_tier_survivor_artifacts(  
  data_tuning_summary = NULL,  
  data_schedule = NULL,  
  round_id = NULL,  
  data_prior_decisions = NULL  
)
```

## Arguments

`data_tuning_summary` Bound unit tuning summaries for exactly one staged round.

`data_schedule` Staged schedule returned by [build\_sjsdm\_tuning\_schedule()].

`round_id` Positive integer tuning-round identifier represented by the summaries.

`data_prior_decisions` Tier-wide decisions from the preceding round. Required after round one and used to restrict cumulative evidence to the candidates entering this round.

**Value**

Named list containing 'data\_survivor\_decisions', 'data\_source\_candidate\_loss', 'data\_candidate\_aggregation', and the cumulative 'data\_tuning\_entering' tibble. Decision rows retain model context, strategy, round, and repeat provenance.

# Index

build\_sjsdm\_tier\_survivor\_artifacts, [1](#)