

evaluate_sjsdm_scientific_performance.R

August 16, 2026

Contents

evaluate_sjsdm_scientific_performance	1
Index	3

evaluate_sjsdm_scientific_performance
<i>Assess sjSDM Scientific Predictive Performance</i>

Description

Applies a versioned predictive-performance policy to repeated spatial CV evidence while keeping technical validity and calibration separate.

Usage

```
evaluate_sjsdm_scientific_performance(  
  data_model_repeat_metrics = NULL,  
  data_paired_repeat_metrics = NULL,  
  data_eligible_model_repeat_metrics = NULL,  
  data_taxon_eligibility = NULL,  
  data_fold_diagnostics = NULL,  
  data_predictions = NULL,  
  list_policy = NULL  
)
```

Arguments

data_model_repeat_metrics	Repeat-level model metrics from ‘summarise_sjsdm_fold_metrics()’.
data_paired_repeat_metrics	Repeat-level model-minus-null improvements from the same summary.
data_eligible_model_repeat_metrics	Repeat-level model metrics restricted to prespecified eligible taxa.
data_taxon_eligibility	Taxon eligibility table containing ‘mean_tjur_r2’ and ‘eligible’.

`data_fold_diagnostics` Fold fitting diagnostics.
`data_predictions` Out-of-fold prediction rows.
`list_policy` Named policy list containing the versioned thresholds and requirements.

Details

Tjur R2 is treated as a discrimination measure, not a percentage of variance explained. Calibration is diagnostic and cannot silently override the held-out discrimination and proper-score decision.

Value

A named list containing criterion-level evidence and a one-row decision.

Examples

```
## Not run:
evaluate_sjsdm_scientific_performance(
  data_model_repeat_metrics = data_model_metrics,
  data_paired_repeat_metrics = data_improvements,
  data_eligible_model_repeat_metrics = data_eligible_metrics,
  data_taxon_eligibility = data_eligibility,
  data_fold_diagnostics = data_diagnostics,
  data_predictions = data_predictions,
  list_policy = list_policy
)

## End(Not run)
```

Index

evaluate_sjsdm_scientific_performance,
[1](#)