

fit_decomposition_variant.R

August 6, 2026

Contents

fit_decomposition_variant 1

Index 3

fit_decomposition_variant
Fit One Predictive Decomposition Variant

Description

Fits, diagnoses, predicts, and evaluates one model variant for one diagnostic fold.

Usage

```
fit_decomposition_variant(  
  data_fold_input,  
  route_id,  
  repeat_id,  
  fold_id,  
  variant_name,  
  list_variant,  
  age_formula_mode,  
  config_model_fitting,  
  fit_config,  
  fit_fn,  
  predict_fn,  
  convergence_fn  
)
```

Arguments

data_fold_input	
route_id	Prepared train and test inputs for one fold.
repeat_id	Diagnostic route identifier.
fold_id	Repeated-fold identifier.
	Fold identifier.

<code>variant_name</code>	Model variant identifier.
<code>list_variant</code>	Variant-specific spatial and biotic settings.
<code>age_formula_mode</code>	Environmental age-formula mode.
<code>config_model_fitting</code>	Model-fitting configuration.
<code>fit_config</code>	Optional fitting overrides.
<code>fit_fn</code>	Injected model-fitting function.
<code>predict_fn</code>	Injected prediction function.
<code>convergence_fn</code>	Injected convergence diagnostic function.

Value

One-row variant metric and diagnostic tibble.

Index

`fit_decomposition_variant`, [1](#)