

build_trait_review_programmatic_reconciliation.R

September 10, 2026

Contents

build_trait_review_programmatic_reconciliation	1
Index	3

build_trait_review_programmatic_reconciliation
<i>Reconcile Programmatic Trait Review Candidates</i>

Description

Applies conservative deterministic checks to pending trait-review candidates. It proposes rules only for obsolete candidates, independently corroborated dataset factors, or threshold rules that improve current within-candidate agreement. Other candidates remain pending or are routed to targeted agent review.

Usage

```
build_trait_review_programmatic_reconciliation(  
  data_candidate_triage,  
  data_source_pairs,  
  data_submission_audit,  
  data_record_evidence,  
  evidence_reference  
)
```

Arguments

data_candidate_triage	Candidate triage from [build_trait_review_programmatic_triage()].
data_source_pairs	Candidate source-pair evidence from the programmatic triage.
data_submission_audit	Derived review-submission audit containing the archived instructions.
data_record_evidence	Current record evidence from [build_trait_review_evidence_packets()].
evidence_reference	Non-empty path to the human-readable reconciliation report.

Value

A named list containing one reconciliation row per pending candidate, unapproved decision proposals, and an outcome summary.

Index

build_trait_review_programmatic_reconciliation,
[1](#)