

build_vegvault_plan.R

September 10, 2026

Contents

build_vegvault_plan	1
-------------------------------	---

Index	3
--------------	----------

build_vegvault_plan	<i>Build VegVault Query Plan</i>
---------------------	----------------------------------

Description

Opens the VegVault SQLite database and constructs a lazy vaultkeepr query plan filtered to the specified dataset types, geographic bounds, and age range. The returned plan object is built up to ‘vaultkeepr::select_samples_by_age()’ and can be passed directly to ‘extract_data_from_vegvault()’ or ‘extract_age_uncertainty_from_vegvault()’.

Usage

```
build_vegvault_plan(  
  path_to_vegvault = here::here("Data/Input/VegVault.sqlite"),  
  x_lim = NULL,  
  y_lim = NULL,  
  age_lim = NULL,  
  sel_dataset_type = NULL  
)
```

Arguments

path_to_vegvault	A character string specifying the path to the VegVault SQLite database (default: ‘here::here("Data/Input/VegVault.sqlite")’).
x_lim	A numeric vector of length 2 specifying the longitude range ‘c(min, max)’.
y_lim	A numeric vector of length 2 specifying the latitude range ‘c(min, max)’.
age_lim	A numeric vector of length 2 specifying the age range in cal yr BP ‘c(min, max)’.
sel_dataset_type	A non-empty character vector of dataset types to include (e.g. “fossil_pollen_archive”, “vegetation_plot”, “gridpoints”).

Details

The plan is assembled via the following vaultkeeper chain: `'open_vault()' -> 'get_datasets()' -> 'select_dataset_by_type()' -> 'select_dataset_by_geo()' -> 'get_samples()' -> 'select_samples_by_age()'`

If vaultkeeper returns its known empty or `'.'` condition during plan assembly, the function raises a typed `'biodynamics_vegvault_no_records'` condition. Other errors retain their original condition as the parent of a contextual error.

Value

A vaultkeeper plan object (lazy SQL query) after applying dataset type, geographic, and age-range filters, ready for use with `'extract_data_from_vegvault()'` or `'extract_age_uncertainty_from_vegvault()'`.

See Also

[`extract_data_from_vegvault()`], [`extract_age_uncertainty_from_vegvault()`]

Index

build_vegvault_plan, [1](#)