

compute_interpolation_on_age_grid.R

September 10, 2026

Contents

.compute_interpolation_on_age_grid	1
Index	3

.compute_interpolation_on_age_grid	
<i>Compute Interpolation on an Age Grid</i>	

Description

Computes interpolated values on a regular age grid for one numeric series.

Usage

```
.compute_interpolation_on_age_grid(  
  data_time_series_group,  
  age_variable_name,  
  value_variable_name,  
  interpolation_method,  
  extrapolation_rule,  
  ties_function,  
  age_min,  
  age_max,  
  time_step  
)
```

Arguments

`data_time_series_group`
A data frame containing one age column and one value column.

`age_variable_name`
Name of the numeric age column.

`value_variable_name`
Name of the numeric value column.

`interpolation_method`
Interpolation method passed to [stats::approx()].

<code>extrapolation_rule</code>	Numeric extrapolation rule passed to <code>[stats::approx()]</code> .
<code>ties_function</code>	Function used by <code>[stats::approx()]</code> to combine tied ages.
<code>age_min</code>	Minimum age in the output grid.
<code>age_max</code>	Maximum age in the output grid.
<code>time_step</code>	Positive spacing between consecutive ages in the output grid.

Value

A tibble containing the interpolated age and value columns.

Index

* **internal**
 .compute_interpolation_on_age_grid,
 [1](#)
.compute_interpolation_on_age_grid, [1](#)