

# plot\_anova\_components\_by\_age.R

September 10, 2026

## Contents

plot\_anova\_components\_by\_age . . . . . 1

**Index** 3

---

plot\_anova\_components\_by\_age  
*Plot ANOVA Variance Components by Age*

---

## Description

Creates a line-and-point plot of sjSDM ANOVA variance components (Nagelkerke RB2) across time slices (ages).

## Usage

```
plot_anova_components_by_age(  
  data_anova_components,  
  title = NULL,  
  subtitle = NULL  
)
```

## Arguments

|                       |                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| data_anova_components | A data frame or tibble with columns age (numeric), component (character), and R2_Nagelkerke (numeric). Typically the output of <a href="#">aggregate_jsdm_variance_components()</a> . |
| title                 | Optional character string for the plot title. Defaults to NULL (no title).                                                                                                            |
| subtitle              | Optional character string for the plot subtitle. Defaults to NULL (no subtitle).                                                                                                      |

## Details

The x-axis is reversed so that older ages appear on the left and the y-axis is clamped to [0, NA]. Each variance component is drawn as a coloured line with points.

## Value

A ggplot object.

**See Also**`[aggregate_jsdm_variance_components()]`

# Index

`aggregate_jsdm_variance_components`, [1](#)

`plot_anova_components_by_age`, [1](#)