

run_sjsdm_cv_calibration_rung.R

September 10, 2026

Contents

run_sjsdm_cv_calibration_rung	1
Index	3

run_sjsdm_cv_calibration_rung
<i>Run One sjSDM CV Calibration Budget Rung</i>

Description

Fits and scores every regularization candidate over cached prepared folds for one or more repeats at one fixed iteration and sampling budget.

Usage

```
run_sjsdm_cv_calibration_rung(  
  data_candidates = NULL,  
  list_prepared_folds = NULL,  
  data_budget = NULL,  
  sel_abiotic_formula = NULL,  
  config_sjsdm_cv_fitting = NULL,  
  repeat_ids = 1L,  
  seed = 900723L,  
  device = "gpu",  
  candidate_fit_function = fit_sjsdm_cross_validation_candidate,  
  predict_function = predict_sjsdm_probability_matrix,  
  score_function = score_sjsdm_joint_tuning_predictions  
)
```

Arguments

data_candidates	Complete regularization candidate table.
list_prepared_folds	Cached fold records from [prepare_sjsdm_tuning_folds()].
data_budget	One-row calibration ladder entry.

`sel_abiotic_formula, config_sjsdm_cv_fitting`
Model formula and validated structural CV fitting configuration.

`repeat_ids` Integer repeats to execute.

`seed, device` Deterministic seed and fitting device.

`candidate_fit_function, predict_function, score_function`
Injectable fitting, prediction, and scoring backends.

Value

List containing fold-level benchmark evidence and attempt-level provenance.

Index

run_sjsdm_cv_calibration_rung, [1](#)