

select_sjsdm_cv_calibration_budget.R

September 10, 2026

Contents

select_sjsdm_cv_calibration_budget 1

Index 3

select_sjsdm_cv_calibration_budget
Select a Stable sjSDM CV Calibration Budget

Description

Selects the smallest benchmark budget whose repeat-one winner is converged and stable at the next rung, then confirms the same winner in repeat two.

Usage

```
select_sjsdm_cv_calibration_budget(  
  data_benchmark = NULL,  
  rank_threshold = 0.95,  
  relative_loss_tolerance = 0.01,  
  n_folds_expected = 5L,  
  require_repeat_two = TRUE  
)
```

Arguments

data_benchmark Candidate-fold benchmark table containing repeat, budget, fit, convergence, and normalized held-out loss columns.

rank_threshold Minimum Spearman candidate-loss rank correlation. Defaults to '0.95'.

relative_loss_tolerance Maximum relative winning-loss change. Defaults to '0.01'.

n_folds_expected Required fold coverage for every candidate and budget. Defaults to five.

require_repeat_two Whether acceptance requires the same winning candidate in repeat two.

Value

One-row accepted budget and stability-evidence tibble.

Examples

```
## Not run:  
select_sjsdm_cv_calibration_budget(data_benchmark)  
  
## End(Not run)
```

Index

`select_sjsdm_cv_calibration_budget, 1`