

# extract\_and\_clean\_continent\_traits.R

July 29, 2026

## Contents

extract\_and\_clean\_continent\_traits . . . . . 1

**Index** 3

---

extract\_and\_clean\_continent\_traits

*Extract and Clean Trait Data for One Continental Unit*

---

## Description

Extracts raw trait data from VegVault for a single continental bounding box, removes incomplete records, and translates numeric taxon IDs to taxon names. Optionally prints progress messages.

## Usage

```
extract_and_clean_continent_traits(  
  data_continental_rows,  
  vec_trait_domain_names,  
  path_to_vegvault = here::here("Data/Input/VegVault.sqlite"),  
  verbose = TRUE  
)
```

## Arguments

data\_continental\_rows

A single-row data frame (one continental unit from the spatial grid) with columns 'scale\_id', 'x\_min', 'x\_max', 'y\_min', and 'y\_max'.

vec\_trait\_domain\_names

A non-empty character vector of trait domain names to extract (e.g. 'c("Specific leaf area (SLA)", "Plant height vegetative")').

path\_to\_vegvault

A single character string giving the path to the VegVault SQLite database (default: 'here::here("Data/Input/VegVault.sqlite")').

verbose

A single logical value. If 'TRUE' (default), progress messages are printed via 'cli::cli\_inform()'. Set to 'FALSE' to suppress all console output.

**Details**

The function performs the following steps:

1. Validates all input arguments.
2. Derives the bounding-box limits and scale identifier from 'data\_continental\_rows'.
3. Calls [load\_trait\_records\_from\_vegvault()] to retrieve raw records.
4. Calls [clean\_raw\_trait\_data()] to drop incomplete rows.
5. Calls [resolve\_trait\_taxon\_ids()] to replace numeric IDs with taxon names.
6. Returns the final tibble with taxon-name columns only.

**Value**

A tibble with columns 'taxon\_name', 'trait\_domain\_name', 'trait\_name', and 'trait\_value', containing the cleaned and ID-resolved trait records for the supplied continental unit.

**See Also**

[load\_trait\_records\_from\_vegvault()], [clean\_raw\_trait\_data()], [resolve\_trait\_taxon\_ids()]

# Index

`extract_and_clean_continent_traits`, [1](#)