

interpolate_data.R

April 27, 2026

Contents

interpolate_data	1
Index	3

interpolate_data	<i>Interpolate Data</i>
------------------	-------------------------

Description

Interpolates data over a specified age range and timestep using a method.

Usage

```
interpolate_data(  
  data = NULL,  
  by = "dataset_name",  
  age_var = "age",  
  value_var = "pollen_prop",  
  method = "linear",  
  rule = 1,  
  ties = mean,  
  age_min = 0,  
  age_max = 12000,  
  timestep = 500  
)
```

Arguments

data	A data frame containing the data to be interpolated.
by	A character vector of column name(s) to group by when nesting data for interpolation (default: "dataset_name").
age_var	Name of the age variable column (default: "age").
value_var	Name of the value variable column (default: "pollen_prop").
method	Interpolation method to use (default: "linear").
rule	Integer specifying the extrapolation rule (default: 1).

<code>ties</code>	Function to handle tied values (default: 'mean').
<code>age_min</code>	Minimum age for interpolation (default: 0).
<code>age_max</code>	Maximum age for interpolation (default: 12000).
<code>timestep</code>	Timestep for interpolation (default: 500).

Details

Nests data by dataset and taxon, performs interpolation using 'stats::approx', and returns the interpolated data in a flat format.

Value

A data frame with interpolated values, including dataset name, taxon, age, and value columns.

See Also

[stats::approx()]

Index

`interpolate_data`, [1](#)