

filter_community_to_plantae.R

August 31, 2026

Contents

filter_community_to_plantae 1

Index 3

filter_community_to_plantae
Filter Community to Plantae

Description

Removes taxa that do not belong to the kingdom Plantae from a community data frame, using a classification table to determine the kingdom assignment for each taxon.

Usage

```
filter_community_to_plantae(  
  data_community,  
  data_classification_table,  
  verbose = TRUE  
)
```

Arguments

data_community A data frame containing community data with at minimum a column named 'taxon'.

data_classification_table A data frame with columns 'sel_name' and 'kingdom', mapping taxon names to their kingdom classification.

verbose Logical scalar. If 'TRUE', warn when non-Plantae or unclassified taxa are removed.

Details

Performs a left join between 'data_community' and 'data_classification_table' on 'taxon == sel_name' to retrieve the kingdom for each taxon. Any taxon where 'kingdom' is not exactly '"Plantae"', including taxa with 'kingdom = NA', is treated as non-plant and removed. When any taxa are dropped, 'cli::cli_warn()' is issued reporting the count and the full vector of removed taxon names. Note: the upstream 'load_taxa_classification()' already filters to Plantae during the taxospace lookup, so in practice this function mainly catches taxa that are genuinely unclassifiable (i.e. not found in any classification source).

Value

A data frame identical in structure to 'data_community' but with all rows belonging to non-Plantae taxa removed. Taxa with 'kingdom = NA' (unclassifiable) are also removed.

See Also

[classify_taxonomic_resolution()], [filter_community_by_minimum_proportion()]

Index

`filter_community_to_plantae`, [1](#)