

# fit\_decomposition\_variant.R

August 31, 2026

## Contents

fit\_decomposition\_variant . . . . . 1

**Index** 3

---

fit\_decomposition\_variant  
*Fit One Predictive Decomposition Variant*

---

## Description

Fits, diagnoses, predicts, and evaluates one model variant for one diagnostic fold.

## Usage

```
fit_decomposition_variant(  
  data_fold_input,  
  route_id,  
  repeat_id,  
  fold_id,  
  variant_name,  
  list_variant,  
  age_formula_mode,  
  config_model_fitting,  
  fit_config,  
  fit_fn,  
  predict_fn,  
  convergence_fn  
)
```

## Arguments

|                 |                                              |
|-----------------|----------------------------------------------|
| data_fold_input |                                              |
| route_id        | Prepared train and test inputs for one fold. |
| repeat_id       | Diagnostic route identifier.                 |
| fold_id         | Repeated-fold identifier.                    |
|                 | Fold identifier.                             |

|                                   |                                               |
|-----------------------------------|-----------------------------------------------|
| <code>variant_name</code>         | Model variant identifier.                     |
| <code>list_variant</code>         | Variant-specific spatial and biotic settings. |
| <code>age_formula_mode</code>     | Environmental age-formula mode.               |
| <code>config_model_fitting</code> | Model-fitting configuration.                  |
| <code>fit_config</code>           | Optional fitting overrides.                   |
| <code>fit_fn</code>               | Injected model-fitting function.              |
| <code>predict_fn</code>           | Injected prediction function.                 |
| <code>convergence_fn</code>       | Injected convergence diagnostic function.     |

**Value**

One-row variant metric and diagnostic tibble.

# Index

`fit_decomposition_variant`, [1](#)