

# select\_unclassified\_taxa.R

July 28, 2026

## Contents

|                                    |          |
|------------------------------------|----------|
| select_unclassified_taxa . . . . . | 1        |
| <b>Index</b>                       | <b>2</b> |

---

|                                 |
|---------------------------------|
| select_unclassified_taxa        |
| <i>Select unclassified taxa</i> |

---

## Description

Identifies taxa from a community vector that are absent from a classification table. Returns the names of taxa that do not have a matching entry in the 'sel\_name' column of the classification table.

## Usage

```
select_unclassified_taxa(vec_community_taxa, data_classification_table)
```

## Arguments

|                           |                                                                                                                                                      |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| vec_community_taxa        | A non-empty character vector of taxon names present in the community data.                                                                           |
| data_classification_table | A data frame containing a 'sel_name' column with unique taxon names used for classification lookup. Must not contain duplicate values in 'sel_name'. |

## Details

Uses 'dplyr::anti\_join()' to find taxa present in 'vec\_community\_taxa' but absent from the 'sel\_name' column of 'data\_classification\_table'. Duplicate entries in 'vec\_community\_taxa' are collapsed before the comparison, so each unclassified taxon appears only once in the output.

## Value

A character vector of taxon names from 'vec\_community\_taxa' that are not found in 'data\_classification\_table\$sel\_name'. Returns an empty character vector if all taxa are classified.

**See Also**

[classify\_taxonomic\_resolution()]

# Index

`select_unclassified_taxa, 1`