

get_continent_id_from_scale_id.R

April 21, 2026

Contents

get_continent_id_from_scale_id 1

Index 3

get_continent_id_from_scale_id
Get Continent ID from Scale ID

Description

Resolves the continental parent identifier for a spatial ‘scale_id’ using the project’s spatial grid CSV catalogue.

Usage

```
get_continent_id_from_scale_id(  
  scale_id,  
  file = here::here("Data/Input/spatial_grid.csv")  
)
```

Arguments

scale_id	A single non-empty character string identifying the spatial unit whose ‘continent_id’ should be returned.
file	Path to the spatial grid CSV catalogue file. Default: ‘here::here("Data/Input/spatial_grid.csv")’.

Details

The function validates the inputs, reads the spatial grid CSV, finds the row matching ‘scale_id’, and returns its ‘continent_id’. The function errors when the file is not a readable CSV, when required columns are absent, when the ‘scale_id’ is absent or duplicated, or when the matched row has a missing ‘continent_id’ value.

Value

A single non-empty character string containing the ‘continent_id’ for the supplied ‘scale_id’.

See Also

`get_scale_id_from_store`, `get_spatial_window`

Examples

```
get_continent_id_from_scale_id(  
    scale_id = "eu_r005",  
    file = here::here("Data/Input/spatial_grid.csv")  
)
```

Index

`get_continent_id_from_scale_id, 1`