SURFACE MAP · WHAT OPENS WHERE

Two checks decide the surface. Neither one detects the device.

HOST CHECK · the page address, read once at load
WEBSITE: onemanshyo.github.io, onemanshyo.com and its subdomains (vizzie.onemanshyo.com)
OFF-SITE: anything else (Claude preview, Claude artifact, file://, localhost)

COMPACT VIEWPORT · the drawing rectangle, not the hardware
Portrait (taller than wide) OR 500 px tall or less
CSS (orientation: portrait), (max-height: 500px)
Re-checked live on rotate and resize

ONE GLOBAL LAYER · three decks
CREATE's deck: CREATE, AUTHORING and Pocket Rave · PERFORM's own Deck A and Deck B
one TEMPO, one master clock, one QUANT; the master bus on PERFORM (sheet 7)
switching CREATE ↔ PERFORM pauses the decks of the surface left: one surface plays
MASTER, QUANT waits and the LIBRARY's on-deck marks follow the open surface

ONE DROP ZONE · the whole window, every tab
MP3 · AMU .json · .wgsl · cover · .m3u8 · folders → the LIBRARY (one overlay)
a one-deck tab with nothing playing: the deck also loads the first song
and the first shader by title, and the LIBRARY returns to ALL
a song playing, or PERFORM: the LIBRARY only, nothing loads

	COMPACT: NO	COMPACT: YES
WEBSITE	**CREATE · website** Tabs CREATE · HELP · ABOUT · LEARN. Opens on CREATE. CREATE's own deck. GLOBAL strip; MUSIC (music row, controls, LIBRARY) beside VISUALS (the stage); Music Understanding full width. Sheets 2 and 8	**POCKET RAVE** Opens full frame. Plays CREATE's deck. Switches by itself between CREATE and Pocket Rave as the viewport changes. Sheet 4
OFF-SITE	**AUTHORING (desktop) · opens here** Tabs CREATE · PERFORM · AUTHORING · HELP · ABOUT · LEARN. The CREATE panel in author mode, CREATE's deck. Sheets 3 and 10 **CREATE (desktop)** As on the website, with the PERFORM and AUTHORING tabs. Sheets 2 and 8 **PERFORM (desktop)** Off-site only. Its own Deck A and Deck B, the MIXER column (MIXER · EQ / FX / MODE · LIBRARY), the master bus and DSP. Tab and panel removed on the website. Sheets 5, 6 and 7	**AUTHORING (compact)** Off-site: the authoring sections in one column in Pocket Rave's frame. Its ONEMANSHYO header goes to Pocket Rave; Pocket Rave's header goes on to compact authoring; the top strip returns to AUTHORING. Off-site on a wide viewport, Pocket Rave is reached only through a compact viewport. Sheets 3 and 4

NOTES

1. V1.3.0: the Shaka (SHOUT OUT) joins every global strip; each PERFORM deck carries DECK LOCK; a track loaded onto a playing deck stops it. The two Twisters are remapped (sheet 12). Nothing else on this sheet changed.

2. The host check is read once at load. The compact viewport is re-checked live on rotate and resize.

3. Examples: an iPhone in portrait or landscape is compact. An iPad in portrait is compact. An iPad full screen in landscape is not. A desktop window dragged tall and narrow is compact.

4. Tabs: website CREATE · HELP · ABOUT · LEARN (opens CREATE); off-site CREATE · PERFORM · AUTHORING · HELP · ABOUT · LEARN (opens AUTHORING). CREATE and AUTHORING are one panel in two modes.

5. Since V0.10.08a no section header switches the mode or surface: the tabs do.

6. The Moogerfooger strip (power light, five jacks) frames the main app on every tab (V0.10.11a). On the main app a strip tap does nothing; a tap on the power light retypes the header name and the tagline for the session.

7. HELP holds LET'S DO THIS: eight lines in two outlined modules.

Source: BLOG0148, 0152, 0153, 0154, 0157, 0158, 0182; V1.1.0: BLOG0191, 0215, 0219; V1.2.0: BLOG0224, 0231, 0238; V1.3.0: BLOG0238, 0251, 0275, 0277.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	SURFACE MAP	2026-11-12	1794532317	V1.3.0	1 OF 12	NTS	BUILT, V1.3.0 SHOWN, INACTIVE ANNOTATION

CREATE (DESKTOP)

Its own deck (also AUTHORING's and Pocket Rave's), the LIBRARY and FX, one shader.

TOP STRIP · red power light · five jacks · tap the power light = retype the name and the tagline (75 characters each, this session)

ONEMANSHYO · vizzie app · [Beta V1.3.0] — Music makes magic!

CREATE (active) · PERFORM · AUTHORING · HELP · ABOUT · LEARN | website: CREATE · HELP · ABOUT · LEARN

GLOBAL · switches nothing

128.00 | 1/4 | 1.1.1 | 🤙 — GLOBAL STRIP · TEMPO · QUANT · position · Shaka (SHOUT OUT)

MUSIC

CVR

WAVEFORM
click = cue (QUANT) · drag = scrub · song info line over it

PLAY | CUE | LOOP | KEY LOCK | ☰ | ⏭ | ≡▸ | ⤮ | FX

LIBRARY

ALL | MUSIC | VISUALS | SETS | X

TITLE ▲	ARTIST	BPM	KEY	
Title	Artist	128	Em	●
Title	Artist	124	F#m	●
Title (a shader)	Author			●

no drop zone here: one for the whole app (sheet 1) · double-click or Enter = load and play · X = clear

VISUALS | </> Code | ● Settings | Pop Out | FRAME | ●

STAGE
WGSL shader · 16:9 · the CREATE deck's visual FX when a VFX slot is live

SETTINGS DRAWER · closed (dashed purple, left edge)
slides sideways out of the stage's left edge over the MUSIC column
(music row, controls, LIBRARY) · 32 slots, 4 rows of 8 (sheet 10)
Music Understanding below stays visible · Space still plays

SHOUT OUT (Shaka lit) · bottom left: Music: title · artist / Visual: title · author

MUSIC UNDERSTANDING | 25% | SOLO

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

MINI PIANO ROLL · 16 beats · 25 % · horizontal
fills the page down to the bottom (fitMu, at least 160 px) · no page scroll
drag = scrub · click a block = cue on QUANT · LOOP on = loop it · stopped = pick it (REC)

MESSAGE BAR · empty when idle · help on hover · values on change

NOTES

1. V1.3.0: the Shaka (SHOUT OUT) ends the global strip: lit, the song and shader credits sit bottom left of the stage. KEY LOCK opens off. A LIBRARY track loaded while the deck plays stops it and loads stopped at 1.1.1.

2. CREATE: tab CREATE (MODES key public). Opens on the website; off-site it is the second tab. Tabs CREATE · HELP · ABOUT · LEARN on the website.

3. GLOBAL header over the strip: TEMPO · QUANT · position. It switches nothing.

4. MUSIC column: music row 40 px (cover, waveform), the controls row, then the LIBRARY module to the stage's bottom (sheet 8).

5. Controls row: PLAY · CUE · LOOP · KEY LOCK · roll orientation · PLAY NEXT · CONTINUOUS PLAY · SHUFFLE ..... FX. CUE = back to the start, on QUANT while playing. A LIBRARY track loaded while the deck plays stops it and loads stopped at 1.1.1. FX opens a drawer over the LIBRARY (sheet 8).

6. VISUALS header: Code, Settings (while the shader declares settings), Pop Out, orientation, REC (all of REC Barbie Pink). Code view: Apply · Copy · Export; Export saves the shader as its next _V## with the tuned settings as its defaults. A shader loaded from the LIBRARY while music plays swaps on the next QUANT step; Apply is immediate.

7. Music Understanding, full width: bus bars and 12 lane chips in their bus colours (click = solo), the mini roll. The zoom field and SOLO sit at the far right of its header.

Source: BLOG0144 to 0150, 0152, 0153, 0155, 0159, 0174, 0176, 0177; V1.1.0: BLOG0191, 0192, 0193, 0194, 0198, 0206, 0218, 0219; V1.2.0: BLOG0224, 0231, 0237, 0242; V1.3.0: BLOG0251, 0254, 0277.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	CREATE	2026-11-12	1794532317	V1.3.0	2 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

AUTHORING (DESKTOP)

Off-site. The app is the shader authoring template.

TOP STRIP · red power light · five jacks · tap the power light = retype the name and the tagline (75 characters each, this session)

ONEMANSHYO · vizzie app · [Beta V1.3.0] — Music makes magic!

CREATE · PERFORM · AUTHORING (active) · HELP · ABOUT · LEARN

GLOBAL · switches nothing

128.00 | 1/4 | 1.1.1 | 🤙 — GLOBAL STRIP · TEMPO · QUANT · position · Shaka (SHOUT OUT)

VISUAL : AUTHORING — </> Code | ● Settings | Pop Out | FRAME | ●

SETTINGS DRAWER · slides down out of the Visual header's bottom edge, at its width
the same rack of 32 slots as CREATE (sheet 10)

STAGE · WGSL shader · 16:9
overlay on top: GRID (the shader camera, metres) · GUIDES (metres from ov_origin) · POINTS (frame units) · REF (a 1.8 m person)
opens on Yobot Squint, an asset: X axis Barbie Pink, depth Green Slime · plays dry, no FX · 1:1 and 9:16 centred in the 16:9 box

COVER 40 × 40

MUSIC · WAVEFORM · 40 px
click = cue on QUANT · drag = scrub · cover tap: one-line song info over it (title · artist · BPM · key), always scrolling, stays until tapped again

PLAY | CUE | LOOP | KEY LOCK | 0% | ☰ — SOLO

MUSIC UNDERSTANDING · chips

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

PIANO ROLL · 16 beats (4 bars) at 0% · 120 px · horizontal on open
scrub · cue on QUANT · LOOP on = loop the block · stopped = pick the block (REC) · vertical 75 px on the orientation button

READOUT · Section 1/26 · bar 2.1 · 128 BPM · E minor

BELOW THE FOLD · OBJECTS TOGGLE (ALL OFF · GRID · GUIDES · POINTS · REF · CRYPTOMATTE) · SCENE · MAPPING · DEFINITIONS · HIERARCHY · CHANGE LOG · BUILD · TEMPLATE BASIS · TECHNICAL

NOTES

1. V1.3.0: the Shaka in the global strip; KEY LOCK opens off. AUTHORING opens on Yobot Squint, an asset built to R14 to R22; REF (a 1.8 m person) next to POINTS; the GRID follows the asset in metres, the X axis Barbie Pink, depth Green Slime.

2. Off-site only (Claude preview, file://, localhost): the AUTHORING tab, opened first. The CREATE panel in author mode (MODES key authoring).

3. The app carries the shader authoring template: a copy of the app HTML at any build works as the template. The per-shader block runs from TECHNICAL to the overlay slots; renderer hooks in AUTH_GPU; mode values in MODES.

4. GLOBAL header and strip as CREATE (sheet 2). One deck, CREATE's: its position is the master position.

5. Controls row PLAY · CUE · LOOP · KEY LOCK · zoom · orientation ..... SOLO. FX, LIBRARY, PLAY NEXT, CONTINUOUS PLAY and SHUFFLE are CREATE only; AUTHORING plays dry.

6. Roll: 16 beats (4 bars) at 0 %, horizontal 120 px on open, vertical 75 px. Waveform click = cue on QUANT, drag = scrub.

7. Lane and bus colours: every lane takes its bus colour (sheet 9). Settings: declared in the .wgsl with // @setting lines (sheet 10).

8. On a compact viewport, off-site shows the same sections in one column (sheet 4).

Source: BLOG0152, 0155, 0156, 0159, 0172, 0176, 0183; V1.1.0: BLOG0204, 0210, 0218, 0219; V1.2.0: BLOG0224, 0231, 0237, 0242; V1.3.0: BLOG0249, 0250, 0251, 0254.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	AUTHORING	2026-11-12	1794532317	V1.3.0	3 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

POCKET RAVE · COMPACT SURFACES

Phone width shown at 320 px. Full frame and normal view are the website; compact authoring is off-site.

TOP STRIP · power light · jacks

ONEMANSHYO

WGSL · FULL FRAME
no menus · no tabs · no FX

tap: play / pause

double tap: normal view

FULL FRAME
opens here · shader fills the frame

TOP STRIP · power light · jacks

ONEMANSHYO

MUSIC · ABOUT · LEARN ↗

VISUAL | Settings | ●

CANVAS · 16:9
tap: play / pause
double tap: load a .wgsl
grey 1 px frame, 6 px corners, no glow

MUSIC

CVR | WAVEFORM · 40 px
drag to seek · cover tap: info

MUSIC UNDERSTANDING

sect | seg | phr | drum | bass | voc | oth

ROLL · 144 px
3 structure lanes
4 instrument lanes,
25% lower
tap a block = cue
pinch = zoom

Section · bar · BPM · key

vizzie app [Beta V1.1.0]

PLUR
Purple People Eater

NORMAL VIEW
header tap, or double tap the shader

TOP STRIP · power light · jacks

ONEMANSHYO

GLOBAL · 128.00 · 1/4

VISUAL : AUTHORING · Code · Settings · FRAME

STAGE · 16:9 box
16:9 of the width in every orientation
(at most 60% of the window tall)
1:1 and 9:16 narrow, centred in it

MUSIC

COVER | WAVEFORM

PLAY · CUE · LOOP · KEY LOCK · 0% · ☰ · SOLO

MUSIC UNDERSTANDING

12 LANE CHIPS
under the bus bars · click = solo
rhythm · structure · key · pace
loudness · instruments

PIANO ROLL · 16 beats

READOUT

↓ BELOW
objects toggle · scene · mapping
definitions · hierarchy · technical

COMPACT AUTHORING
off-site · one column

NOTES

1. V1.3.0: SHOUT OUT moves into Pocket Rave with the viewer when the Shaka is lit on the main app. Nothing else on this sheet changed.

2. Pocket Rave is the website's compact surface: opens full frame, no FX, plays CREATE's deck under the app's TEMPO and QUANT.

3. Canvas tap = play / pause (the only play control). Double tap: full frame → normal view; in the normal view it loads a .wgsl. Cover: tap = song info, double tap = load an MP3.

4. Roll: section, segment, phrase, then drums, bass, vocals, other, 25% lower. Tap a structure block = cue; pinch = zoom. Settings: CREATE's rack, sliding down out of the canvas.

5. ONEMANSHYO header: on the website, full frame ↔ normal. Off-site, full frame → normal → compact authoring.

6. Top strip (power light, jacks): off-site it returns to AUTHORING; on the website it does nothing. The same strip frames the main app too (sheet 1); there a power light tap retypes the header name and the tagline.

7. Compact authoring: off-site on a compact viewport, one column; Pop Out, REC and the position hidden. Its stage box is 16:9 of its width in every orientation.

8. Touch only: no keyboard flow here (sheet 11).

Source: BLOG0062, 0063, 0067, 0069, 0075, 0151, 0157, 0159, 0172, 0176; V1.1.0: BLOG0199, 0204, 0218; V1.2.0: BLOG0231, 0237; V1.3.0: BLOG0251.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	POCKET RAVE	2026-11-12	1794532317	V1.3.0	4 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

PERFORM

Off-site only. Its own Deck A and Deck B, the MIXER column, the master bus.

TOP STRIP · red power light · five jacks · tap the power light = retype the name and the tagline (75 characters each, this session)

ONEMANSHYO · vizzie app · [Beta V1.3.0] — Music makes magic!

CREATE · PERFORM (active) · AUTHORING · HELP · ABOUT · LEARN

128.00 | 1/4 | PLAY | 1.1.1 | 🤙 | GLOBAL STRIP · TEMPO · QUANT · PLAY · position · Shaka .... MASTER · DSP | 0 dB | DSP

DECK A | KEY LOCK | MASTER | </> Code | ● Settings

STAGE A
the deck's own shader + VFX1 · VFX2 + RGB · 16:9
SHOUT OUT bottom left while the Shaka is lit
double-tap: load a .wgsl

CVR | WAVEFORM A
click = cue (QUANT) · drag = scrub · song info line

PLAY | CUE | LOOP | 25% | ☰ | 1.1.1 | SOLO

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

12 lane chips under bus bars · click = solo · bar = group solo

PIANO ROLL A
horizontal · 25% on open · 4 bars at 0%
drag = scrub · click a block = cue (QUANT)
LOOP on = loop the block

MIXER — LOW ○ MID ○ HIGH ○

OUT
the decks' pictures (after VFX, TRIM and RGB) combined by the MODE at their VID strengths

○ LINK ○ ▮ ○ LINK ○

EQ | FX | MODE

LIBRARY

ALL | MUSIC | VISUALS | SETS | X

TITLE ▲	ARTIST	BPM	KEY
Title	Artist	128	Em
Title	Artist	124	F#m

LIST
one row per track (MP3 tags: title · artist, BPM and KEY from its AMU) and per shader (@title · @author, newest _V##) · sort header
click = select · W / S · ↑↓ · A / ← Deck A
D / → Deck B · drag onto a deck · Delete on a deck = Yellow Man tint
the same LIBRARY as CREATE's · drops go here

DECK B | KEY LOC

the deck's own s
SHOUT OUT bott
doub

DSP | LIMITER

THRESH ○ -3.0 dB | RATIO ○ 20.0:1 | OUTPUT ○ 0 dB

GR 2.6 dB

slides down out of the strip's right end, over Deck B
preset: Off · Gentle · Medium · Aggressive · Limiter

CVR | WAVEFORM B
click = cue (QUANT) · drag = scrub · song info line

PLAY | CUE | LOOP | 25% | ☰ | 1.1.1 | SOLO

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

12 lane chips under bus bars · click = solo · bar = group solo

PIANO ROLL B
horizontal · 25% on open · 4 bars at 0%
drag = scrub · click a block = cue (QUANT)
LOOP on = loop the block

NOTES

1. V1.3.0: the Shaka in the global strip; a lock (DECK LOCK) right of each deck title; KEY LOCK opens off; two level meters between the AUD knobs; SHOUT OUT on each deck and OUT. A track loaded onto a playing deck stops it and loads stopped at 1.1.1.

2. Off-site only; on the website the PERFORM tab and panel are removed. Switching to CREATE pauses both decks. Deck A opens on the embedded track, as Deck B.

3. Global strip: TEMPO (double-click = the MASTER deck's BPM) · QUANT (None to 8 Bars; default 1/4) · master PLAY / PAUSE (Space) · master position ..... MASTER (after the isolator, before DSP; −∞ to +6 dB, default 0 dB) · DSP.

4. DSP: preset Off · Gentle · Medium · Aggressive · Limiter (opens on Limiter); THRESH −48 to 0 dB, RATIO 1:1 to 20:1, OUTPUT ±12 dB (a turned knob reads CUSTOM); GR bar in orange.

5. Deck: CUE = back to the start, on QUANT while playing. MASTER lit on the master; click = make this deck master. Settings shows while the shader declares settings.

6. QUANT: PLAY and CUE wait for the master's next step when another deck plays; shader loads swap on the step; a track loaded onto a playing deck stops it.

7. MIXER column detail: sheet 6. Keyboard: sheet 11.

Source: BLOG0064, 0080, 0124, 0128, 0131, 0135, 0136, 0138, 0146, 0159, 0175, 0182, 0185, 0186; V1.1.0: BLOG0178, 0180, 0181, 0193, 0197, 0206, 0215, 0217, 0218, 0219; V1.2.0: BLOG0231, 0237, 0238, 0242; V1.3.0: BLOG0251, 0254, 0260, 0264, 0275, 0277.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	PERFORM	2026-11-12	1794532317	V1.3.0	5 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

PERFORM · MIXER COLUMN

EQ OPEN

MIXER — LOW MID HIGH

OUT
A and B combined by the MODE, each at its VID

LINK LINK

EQ (lit) | FX | MODE

DRAWER · over the LIBRARY

RGB	EQ	EQ	RGB
TRIM ×1.00	TRIM 0 dB	TRIM 0 dB	TRIM ×1.00
BLUE ×1.00	HIGH 0 dB	HIGH 0 dB	BLUE ×1.00
GREEN ×1.00	MID 0 dB	MID 0 dB	GREEN ×1.00
RED ×1.00	LOW 0 dB	LOW 0 dB	RED ×1.00

AUDIO CHAIN per deck
source → pre → TRIM (-15 to +15 dB) → LOW shelf 70 Hz → MID bell 1 kHz (Q 0.7) → HIGH shelf 13 kHz → AFX1 → AFX2 → AUD gain (audio taper, dB) → master bus: ISOLATOR → MASTER → DSP → out
EQ: -26 to +6 dB, snaps to 0 dB at centre · PERFORM only
VISUAL CHAIN per deck
shader → VFX1 → VFX2 → TRIM (off to ×1.33, R G B together) → RGB (×0.00 to ×1.33) → stage and OUT

FX OPEN

MIXER — LOW MID HIGH

OUT
A and B combined by the MODE, each at its VID

LINK LINK

EQ | FX (lit) | MODE

DRAWER · over the LIBRARY

VFX	AFX	AFX	VFX
VFX1 RGB SPLIT	AFX1 FILTER	AFX1 FILTER	VFX1 RGB SPLIT
VFX2 FEEDBACK	AFX2 DUBBY	AFX2 DUBBY	VFX2 FEEDBACK

AFX: Filter (centre off, ← low-pass, → high-pass), Washout, Dubby, Delay, Reverb, Flanger, Phaser, Bitcrush · pre → (TRIM, EQ) → AFX1 → AFX2 → deck gain
VFX: RGB Split, Feedback, Glitch, Pixelate, Scanlines, Mirror, Kaleidoscope, VHS, Shake, Tone, Tile, Rotate, Zoom · a WGSL post pass on the deck picture, before RGB and OUT
columns: A VFX · A AFX | B AFX · B VFX · slot 1 over slot 2 · effect box: click, then the arrows step the bank
Enter kills land on the next QUANT step

MODE OPEN

MIXER — LOW MID HIGH

OUT
A and B combined by the MODE, each at its VID

LINK LINK

EQ | FX | MODE (lit)

DRAWER · over the LIBRARY

MIX	NAM	ADD	SCRN
MULT	OVER	DIFF	LUMA
DARK	SOFT	EXCL	INVL
SUB	DODGE	BURN	COLOR

MODE: click or Enter picks · the mode in use outlined purple · full name in the message bar · a VID at 0 is the cut

ISOLATOR · the MIXER header's right end
LOW · MID · HIGH, 20 px knobs, on the master bus after both decks · split at 250 Hz and 2.5 kHz (Linkwitz-Riley), flat at 0 dB · full kill (left) · 0 dB (centre) · +6 dB (right) · Enter = kill / restore · double-click = 0 dB

LINK · between each deck's encoders
white = linked (on at open), grey = off · on: VID glides to AUD over one beat on QUANT, then follows · moving VID unlinks · click or Enter toggles · VID and AUD start at 0

METERS · between the AUD knobs, A left, B right · after AUD and its kill · green, yellow above -6 dB, red at 0 dB

KEYBOARD · one flow for the app (sheet 11): Shift+M = into the mixer, Shift+L = the LIBRARY

NOTES

1. V1.3.0: two level meters between the AUD knobs, Deck A left, Deck B right, no labels. Turning LINK on glides VID to AUD over one beat on QUANT; AUD never moves. A Twister EQ or FX push on a closed drawer only opens it (sheet 12).

2. Three bordered modules of one width: MIXER, the panel strip, the LIBRARY (closed: sheets 5 and 8; header as CREATE's). The column itself has no line.

3. Each drawer slides out of the strip's bottom edge (translateY, 0.26 s) and covers the LIBRARY down to its bottom. One at a time; the lit button closes it again.

4. Mixer: four 36 px knobs, no label or value: VID purple outside, AUD cyan inside, deck A left; all start at 0, double-click = 0. Level in the message bar: VID %, AUD dB (gain = position²).

5. EQ: Pioneer DJM-style shelves; RGB is a PERF_VFX pass (kind 14) after the VFX, drawn only when a channel is off ×1.00. Red sits with LOW, green with MID, blue with HIGH. TRIM (the top row): killed = its left end; the four rows fit from a window about 820 px tall.

6. One knob rule (EQ, TRIM, RGB, FX, mixer, isolator): click = select (ring in its domain colour); Shift+arrows = value; Enter = kill / restore (FX on QUANT); killed dims and keeps its level; double-click = default.


7. Visual = Purple People Eater, audio = cyan (sheet 9); LINK on = white.

Source: BLOG0137, 0182, 0184, 0185, 0186, 0187, 0188; V1.1.0: BLOG0178, 0181, 0195, 0196, 0210, 0217; V1.2.0: BLOG0232, 0234, 0240; V1.3.0: BLOG0256, 0264, 0266.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	PERFORM · MIXER COLUMN	2026-11-12	1794532317	V1.3.0	6 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

MUSIC CLOCK AND SIGNAL FLOW

Bars and beats are the clock of record. Seconds stay at the edge.



NOTES

1. V1.3.0: KEY LOCK opens off. A track loaded onto a playing deck stops it and loads at 1.1.1; there is no song switch on QUANT. Turning LINK on glides VID to AUD.

2. Bars and beats are the clock of record; seconds exist only at the edge (the decoded audio, the warp map). Each track's AMU beats are its warp markers.

3. One clock, TEMPO and QUANT for the app; each surface's decks are its own. Switching CREATE ↔ PERFORM pauses the decks left; MASTER and QUANT waits use the open surface's decks.

4. Tempo master: the first-started playing deck; it hands over when it stops or its AUD goes down. Nothing playing: a deck up in the mix takes it. A MASTER click holds until the next start, stop or AUD change. A load sets the tempo only when nothing else on its surface plays and the deck is master.

5. QUANT: each deck lands its own AMU point on the master's step. None = at once.

6. LOOP per deck: the whole track or a chip's span, on the beat. CONTINUOUS PLAY (CREATE) loads the next LIBRARY track at a track's end.

7. vizzie.time is cumulative beats and follows TEMPO. The AMU block (binding 0) is unchanged from V0.4.0D.

8. FX_LIVE: PERFORM's decks, and CREATE's deck on CREATE.

9. Master bus: PERFORM only, neutral elsewhere; the compressor adds about 6 ms on every tab.

Source: BLOG0071 to 0079, 0094 to 0096, 0119 to 0121, 0124, 0128, 0135 to 0137, 0144, 0145, 0149, 0151, 0172, 0176, 0184, 0186; V1.1.0: BLOG0180, 0181, 0194, 0196, 0197, 0198, 0215, 0219; V1.2.0: BLOG0226, 0227, 0228; V1.3.0: BLOG0254, 0256, 0277.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	MUSIC CLOCK AND SIGNAL FLOW	2026-11-12	1794532317	V1.3.0	7 OF 12	NTS	BUILT, V1.3.0 · SIGNAL / DATA FLOW · DOMAIN BAND

CREATE · LIBRARY, FX AND PLAY CONTROLS

LIBRARY · FX CLOSED

PLAY | CUE | LOOP | KEY LOCK | ☰ | ⏭ | ≡▸ | 🔀 | FX

LIBRARY

ALL | MUSIC | VISUALS | SETS | X

TITLE ▲	ARTIST	BPM	KEY	
Title	Artist	128	Em	●
Title	Artist	124	F#m	●
Title	Artist	126	C	●
Title	(no artist)			●
Title (a shader)	Author			●

VISUALS · sort header

TITLE ▲	AUTHOR	VER	TYPE	
Title	Author	3	scene	●

SETS · one row per set · the applied set cyan


Set name	12/14 ●
Set name	2/2

double-click / double tap or Enter = load (a track plays from the top) · A / ← or D / → = load · click = select · W / S · ↑↓ · Delete · drag a row onto the deck
a track loaded while the deck plays stops it and loads stopped at 1.1.1 · a shader load waits for QUANT
sort: click a heading, again = reverse · default TITLE, A to Z (2 before 10) · a row without the value goes last · a set or SHUFFLE keeps its own order (no arrow)
names: MP3 tags title · artist, else the file name · shaders: @title · @author · @type, else the file name minus OMS_Vizzie_Shader_ and _V## · VER from _V##
SETS: one row per playlist (found / total) · double-click or Enter = apply: MUSIC, its tracks in order · again = off · ALL clears it · greyed with no sets
X = clear the LIBRARY (the decks keep what they have) · on the deck = Yellow Man tint · selected = cyan · no drop zone here: one for the app (sheet 1)

FX OPEN

PLAY | CUE | LOOP | KEY LOCK | ☰ | ⏭ | ≡▸ | 🔀 | FX


DRAWER · slides down out of the row, over the LIBRARY



the row's width, from its bottom to the column's bottom (the stage's) · re-placed on resize
AFX1 over AFX2, VFX1 over VFX2 to the right
the CREATE deck's own slots (PERFORM's decks have theirs)
knob: drag · Shift+↑↓ ±1 % · Shift+←→ ±5 %
click = select · Enter = kill / restore on QUANT
double-click = reset to the default
box: click, then the arrows = effect
music FX play on CREATE
visual FX on the stage, Pop Out and REC
FX lit while open · a mode or surface switch closes it · hidden in AUTHORING

PLAY NEXT · CONTINUOUS · SHUFFLE

THE LIST AS SHOWN



off: the list's own order

SHUFFLE on: random keys

NEXT = the row after the one on the deck

PLAY NEXT (a press): the playing track stops; the next row plays from the top; wraps
CONTINUOUS PLAY (lit cyan): at a track's end, LOOP off, the next row plays from the top
SHUFFLE (lit cyan): each row a random sort key, the deck's track first; kept until SHUFFLE is off
no list on screen: the LIBRARY's order
icons only, help on hover · AUTHORING hides all three

WEBSITE SET · ./examples/library.json

{files: [names], playlists: [{name, file}]}
read on open (http / https), quietly
MP3 and AMU .json: stand-ins, fetched when the track loads ('Loading NAME …')
each playlist: a set (a row under SETS); track names from the MP3 tags, not #EXTINF
the LIBRARY opens with its first set applied (MUSIC)

NOTES

1. V1.3.0: a load onto a playing deck stops it. V1.1.0: LIBRARY header ALL · MUSIC · VISUALS · SETS ..... X (QUEUE, the playlist buttons and the PLAYLIST drawer are gone); sort header TITLE · ARTIST · BPM · KEY, for VISUALS TITLE · AUTHOR · VER · TYPE; X clears the LIBRARY; names from the MP3 tags and the shader's @ lines; CUE in the controls row; the LIBRARY module's drop zone is gone (one for the app, sheet 1); the FX slots are CREATE's own.

2. CREATE only. The LIBRARY module sits under the controls row in the MUSIC column, down to the stage's bottom, with a Library header, as PERFORM's. It is the same LIBRARY as PERFORM's, a second view.

3. FX opens a drawer over the LIBRARY; FX again closes it. One copy of the FX engine serves CREATE and PERFORM. The Settings drawer opens over the same column, sideways (sheet 2).

4. A double tap is timed by the list (the same row twice within 400 ms): the first click redraws the row and iOS reports no second click. LIBRARY lists take no double-tap zoom.

5. SHUFFLE puts the list in a random order and play follows it, as streaming players do; it does not pick at random.

6. The website opens without fetching any music or analysis: each track is fetched when it is loaded.

7. Sets: a dropped .m3u8 becomes a set named for its #PLAYLIST: line, else its file name; sets are in alphabetical order; a drop applies none. The message bar confirms (e.g. "set Night Set added · 2 of 2 found").

Source: BLOG0144 to 0147, 0149, 0151, 0153, 0156, 0186, 0188; V1.1.0: BLOG0191, 0192, 0193, 0198, 0206, 0207, 0208, 0218, 0219; V1.3.0: BLOG0277.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	CREATE · LIBRARY AND FX	2026-11-12	1794532317	V1.3.0	8 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

DESIGN SYSTEM · COLOURS

KEY COLOURS · Wes's names · one shade of each in the app

PURPLE PEOPLE EATER	BARBIE PINK	GREEN SLIME	YELLOW MAN	ORANGE JULIUS	GOBLIN WHITE	RED HOTS
#B24DFF	#E0218A	#65FF00	#FFF000	#FFA500	#FFFFFF	#FF006E
brand · Yo Purple	brand · YobotSlime_24	brand · YobotSlime_24	brand · Yo Yellow	brand · state messages	key · Yo White	key · errors

UI colour with no key colour: cyan #00D4FF (chrome, section headers, info, PLAY and toggles on, fields, focus, selected, drop highlight, audio domain)

ROLES

- Visual domain: VID encoders, VFX knobs and boxes, RGB knobs, Settings rack knobs and value boxes, mix modes, LIBRARY shader dots; INSTRUMENTS bus; credits, PLUR, overlay points
- Audio domain: AUD encoders, AFX knobs and boxes, EQ HIGH / MID / LOW, LIBRARY audio dots; chrome, info messages, toggles on, focus
- Active and recording: SOLO on (CREATE panel), roll and waveform playheads, all of REC (button, pulse, position box); asset X axis line (AUTHORING GRID)
- KEY bus; LIBRARY entry loaded on a deck (tint 0.10); picked chip being rendered (band 0.16, edge); a loud meter (above -6 dB)
- PACE bus; deck level meters; asset depth axis line (AUTHORING GRID)
- State messages; authoring section headers; STRUCTURE bus; DSP gain-reduction bar; cueing: a chip waiting for QUANT (fill), the Twister WF Cue, AMU and Settings cursors (outline)
- Errors (message bar, GPU errors on a stage); danger button; ONEMANSHYO gradient (cyan → Red Hots); RHYTHM bus
- Text; the beat lane; LINK on (the chain icon)
- LOUDNESS bus (#00A8FF), not a key colour

BUSES AND LANES · every lane takes its bus colour

RHYTHM	beat (Goblin White) · bar
STRUCTURE	section · segment · phrase
KEY	key
PACE	pace
LOUDNESS	loudness
INSTRUMENTS	drum · bass · vocal · other

RULES

1. Where the UI needs a colour, a key colour fills the role first.
2. One shade of each: never a second pink, green, purple or yellow. A dim form is the same colour at lower opacity.
3. Clash: pick another colour, never a variant shade.
4. Shader WGSL colours belong to the shader, not the app.
5. Domain: a control's arc, value box, active state and selected ring take its domain colour (purple visual, cyan audio).
6. Neutrals unchanged: #060606 stage · #0a0a0a boxes · #1a1a1a buttons · #2a2a2a line · #333 borders · #7a7a7a toggle off · #888 dim

NOTES

1. V1.3.0: Green Slime, Yellow Man and red (#FF2D2D) fill the deck level meters; the Twister WF Cue, AMU and Settings cursors are Orange Julius outlines; the asset axis lines are Barbie Pink (X) and Green Slime (depth).

2. Domain colours as a rule (BLOG0188): a control's arc, value box, active state and selected ring take its domain colour, Purple People Eater for visual, cyan for audio. The Settings rack, the EQ drawer's RGB and visual TRIM and the mix modes are visual; EQ, audio TRIM, the isolator and DSP are audio.

3. V0.10.12a, 12b: the app's colours on Wes's key colours, colour values only; no size, spacing or layout changed.

4. Replaced: visual purple #aa00ff, #a24dff, #b44dff, #c77dff, #9A1AE6 → Purple People Eater; SOLO and playhead pinks #ff2d95, #ff2d6f → Barbie Pink; KEY #ffd500 and the loaded tint → Yellow Man; PACE #22c55e → Green Slime; RHYTHM #ff2a2a, STRUCTURE #ff8c00 → Red Hots, Orange Julius; stage error text #ff5c7a → Red Hots.

5. Lanes no longer have their own hues: each takes its bus colour; beat stays white.

6. The names are listed in the comment at the top of the app's stylesheet.

7. Values: Y 11.6, narrative: C 12.7.

Source: BLOG0159, 0188; V1.1.0: BLOG0178, 0197, 0199; V1.2.0: BLOG0232, 0242, 0243; V1.3.0: BLOG0249, 0250, 0264.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	DESIGN SYSTEM · COLOURS	2026-11-12	1794532317	V1.3.0	9 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

SHADER SETTINGS · CONTRACT V0.5.0A

A shader's settings: declared in the .wgsl, tuned in the rack, exported as its defaults.

@group(0) @binding(0) · AMU BLOCK
9 × vec4 · 36 floats · unchanged from V0.4.0D
lane gates · vizzie.time · beat and bar phase · structure · AMU values

@group(0) @binding(1) · SETTINGS BLOCK
array<vec4<f32>,16> · 64 floats · one block per deck
written straight from the rack, read as settings[N].x / .y / .z / .w

@group(3) · AUTHORING PREVIEW ONLY
1 object mask · 2 overlay probe · 3 CRYPTOMATTE
added by AUTH_GPU; the shipped .wgsl is unchanged

THE DECLARATION · comment lines in the .wgsl

```
// @setting NAME settings[N].c min max step default | help ← number (c = x, y, z or w)
// @setting NAME settings[N].xyz color r g b | help ← colour
let CAM_DIST = settings[0].w; ← read with a let at the top of each function that uses it
// @title NAME · // @author A, B · // @type asset | visualizer | scene | story · // @desc one line ← metadata under line 1 (rule R16): the LIBRARY's names and VISUALS columns (sheet 8)
```

THE FLOW

the .wgsl // @setting lines → app reads the declaration → block filled with the defaults → Settings · dot (shown when declared) → the rack 32 slots → values into the block no recompile → Export: tuned values as the defaults → next version _V## + 1 in Downloads

THE RACK · 32 slots · 4 rows of 8 · the same on every stage

SCALE	ROTATION	OFFSET_X	OFFSET_Y	PIVOT_X	PIVOT_Y	TILE	TIME_OFFSET
SPEED	REACT	HUE	SATURATION	VALUE	CONTRAST		
VIEW	ORBIT	TILT	LENS	SPIN			

rows 1-2: the standard fourteen (settings[0]-settings[3]) · row 3 on: the shader's own, from settings[4]; an asset (R17) starts it with VIEW, ORBIT, TILT, LENS (settings[4].x to .w) and SPIN (settings[5].x) · empty slot: dashed encoder and box · a colour takes one slot

SETTINGS vs FX · settings act inside the shader, are part of its look and are exported with it as its defaults · FX are post passes on its picture, live, session only, never exported

NOTES

1. V1.3.0: for an asset, row 3 starts with R17's VIEW, ORBIT, TILT, LENS and SPIN (settings[4].x to settings[5].x). @type is asset, visualizer, scene or story.

2. Uniform contract V0.5.0A: a second block, the shader's settings, beside the unchanged AMU block. Shaders written for V0.4.0D run unchanged.

3. Declaration: one // @setting comment line per setting; the app reads them when the shader loads and fills the block with the defaults. Nothing checks the declaration against the code.

4. The Settings button shows only while the loaded shader declares settings: CREATE VISUALS header, AUTHORING Visual header, each PERFORM deck header (sheets 2, 3, 5).

5. The rack writes straight into the deck's block: no recompile, the picture follows the next frame. Values last for the session. Double-click (double-tap) = the default.

6. Standard fourteen (template convention): SCALE · ROTATION · OFFSET_X · OFFSET_Y · PIVOT_X · PIVOT_Y · TILE · TIME_OFFSET; SPEED · REACT · HUE · SATURATION · VALUE · CONTRAST. A shader's own settings start on a fresh row.

7. Export, in every Code view: the shader to Downloads as its next version, the tuned values as its defaults, so it opens with the look tuned.

8. Metadata is written when the shader is made; file name OMS_Vizzie_Shader_<Name>_V##, the title in CamelCase.

Source: BLOG0164, 0174, 0175, 0176, 0177; V1.1.0: BLOG0208, 0209; V1.2.0: BLOG0236, 0237; V1.3.0: BLOG0249, 0250.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	SHADER SETTINGS · CONTRACT V0.5.0A	2026-11-12	1794532317	V1.3.0	10 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

KEYBOARD · ONE FLOW

W A S D, the arrows and Tab move over the same stops. Shift sets a value. Enter is on / off.

PERFORM · stops and jump keys

TAB BAR
W / ↑ lands on the open tab · S / ↓ = TEMPO, as Tab

GLOBAL STRIP · TEMPO · QUANT · PLAY · position ..... MASTER · DSP
TEMPO: digits type a tempo · Shift+↑↓ ±1 BPM · Shift+←→ ±0.01

DECK A Shift+A

KEY LOCK · MASTER · Code · Settings = mouse only

→ PLAY (top row, leftmost)
PLAY · CUE · LOOP · zoom · ☰
position · SOLO
bus bars · lane chips
(Enter = solo)

MIXER Shift+M

→ A VID · encoders · LINK
ISOLATOR · EQ · FX · MODE
open drawer (Escape = out)

LIBRARY Shift+L
→ ALL · header · list
W on the header → the mixer drawer open: close it first

DECK B Shift+B

KEY LOCK · MASTER · Code · Settings = mouse only

→ PLAY (top row, leftmost)
as Deck A
DSP panel open over it: the controls under it are not stops

CREATE · AUTHORING · the same flow

TAB BAR

GLOBAL STRIP · TEMPO · QUANT · position

MUSIC · controls
PLAY · CUE · LOOP · KEY LOCK · ☰
⏭ · ≡▸ · ⤮ · FX (drawer)

VISUALS header
Code · Settings · Pop Out
orientation · REC

LIBRARY Shift+L
→ ALL · W on the header stays put
Enter = load and play
A / ← or D / → = load the deck

MUSIC UNDERSTANDING
every lane chip and bus bar is a stop · Enter = solo

CREATE: no section keys but Shift+L · KEY LOCK, Code and Settings stay stops · AUTHORING: the same, without LIBRARY and FX

MOVE

W A S D = the arrows: the nearest stop that way · W / S the next row straight ahead, its leftmost first (bus bar → its first chip) · A / D along the row first
Tab / Shift+Tab: page order over the same stops
nothing selected: the first key goes to the tab's first stop (top row, leftmost)
jump keys work from anywhere, also from TEMPO · plain M is retired

VALUE · ENTER · ESCAPE

Shift+arrows = the selected control's value: encoders, knobs, TEMPO, lane knobs, the DSP preset
the MASTER field takes ↑↓ ±1 dB, ←→ ±0.1 dB while selected
Enter = on / off: press, open a tab, solo, kill / restore, open a drawer
Keys stay in an open drawer's grid; W off its top row = the strip · Escape = out of a drawer, to its lit button
text fields and code views keep their keys

LIBRARY

header: A / D (← / →) along ALL · MUSIC · VISUALS · SETS · X · S (↓) into the list
list: W / S (↑ ↓) step the rows · W on the top row = the lit filter · S on the last row stays
A / ← = Deck A · D / → = Deck B (CREATE: its deck) · a set row: Enter = apply / off
the row picked shows in the message bar · keys win over a resting mouse

STOPS

a control under an open drawer or panel, or clipped out of view, is not a stop
PERFORM: the deck header controls are mouse only
Settings rack: knobs are stops · keys stay in the rack
a lane knob (where shown): Shift+↑↓ = level · Enter = solo · 0 = full
one focus look: the cyan ring · the message bar names the stop
Pocket Rave: touch only

NOTES

1. V1.3.0: nothing on this sheet changed. The Twisters are on sheet 12.

2. W A S D, the arrows and Tab reach the same stops, the tab bar included, so the whole UI works from the keyboard.

3. Values moved to Shift+arrows so that moving never changes a value (before, ↓ on TEMPO lowered the tempo).

4. Jump keys: PERFORM Shift+A, Shift+B (the deck's PLAY), Shift+M (the mixer, A VID); CREATE and PERFORM Shift+L (the LIBRARY's ALL). No exit needed first.

5. The first stop of an area is its top row's leftmost; controls a few px apart in height count as one row.

6. LIBRARY: one set of rules on CREATE and PERFORM (BLOG0207); in the list A / ← and D / → load, Enter on CREATE loads and plays.

Source: V1.1.0: BLOG0207, 0210, 0222 (V1.0.25a, 28a, 29b, 30b, 30c, 30d, 31b, 31c, 31d); V1.2.0: BLOG0234, 0236.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	KEYBOARD · ONE FLOW	2026-11-12	1794532317	V1.3.0	11 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION

HARDWARE PERFORM MAP

Two Midi Fighter Twisters, one per deck, factory settings. Rings: purple visual, cyan audio, blue navigation.

MIDI Fighter Twister · Deck A (MFA)

LEFT unit · first pushed

	A	B	C	D
1	A1 **LIBRARY** T list rows · PT tempo P load stopped · 2P load + play	B1 **WF CUE** T block · PT lane P jump on QUANT · cue point	C1 **VIDEO GAIN** T deck visual level P kill · 2P LINK on	D1 **AUDIO GAIN** T deck volume P kill / restore
2	A2 **VFX1** T amount · opens FX P open, then bypass	B2 **AFX1** T amount · opens FX P open, then bypass	C2 **VEQ BLUE** T level · opens EQ P open, then cut	D2 **AEQ HIGH** T level · opens EQ P open, then kill
3	A3 **VFX2** T amount · opens FX P open, then bypass	B3 **AFX2** T amount · opens FX P open, then bypass	C3 **VEQ GREEN** T level · opens EQ P open, then cut	D3 **AEQ MID** T level · opens EQ P open, then kill
4	A4 **SETTINGS** T open · step settings P arm · 2P reset	B4 **AMU** T bus / lane cursor P solo / unsolo	C4 **VEQ RED** T level · opens EQ P open, then cut	D4 **AEQ LOW** T level · opens EQ P open, then kill

MIDI Fighter Twister · Deck B (MFB)

RIGHT unit · second pushed

	A	B	C	D
1	A1 **AUDIO GAIN** T deck volume P kill / restore	B1 **VIDEO GAIN** T deck visual level P kill · 2P LINK on	C1 **WF CUE** T block · PT lane P jump on QUANT · cue point	D1 **LIBRARY** T list rows · PT tempo P load stopped · 2P load + play
2	A2 **AEQ HIGH** T level · opens EQ P open, then kill	B2 **VEQ BLUE** T level · opens EQ P open, then cut	C2 **AFX1** T amount · opens FX P open, then bypass	D2 **VFX1** T amount · opens FX P open, then bypass
3	A3 **AEQ MID** T level · opens EQ P open, then kill	B3 **VEQ GREEN** T level · opens EQ P open, then cut	C3 **AFX2** T amount · opens FX P open, then bypass	D3 **VFX2** T amount · opens FX P open, then bypass
4	A4 **AEQ LOW** T level · opens EQ P open, then kill	B4 **VEQ RED** T level · opens EQ P open, then cut	C4 **AMU** T bus / lane cursor P solo / unsolo	D4 **SETTINGS** T open · step settings P arm · 2P reset

MIDI · factory settings
turn: ch 1, CC 0 to 15, absolute 0 to 127 · push: ch 2, same CC (127 / 0), CC Hold
app → unit: ring value ch 1 (the knob carries on from it) · ring colour ch 2 · bank ch 4

PAIR
every MIDI input, not by name · first knob pushed on PERFORM = Deck A, then Deck B · session · crossed outputs found from the knob values and swapped

STEP KNOBS · LIBRARY · WF CUE · AMU · SETTINGS
8 counts per stop · recentre past 112 / 16 and at rest · counts from the knob's real position

CENTRE OF THE RIG · GAINS MEET IN THE MIDDLE · V A | A V · SIDE BUTTONS OFF · A SLIPPED BANK COMES BACK TO BANK 1

NOTES

1. V1.3.0: remapped and finished on the hardware (V1.2.02a to V1.2.33a; signed off 2026-11-12). Library on MFA A1 / MFB D1, WF Cue beside the gains, Settings on MFA A4 / MFB D4, AMU on MFA B4 / MFB C4; all side buttons off.

2. MFA = Deck A, MFB = Deck B; knobs by column A to D and row 1 to 4 on each unit. MFB is the column mirror of MFA. T turn · P push · 2P double push · PT push and turn.

3. Gains, EQ, RGB, FX: turn = the value, one code with the mouse and keys. On a closed drawer an EQ or FX push only opens it; open, push = kill, cut or bypass (FX on QUANT). No double push there: the first push would drop out.

4. LIBRARY: cursor over the list rows only. P loads stopped (a playing deck stops; DECK LOCK refuses). 2P on a stopped deck loads and plays on QUANT once AMU and audio are in; on a playing deck it stops and loads at 1.1.1. PT = master tempo, 0.1 BPM a stop; hold 1 s = tempo reset. Only LIBRARY closes a mixer drawer.

5. WF CUE: cursor over the current lane; P jumps on QUANT, the cursor stays as a cue point; PT switches lane (sect, seg, phr); a load drops the cursor.

6. SETTINGS: T opens the drawer and steps the Settings button, then each setting; P arms; 2P resets that setting (on the button: all). AMU: P solos. Both close that deck's Settings drawer. VIDEO GAIN 2P = LINK on.

7. Rings show the app's values: audio cyan 31 (MFA) / 34 (MFB), visual purple 108, navigation blue 1.

Source: BLOG0238, 0240 to 0243; V1.3.0: BLOG0245 to 0248, 0252 to 0258, 0261 to 0263, 0265 to 0274, 0276.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	HARDWARE PERFORM MAP	2026-11-12	1794532317	V1.3.0	12 OF 12	NTS	BUILT, V1.3.0 · SHOWN, INACTIVE · ANNOTATION