SURFACE MAP · WHAT OPENS WHERE

Two checks decide the surface. Neither one detects the device.

HOST CHECK · the page address, read once at load
WEBSITE: onemanshyo.github.io, onemanshyo.com and its subdomains (vizzie.onemanshyo.com)
OFF-SITE: anything else (Claude preview, Claude artifact, file://, localhost)

COMPACT VIEWPORT · the drawing rectangle, not the hardware
Portrait (taller than wide) OR 500 px tall or less
CSS (orientation: portrait), (max-height: 500px)
Re-checked live on rotate and resize

	COMPACT: NO	COMPACT: YES
WEBSITE	**CREATE · website** Tabs CREATE · HELP · ABOUT · LEARN. Opens on CREATE. GLOBAL strip; MUSIC (music row, controls, LIBRARY) beside VISUALS (the stage); Music Understanding full width to the bottom. Headers switch nothing. Sheets 2 and 8	**POCKET RAVE** Opens full frame. Switches by itself between CREATE and Pocket Rave as the viewport changes. Sheet 4
OFF-SITE	**AUTHORING (desktop) · opens here** Tabs CREATE · PERFORM · AUTHORING · HELP · ABOUT · LEARN. The CREATE panel in author mode. Sheets 3 and 10 **CREATE (desktop)** As on the website, with the PERFORM and AUTHORING tabs. Sheets 2 and 8 **PERFORM (desktop)** Off-site only. Two decks and the MIXER column (MIXER · EQ / FX / MODE · LIBRARY) on one master clock. Tab and panel removed on the website. Sheets 5 and 6	**AUTHORING (compact)** Off-site: the authoring sections in one column in Pocket Rave's frame. Its ONEMANSHYO header goes to Pocket Rave; Pocket Rave's header goes on to compact authoring; the top strip returns to AUTHORING. Off-site on a wide viewport, Pocket Rave is reached only through a compact viewport. Sheets 3 and 4

NOTES

1. V1.0.0: the PERFORM MIXER column's strip reads EQ · FX · MODE (was MODE · FX · EQ). AUTHORING now also points to sheet 10 (shader settings). Nothing else on this sheet changed.

2. The host check is read once at load. The compact viewport is re-checked live on rotate and resize.

3. Examples: an iPhone in portrait or landscape is compact. An iPad in portrait is compact. An iPad full screen in landscape is not. A desktop window dragged tall and narrow is compact.

4. Tabs: website CREATE · HELP · ABOUT · LEARN (opens CREATE); off-site CREATE · PERFORM · AUTHORING · HELP · ABOUT · LEARN (opens AUTHORING). CREATE and AUTHORING are one panel in two modes.

5. Since V0.10.08a no section header switches the mode or surface: the tabs do.

6. The Moogerfooger strip (power light, five jacks) frames the main app on every tab (V0.10.11a). On the main app a strip tap does nothing; a tap on the power light retypes the header for the session.

7. HELP holds LET'S DO THIS: eight lines in two outlined modules.

Source: BLOG0148, 0152, 0153, 0154, 0157, 0158, 0182.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	SURFACE MAP	2026-11-07	1794051010	V1.0.0	1 OF 10	NTS	BUILT, V1.0.0 SHOWN, INACTIVE ANNOTATION

CREATE (DESKTOP)

One deck, its LIBRARY and FX, one shader.

TOP STRIP · red power light · five jacks · tap the power light = retype the header (this session)


ONEMANSHYO · vizzie app · [Beta V1.0.0] — Music drives the vision ;)

CREATE (active) · PERFORM · AUTHORING · HELP · ABOUT · LEARN | website: CREATE · HELP · ABOUT · LEARN

GLOBAL · switches nothing

128.00 | 1/4 | 1.1.1 — GLOBAL STRIP · TEMPO · QUANT · position

SETTINGS DRAWER · slides sideways out of the stage's left edge, over the MUSIC column



32 slots · 4 rows of 8 · rows 1–2 the standard fourteen · the shader's own from row 3 · empty slots dashed (sheet 10)
it covers the music row, the controls row and the LIBRARY (closed: sheet 8) · Music Understanding below stays visible · Space still plays

VISUALS | </> Code | Settings | Pop Out | FRAME | ●

STAGE
WGSL shader · 16:9 · deck A's visual FX when a VFX slot is live

MUSIC UNDERSTANDING | 25% | SOLO

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

MINI PIANO ROLL · 16 beats · 25 % · horizontal
fills the page down to the bottom (fitMu, at least 160 px) · no page scroll
drag = scrub · click a block = cue on QUANT · LOOP on = loop it · stopped = pick it (REC)

MESSAGE BAR · empty when idle · help on hover · values on change

NOTES

1. V1.0.0: Settings in the VISUALS header after Code, shown while the shader declares settings. Its drawer slides sideways out of the stage's left edge over the MUSIC column (drawn open here). Code view: Apply · Copy · Export.

2. CREATE: tab CREATE (MODES key public). Opens on the website; off-site it is the second tab. Tabs CREATE · HELP · ABOUT · LEARN on the website.

3. GLOBAL header over the strip: TEMPO · QUANT · position. It switches nothing.

4. MUSIC column: music row 40 px (cover, waveform), the controls row, then the LIBRARY module to the stage's bottom (sheet 8).

5. Controls row: PLAY · LOOP · KEY LOCK · roll orientation · PLAY NEXT · CONTINUOUS PLAY · SHUFFLE ..... FX. FX opens a drawer over the LIBRARY (sheet 8).

6. VISUALS header: Code, Settings, Pop Out, orientation, REC (all of REC Barbie Pink). Export saves the shader as its next _V## with the tuned settings as its defaults.

7. Music Understanding, full width: bus bars and 12 lane chips in their bus colours (click = solo), the mini roll. The zoom field and SOLO sit at the far right of its header.

Source: BLOG0144 to 0150, 0152, 0153, 0155, 0159, 0174, 0176, 0177.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	CREATE	2026-11-07	1794051010	V1.0.0	2 OF 10	NTS	BUILT, V1.0.0 · SHOWN, INACTIVE · ANNOTATION

AUTHORING (DESKTOP)

Off-site. The app is the shader authoring template.

TOP STRIP · red power light · five jacks · tap the power light = retype the header (this session)

ONEMANSHYO · vizzie app · [Beta V1.0.0] — Music drives the vision ;)

CREATE · PERFORM · AUTHORING (active) · HELP · ABOUT · LEARN

GLOBAL · switches nothing

128.00 | 1/4 | 1.1.1 — GLOBAL STRIP · TEMPO · QUANT · position

VISUAL : AUTHORING — </> Code | Settings | Pop Out | FRAME | ●

SETTINGS DRAWER · slides down out of the Visual header's bottom edge, at its width
the same rack of 32 slots as CREATE (sheet 10)

STAGE · WGSL shader · 16:9
overlay probe on top: GRID (follows the shader camera, metres, power-of-ten steps) · GUIDES (metres from ov_origin) · POINTS (frame units)
plays dry: no FX in AUTHORING

COVER 40 × 40

MUSIC · WAVEFORM · 40 px
click = cue on QUANT · drag = scrub · cover tap: one-line song info over it (title · artist · BPM · key), always scrolling, stays until tapped again

PLAY | LOOP | KEY LOCK | 0% | ||| — SOLO

MUSIC UNDERSTANDING · chips

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

PIANO ROLL · 16 beats (4 bars) at 0% · 120 px · horizontal on open
scrub · cue on QUANT · LOOP on = loop the block · stopped = pick the block (REC) · vertical 75 px on the orientation button

READOUT · Section 1/26 · bar 2.1 · 128 BPM · E minor

BELOW THE FOLD · OBJECTS TOGGLE (ALL OFF · GRID · GUIDES · POINTS · CRYPTOMATTE) · SCENE · MAPPING · DEFINITIONS · HIERARCHY · CHANGE LOG · BUILD · TEMPLATE BASIS · TECHNICAL

NOTES

1. V1.0.0: music row slim as CREATE (cover and waveform 40 px, were 80); Music Understanding as chips (the encoders are gone); the roll opens horizontal, 120 px; Settings after Code, its drawer slides down under the header.

2. Off-site only (Claude preview, file://, localhost): the AUTHORING tab, opened first. The CREATE panel in author mode (MODES key authoring).

3. The app carries the shader authoring template: a copy of the app HTML at any build works as the template. The per-shader block runs from TECHNICAL to the overlay slots; renderer hooks in AUTH_GPU; mode values in MODES.

4. GLOBAL header and strip as CREATE (sheet 2). One deck: its position is the master position.

5. Controls row PLAY · LOOP · KEY LOCK · zoom · orientation ..... SOLO. FX, LIBRARY, PLAY NEXT, CONTINUOUS PLAY and SHUFFLE are CREATE only; AUTHORING plays dry.

6. Roll: 16 beats (4 bars) at 0 %, horizontal 120 px on open, vertical 75 px. Waveform click = cue on QUANT, drag = scrub.

7. Lane and bus colours: every lane takes its bus colour (sheet 9). Settings: declared in the .wgsl with // @setting lines (sheet 10).


8. On a compact viewport, off-site shows the same sections in one column (sheet 4).

Source: BLOG0152, 0155, 0156, 0159, 0172, 0176, 0183.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	AUTHORING	2026-11-07	1794051010	V1.0.0	3 OF 10	NTS	BUILT, V1.0.0 · SHOWN, INACTIVE · ANNOTATION

POCKET RAVE · COMPACT SURFACES

Phone width shown at 320 px. Full frame and normal view are the website; compact authoring is off-site.



NOTES

1. V1.0.0: compact authoring shows the 12 lanes as chips under the bus bars (were 12 knobs), and Settings in its Visual header, as AUTHORING (sheet 3). The website's full frame and normal view are unchanged.

2. Pocket Rave is the website's compact surface. It opens full frame. It draws without FX.

3. Shader: tap = play / pause. In full frame a double tap goes to the normal view; in the normal view a double tap loads a .wgsl. Cover: tap shows or hides the song info over the waveform; double tap loads an MP3.

4. ONEMANSHYO header: on the website, full frame ↔ normal. Off-site, full frame → normal → compact authoring.

5. Top strip (power light, jacks): off-site it returns to AUTHORING; on the website it does nothing. The same strip frames the main app too (sheet 1); there a power light tap retypes the header.

6. Compact authoring: off-site on a compact viewport, the authoring sections in one column. Its header goes to Pocket Rave. Pop Out, REC and the position are hidden. Forced on a wide viewport it shows as a 430 px column.

Source: BLOG0062, 0063, 0067, 0069, 0075, 0151, 0157, 0159, 0172, 0176.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	POCKET RAVE	2026-11-07	1794051010	V1.0.0	4 OF 10	NTS	BUILT, V1.0.0 SHOWN, INACTIVE ANNOTATION

PERFORM

Off-site only. Two decks and the MIXER column on one master clock.

TOP STRIP · red power light · five jacks · tap the power light = retype the header (this session)

ONEMANSHYO · vizzie app · [Beta V1.0.0] — Music drives the vision ;)

CREATE · PERFORM (active) · AUTHORING · HELP · ABOUT · LEARN

128.00 | 1/4 | PLAY | 1.1.1 — GLOBAL STRIP · TEMPO · QUANT · PLAY · master position

DECK A — KEY LOCK | MASTER | </> Code | Settings

STAGE A
the deck's own shader + VFX1 · VFX2 + RGB · 16:9
double-tap: load a .wgsl

CVR — WAVEFORM A
click = cue (QUANT) · drag = scrub · song info line

PLAY | LOOP | 25% | ||| | 1.1.1 | SOLO

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

12 lane chips under bus bars · click = solo · bar = group solo

PIANO ROLL A
horizontal · 25% on open · 4 bars at 0%
drag = scrub · click a block = cue (QUANT)
LOOP on = loop the block

MIXER

OUT
the decks' pictures (after VFX and RGB)
combined by the MODE at their VID strengths

EQ | FX | MODE

LIBRARY

ALL | QUEUE | MUSIC | SHADERS

LIST
one entry per track (with its AMU)
and per shader (highest _V##)
sorted by name
click = select · ↑↓ · ← Deck A · → Deck B
Delete · drag onto a deck
on a deck = Yellow Man tint
the same LIBRARY as CREATE's

DECK B — KEY LOCK | MASTER | </> Code | Settings

STAGE B
the deck's own shader + VFX1 · VFX2 + RGB · 16:9
double-tap: load a .wgsl

CVR — WAVEFORM B
click = cue (QUANT) · drag = scrub · song info line

PLAY | LOOP | 25% | ||| | 1.1.1 | SOLO

beat | bar | sect | seg | phr | key | pace | loud | drum | bass | voc | oth

12 lane chips under bus bars · click = solo · bar = group solo

PIANO ROLL B
horizontal · 25% on open · 4 bars at 0%
drag = scrub · click a block = cue (QUANT)
LOOP on = loop the block

NOTES

1. V1.0.0: deck header KEY LOCK · MASTER · Code · Settings; the mixer's four knobs have no labels (the level shows in the message bar); strip EQ · FX · MODE; PERFORM sits 9 px from the frame, 12 px between the columns, the centre column 24 px wider.

2. Off-site only; on the website the PERFORM tab and panel are removed. Deck A is the CREATE deck: its track, solos and FX are shared.

3. Global strip: TEMPO (double-click = the MASTER deck's BPM) · QUANT (None, 1/4, 1/2, 1 Bar, 2 Bars, 4 Bars, 8 Bars; default 1/4) · master PLAY / PAUSE (the whole mix; Space) · master position (counts while any deck plays; double-click = 1.1.1).

4. Each deck: header; stage (shader + its visual FX + RGB); 40 px music row; row PLAY · LOOP · zoom · orientation · position ..... SOLO; lane chips under bus bars (click = solo); roll. Code (Apply · Copy · Export) and Settings; no REC or Pop Out.

5. QUANT: PLAY waits for the master's next step when another deck plays; cues wait while the deck plays; FX kills wait for the next step.

6. MIXER column: MIXER (VID knobs Purple People Eater outside, AUD cyan inside), the panel strip EQ · FX · MODE, the LIBRARY. Detail on sheet 6.

Source: BLOG0064, 0080, 0124, 0128, 0131, 0135, 0136, 0138, 0146, 0159, 0175, 0182, 0185, 0186.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	PERFORM	2026-11-07	1794051010	V1.0.0	5 OF 10	NTS	BUILT, V1.0.0 · SHOWN, INACTIVE · ANNOTATION

PERFORM · MIXER COLUMN

EQ OPEN

MIXER

OUT
A and B combined by the MODE, each at its VID

EQ (lit) | FX | MODE

DRAWER · over the LIBRARY

RGB	EQ	EQ	RGB
BLUE ×1.00	HIGH 0 dB	HIGH 0 dB	BLUE ×1.00
GREEN ×1.00	MID 0 dB	MID 0 dB	GREEN ×1.00
RED ×1.00	LOW 0 dB	LOW 0 dB	RED ×1.00

AUDIO CHAIN per deck
source → pre → LOW shelf 70 Hz → MID bell 1 kHz (Q 0.7) → HIGH shelf 13 kHz → AFX1 → AFX2 → AUD gain (audio taper, dB) → speakers
EQ: -26 to +6 dB, snaps to 0 dB at centre · PERFORM only

VISUAL CHAIN per deck
shader → VFX1 → VFX2 → RGB (×0.00 to ×1.33) → stage and OUT
OUT = A and B mixed by the MODE, each at its VID

FX OPEN

MIXER

OUT
A and B combined by the MODE, each at its VID

EQ | FX (lit) | MODE

DRAWER · over the LIBRARY

VFX	AFX	AFX	VFX
VFX1 RGB SPLIT	AFX1 FILTER	AFX1 FILTER	VFX1 RGB SPLIT
VFX2 FEEDBACK	AFX2 DUBBY	AFX2 DUBBY	VFX2 FEEDBACK

AFX: Filter (centre off, ← low-pass, → high-pass), Washout, Dubby, Delay, Reverb, Flanger, Phaser, Bitcrush · pre → (EQ) → AFX1 → AFX2 → deck gain
VFX: RGB Split, Feedback, Glitch, Pixelate, Scanlines, Mirror, Kaleidoscope, VHS, Shake, Tone, Tile, Rotate, Zoom · a WGSL post pass on the deck picture, before RGB and OUT
columns: A VFX · A AFX | B AFX · B VFX · slot 1 over slot 2 · effect box: click, then the arrows step the bank
Enter kills land on the next QUANT step

MODE OPEN

MIXER

OUT
A and B combined by the MODE, each at its VID

EQ | FX | MODE (lit)

DRAWER · over the LIBRARY

MIX	NAM	ADD	SCRN
MULT	OVER	DIFF	LUMA
DARK	SOFT	EXCL	INVL
SUB	DODGE	BURN	COLOR

KEYBOARD · the MIXER column is one grid
M = into the mixer (A VID), from anywhere on PERFORM
W A S D = move: encoders → strip → open drawer (nearest control that way)
Enter on the strip = open / close its drawer
Tab from the strip = into the open drawer
Escape = out of a drawer, to its lit button
click = select · Enter = kill / restore · double-click = default · arrows = value

MODE: click or Enter picks · the mode in use outlined purple · full name in the message bar · a VID at 0 is the cut

NOTES

1. V1.0.0: strip EQ · FX · MODE; the EQ drawer (RGB and 3-band EQ per deck) replaces the placeholder; the FX drawer as four outlined columns; sixteen video mix modes; the mixer's knobs without labels; W A S D over the whole column.

2. The column holds three bordered modules of one width: MIXER, the panel strip, the LIBRARY (closed state: sheets 5 and 8). The column itself has no line.

3. Each drawer slides out of the strip's bottom edge (translateY, 0.26 s) and covers the LIBRARY down to its bottom. One at a time; the lit button closes it again.

4. Mixer: four 36 px knobs, no label and no value: VID Purple People Eater outside, AUD cyan inside, deck A left. Level in the message bar: VID %, AUD dB (gain = position², 0 dB at full).

5. EQ: Pioneer DJM-style shelves; RGB is a PERF_VFX pass (kind 14) after the VFX, drawn only when a channel is off ×1.00. Red sits with LOW, green with MID, blue with HIGH.

6. One knob rule (EQ, RGB, FX, mixer): click = select (ring in its domain colour); Enter = kill / restore (FX on QUANT); killed dims and keeps its level; double-click = default.


7. Visual = Purple People Eater, audio = cyan: rings, value boxes and active states (sheet 9).

Source: BLOG0137, 0182, 0184, 0185, 0186, 0187, 0188.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	PERFORM · MIXER COLUMN	2026-11-07	1794051010	V1.0.0	6 OF 10	NTS	BUILT, V1.0.0 · SHOWN, INACTIVE · ANNOTATION

MUSIC CLOCK AND SIGNAL FLOW

Bars and beats are the clock of record. Seconds stay at the edge.



NOTES

1. V1.0.0: EQ in the deck audio chain on PERFORM (before the FX rack); AUD in dB with an audio taper; uniform contract V0.5.0A adds the settings block (binding 1) fed by the Settings rack; RGB after the VFX; OUT mixed by the MODE; lane chips on every surface.

2. Bars and beats are the clock of record. Seconds exist only at the edge: the decoded audio and the warp map.

3. Each track's AMU beats are its warp markers, set by the analysis instead of by hand.

4. One master clock for every deck. CREATE and AUTHORING show deck A; PERFORM adds deck B on the same clock.

5. The tempo master is the playing deck that started first; TEMPO's range and double-click follow it.

6. QUANT: each deck lands its own AMU point on the master's step. PLAY waits when another deck plays; cues wait while the deck plays; FX kills wait for the next step. None = at once.

7. LOOP per deck: the whole track, or a chip's span, wrapped on the beat. CONTINUOUS PLAY (CREATE) loads the next LIBRARY track at a track's end.

8. vizzie.time is cumulative beats and follows TEMPO. The AMU block (binding 0) is unchanged from V0.4.0D; shaders written for it run unchanged.

9. Music FX play where FX_LIVE says: PERFORM, and deck A on CREATE. Visual FX are one shared post pass (vfxRun) on the deck's picture, before OUT on PERFORM, onto the stage on CREATE.

Source: BLOG0071 to 0074, 0076 to 0079, 0094 to 0096, 0119 to 0121, 0124, 0128, 0135, 0136, 0137, 0144, 0145, 0149, 0151, 0172, 0176, 0184, 0186.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	MUSIC CLOCK AND SIGNAL FLOW	2026-11-07	1794051010	V1.0.0	7 OF 10	NTS	BUILT, V1.0.0 SIGNAL / DATA FLOW DOMAIN BAND

CREATE · LIBRARY, FX AND PLAY CONTROLS

LIBRARY · FX CLOSED

PLAY | LOOP | KEY LOCK | ||| | ⏭ | ≡▸ | ⤮ | FX

LIBRARY

ALL | QUEUE | MUSIC | SHADERS | BIG WHEEL ENERGY

- Super Fly (Original Mix) · Wes Smith, ... ●
- Low End Hustler · Bazerk (Original Mix) ●
- Title · Artist ●
- Title · Artist ●
- Title · Artist ●


double-click or double tap a track (the same row twice within 400 ms) = load and play from the top
a shader = load onto the stage
click = select · ↑↓ · ← or → = load · Delete
drag a row onto the deck = load
filters: ALL · QUEUE · MUSIC · SHADERS · demo playlists
a playlist: its tracks in its order, Title · Artist
on the deck = Yellow Man tint · selected = cyan

DROP ZONE: the LIBRARY module (.lib-drop)
files and folders → libImport (added, the deck is not loaded) · the deck's own drop zone leaves it alone · the stage drop still loads the deck

FX OPEN

PLAY | LOOP | KEY LOCK | ||| | ⏭ | ≡▸ | ⤮ | FX


DRAWER · slides down out of the row, over the LIBRARY



the row's width, from its bottom to the column's bottom (the stage's) · re-placed on resize
AFX1 over AFX2, VFX1 over VFX2 to the right
deck A's slots, the same as PERFORM's deck A
knob: drag · ↑↓ ±1 % · ←→ ±5 %
click = select · Enter = kill / restore on QUANT
double-click = reset to the default
box: click, then the arrows = effect
music FX play on CREATE
visual FX on the stage, Pop Out and REC
FX lit while open · a mode or surface switch closes it · hidden in AUTHORING

PLAY NEXT · CONTINUOUS · SHUFFLE

THE LIST AS SHOWN



off: the list's own order

SHUFFLE on: random keys

NEXT = the row after the one on the deck

PLAY NEXT (a press): the playing track stops; the next row plays from the top; wraps
CONTINUOUS PLAY (lit cyan): at a track's end, LOOP off, the next row plays from the top
SHUFFLE (lit cyan): each row a random sort key, the deck's track first; kept until SHUFFLE is off
an empty list: every track by name
icons only, help on hover · AUTHORING hides all three

WEBSITE SET · ./examples/library.json

{files: [names], playlists: [{name, file}]}
read on open (http / https), quietly
MP3 and AMU .json: stand-ins, fetched when the track loads ('Loading NAME …')
each playlist: a filter button after SHADERS, named in capitals, #EXTINF → Title · Artist
the LIBRARY opens on the first playlist

NOTES

1. V1.0.0: the FX knobs take the one kill rule: click selects, Enter kills or restores on QUANT, double-click resets. A selected knob shows a ring in its domain colour. Nothing else on this sheet changed.

2. CREATE only. The LIBRARY module sits under the controls row in the MUSIC column, down to the stage's bottom, with a Library header, as PERFORM's. It is the same LIBRARY as PERFORM's, a second view.

3. FX opens a drawer over the LIBRARY; FX again closes it. One copy of the FX engine serves CREATE and PERFORM. The Settings drawer opens over the same column, sideways (sheet 2).

4. A double tap is timed by the list (the same row twice within 400 ms): the first click redraws the row and iOS reports no second click. LIBRARY lists take no double-tap zoom.

5. SHUFFLE puts the list in a random order and play follows it, as streaming players do; it does not pick at random.

6. The website opens without fetching any music or analysis: each track is fetched when it is loaded.

Source: BLOG0144 to 0147, 0149, 0151, 0153, 0156, 0186, 0188.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	CREATE · LIBRARY AND FX	2026-11-07	1794051010	V1.0.0	8 OF 10	NTS	BUILT, V1.0.0 SHOWN, INACTIVE ANNOTATION

DESIGN SYSTEM · COLOURS

KEY COLOURS · Wes's names · one shade of each in the app

PURPLE PEOPLE EATER	BARBIE PINK	GREEN SLIME	YELLOW MAN	ORANGE JULIUS	GOBLIN WHITE	RED HOTS
#B24DFF	#E0218A	#65FF00	#FFF000	#FFA500	#FFFFFF	#FF006E
brand · Yo Purple	brand · YobotSlime_24	brand · YobotSlime_24	brand · Yo Yellow	brand · state messages	key · Yo White	key · errors

UI colour with no key colour: cyan #00D4FF (chrome, section headers, info, PLAY and toggles on, fields, focus, selected, drop highlight, audio domain)

ROLES

- Visual domain: VID encoders, VFX knobs and boxes, RGB knobs, Settings rack knobs and value boxes, mix modes, LIBRARY shader dots; INSTRUMENTS bus; credits, PLUR, overlay points
- Audio domain: AUD encoders, AFX knobs and boxes, EQ HIGH / MID / LOW, LIBRARY audio dots; chrome, info messages, toggles on, focus
- Active and recording: SOLO on (CREATE panel), roll and waveform playheads, all of REC (button, pulse, position box)
- KEY bus; LIBRARY entry loaded on a deck (tint 0.10); picked chip being rendered (band 0.16, edge)
- PACE bus
- State messages; authoring section headers; STRUCTURE bus
- Errors (message bar, GPU errors on a stage); danger button; ONEMANSHYO gradient (cyan → Red Hots); Pocket Rave stage border while playing; RHYTHM bus
- Text; the beat lane
- LOUDNESS bus (#00A8FF), not a key colour

BUSES AND LANES · every lane takes its bus colour

RHYTHM	beat (Goblin White) · bar
STRUCTURE	section · segment · phrase
KEY	key
PACE	pace
LOUDNESS	loudness
INSTRUMENTS	drum · bass · vocal · other

RULES
1. Where the UI needs a colour, a key colour fills the role first.
2. One shade of each: never a second pink, green, purple or yellow. A dim form is the same colour at lower opacity.
3. Clash: pick another colour, never a variant shade.
4. Shader WGSL colours belong to the shader, not the app.
5. Domain: a control's arc, value box, active state and selected ring take its domain colour (purple visual, cyan audio).
6. Neutrals unchanged: #060606 stage · #0a0a0a boxes · #1a1a1a buttons · #2a2a2a line · #333 borders · #7a7a7a toggle off · #888 dim

NOTES

1. V1.0.0: domain colours set as a rule (BLOG0188): a control's arc, value box, active state and selected ring take its domain colour, Purple People Eater for visual, cyan for audio. The Settings rack, the EQ drawer's RGB and the mix modes are visual; EQ is audio.

2. V0.10.12a, 12b: the app's colours on Wes's key colours, colour values only; no size, spacing or layout changed.

3. Replaced: visual purple #aa00ff, #a24dff, #b44dff, #c77dff, #9A1AE6 → Purple People Eater; SOLO and playhead pinks #ff2d95, #ff2d6f → Barbie Pink; KEY #ffd500 and the loaded tint → Yellow Man; PACE #22c55e → Green Slime; RHYTHM #ff2a2a, STRUCTURE #ff8c00 → Red Hots, Orange Julius; stage error text #ff5c7a → Red Hots.

4. Lanes no longer have their own hues: each takes its bus colour; beat stays white.

5. The names are listed in the comment at the top of the app's stylesheet.

6. Values: Y 11.6, narrative: C 12.7.

Source: BLOG0159, 0188.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	DESIGN SYSTEM · COLOURS	2026-11-07	1794051010	V1.0.0	9 OF 10	NTS	BUILT, V1.0.0 SHOWN, INACTIVE ANNOTATION

SHADER SETTINGS · CONTRACT V0.5.0A

A shader's settings: declared in the .wgsl, tuned in the rack, exported as its defaults.

@group(0) @binding(0) · AMU BLOCK
9 × vec4 · 36 floats · unchanged from V0.4.0D
lane gates · vizzie.time · beat and bar phase · structure · AMU values

@group(0) @binding(1) · SETTINGS BLOCK
array<vec4<f32>,16> · 64 floats · one block per deck
written straight from the rack, read as settings[N].x / .y / .z / .w

@group(3) · AUTHORING PREVIEW ONLY
1 object mask · 2 overlay probe · 3 CRYPTOMATTE
added by AUTH_GPU; the shipped .wgsl is unchanged

THE DECLARATION · comment lines in the .wgsl

```
// @setting NAME settings[N].c min max step default | help ← number (c = x, y, z or w)
// @setting NAME settings[N].xyz color r g b | help ← colour
let CAM_DIST = settings[0].w; ← read with a let at the top of each function that uses it
```

THE FLOW

the .wgsl // @setting lines → app reads the declaration → block filled with the defaults → Settings button (shown when declared) → the rack 32 slots → values into the block no recompile → Export: tuned values as the defaults → next version _V## + 1 in Downloads

THE RACK · 32 slots · 4 rows of 8 · the same on every stage

SCALE	ROTATION	OFFSET_X	OFFSET_Y	PIVOT_X	PIVOT_Y	TILE	TIME_OFFSET
SPEED	REACT	HUE	SATURATION	VALUE	CONTRAST		
OWN_1	OWN_2	OWN_3	OWN_4				

rows 1–2: the standard fourteen (settings[0]–settings[3]) · row 3 on: the shader's own, from settings[4] · empty slot: dashed encoder and box · a colour takes one slot

SETTINGS vs FX · settings act inside the shader, are part of its look and are exported with it as its defaults · FX are post passes on its picture, live, session only, never exported

NOTES

1. V1.0.0: new sheet. Uniform contract V0.5.0A: a second block, the shader's settings, beside the unchanged AMU block. Shaders written for V0.4.0D run unchanged.

2. Declaration: one // @setting comment line per setting; the app reads them when the shader loads and fills the block with the defaults. Nothing checks the declaration against the code.

3. The Settings button shows only while the loaded shader declares settings: CREATE VISUALS header, AUTHORING Visual header, each PERFORM deck header (sheets 2, 3, 5).

4. The rack writes straight into the deck's block: no recompile, the picture follows the next frame. Values last for the session. Double-click (double-tap) = the default.

5. Standard fourteen (template convention): SCALE · ROTATION · OFFSET_X · OFFSET_Y · PIVOT_X · PIVOT_Y · TILE · TIME_OFFSET; SPEED · REACT · HUE · SATURATION · VALUE · CONTRAST. A shader's own settings start on a fresh row.

6. Export, in every Code view: the shader to Downloads as its next version, the tuned values as its defaults, so it opens with the look tuned.

Source: BLOG0164, 0174, 0175, 0176, 0177.

PROJECT	TITLE	RUN DATE	DATA EPOCH	REV	SHEET	SCALE	LEGEND
OMS VIZZIE APP	SHADER SETTINGS · CONTRACT V0.5.0A	2026-11-07	1794051010	V1.0.0	10 OF 10	NTS	BUILT, V1.0.0 SHOWN, INACTIVE ANNOTATION