

ibps_rrb_2025_prelims_unknown_shift_b6c7e54b

IBPS RRB Prelims 2025

65 questions

Study the following series carefully and answer the question given below: P & K * V Z L # W A % S R ! M @ X F Y ? Q + C ^ U T Z \$

1. Which symbol is fifth to the right of the third letter from the left end in the series?

- (a) *
- (b) +
- (c) !
- (d) ?
- (e) &

2. If all symbols and vowels are removed from the series, which element is sixth from the right end in the remaining series?

- (a) F
- (b) X
- (c) M
- (d) T
- (e) R

3. Which element is fourth to the right of the seventh symbol from the right end?

- (a) R
- (b) M
- (c) !
- (d) X
- (e) F

4. How many letters in the series are immediately preceded and immediately followed by a symbol?

- (a) One
- (b) Two
- (c) Three
- (d) Four
- (e) None

5. How many vowels in the series are immediately followed by a letter?

- (a) One
- (b) Two
- (c) Three
- (d) Four
- (e) None

In this question, the relationship between different elements is shown in the statements. The statements are followed by two conclusions. Study the conclusions based on the given statements and select the appropriate answer:

9. Statements: $K ? F < R = G > U < V = W$ Conclusions: I. $R > W$ II. $K < G$

- (a) If only conclusion I is true
- (b) If only conclusion II is true
- (c) If either conclusion I or II is true
- (d) If both conclusions I and II are true
- (e) If neither conclusion I nor II is true

10. Statements: $M > B ? C ? A = E ? O ? F > G = P$ Conclusions: I. $P < O$ II. $O ? B$

- (a) If only conclusion I is true
- (b) If only conclusion II is true
- (c) If either conclusion I or II is true

- (d) If both conclusions I and II are true
 - (e) If neither conclusion I nor II is true
-

11. Statements: $L = M$? $N ? O = P > Q ? R$ Conclusions: I. $P > L$ II. $N < R$

- (a) If only conclusion I is true
 - (b) If only conclusion II is true
 - (c) If either conclusion I or II is true
 - (d) If both conclusions I and II are true
 - (e) If neither conclusion I nor II is true
-

12. Statements: $X ? Y > Z = A > B < C > D = E$ Conclusions: I. $X > B$ II. $Z ? E$

- (a) If only conclusion I is true
 - (b) If only conclusion II is true
 - (c) If either conclusion I or II is true
 - (d) If both conclusions I and II are true
 - (e) If neither conclusion I nor II is true
-

Study the information carefully and answer the questions given below. C is the sister-in-law of D. A is the son of H. B is the mother-in-law of G. G is the mother of E. E is the sister of A. There is no single parent in the family.

13. How is A related to D?

- (a) Son
 - (b) Nephew
 - (c) Uncle
 - (d) Son-in-law
 - (e) Grandson
-

14. How many female members are there in the family?

- (a) Four
 - (b) Three
 - (c) Five
 - (d) Can't be determined
 - (e) Six
-

15. How is H related to D?

- (a) Grandson
 - (b) Daughter
 - (c) Son
 - (d) Uncle
 - (e) None of these
-

16. In the number ?5693728?, if all the digits are arranged in descending order from left end, then how many digits remain unchanged at its position in the new number formed after rearrangement?

- (a) None
 - (b) Two
 - (c) Three
 - (d) Five
 - (e) One
-

Read the given information carefully and answer the related questions: Seven boxes A, B, C, D, E, F and G are placed one above the other in a stack but not in the same order as given. Three boxes are placed between box B and box D. Box A is placed immediately below box B. Number of boxes placed below box A is same as the number of boxes placed above box G. One box is placed between box G and box C which is placed above box G. Box E is not placed at the bottommost position.

17. Which box is placed at third position from top?

- (a) E
- (b) G

- (c) B
 - (d) D
 - (e) A
-

18. How many boxes are placed above box C?

- (a) One
 - (b) Three
 - (c) Four
 - (d) Five
 - (e) Two
-

19. If all the boxes are arranged in alphabetical order from bottom to top, then how many boxes will remain same at their position?

- (a) Three
 - (b) None
 - (c) Four
 - (d) Two
 - (e) One
-

20. What is the position of box G from bottom?

- (a) First
 - (b) Third
 - (c) Second
 - (d) Fifth
 - (e) Sixth
-

21. Which of the following box is placed two boxes below box A?

- (a) G
 - (b) F
 - (c) C
 - (d) B
 - (e) D
-

The following questions are based on the five three-digit numbers given below:

22. If the first and third digit of each number is interchanged within the number, then which of the following will be the second highest number?

- (a) 492
 - (b) 154
 - (c) 625
 - (d) 381
 - (e) 967
-

23. If the digits are arranged in ascending order within the number, then what will be the sum of first and the second highest numbers?

- (a) One
 - (b) Two
 - (c) Three
 - (d) Four
 - (e) None
-

24. What will be the sum of the second digits of ?highest and the second smallest? number?

- (a) 15
 - (b) 10
 - (c) 17
 - (d) 14
 - (e) 19
-

25. If 2 is added to each number then how many numbers will be completely divisible by 3?

- (a) None
 - (b) One
 - (c) Two
 - (d) Three
 - (e) More than three
-

Read the given information carefully and answer the related question: A, B, C, D, E, F and G were born on same date of different months in a year (but not in same order as given). The months are ? March, April, May, June, July, August and September. A was born in the month having even number of days. Three persons were born between A and C. G is two months older to C. E was born immediately after G. Two persons were born between E and B. D is younger to B.

26. Who among the following was born in July?

- (a) F
 - (b) B
 - (c) E
 - (d) D
 - (e) C
-

27. Four of the following five are similar in a certain manner and form a group. Who among the following is not related to the group?

- (a) A
 - (b) D
 - (c) B
 - (d) C
 - (e) G
-

28. D was born in which of the following month?

- (a) May
 - (b) March
 - (c) September
 - (d) August
 - (e) June
-

29. How many persons were born between G and F?

- (a) None
 - (b) Four
 - (c) One
 - (d) Three
 - (e) Two
-

30. If all the persons are arranged in alphabetical order from March to September, then how many persons will remain same at their position?

- (a) Two
 - (b) One
 - (c) Four
 - (d) None
 - (e) Three
-

In the question below, some statements are given followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance with commonly known facts. Read all the conclusions and then decide which of the given conclusions logically follows from the given statements, disregarding commonly known facts. Give answer-

31. Statements: Only a few cup is can All cup is kettle No can is jar Conclusions: I. Some kettle is not jar II. No Cup is jar

- (a) If only conclusion I follows

- (b) If only conclusion II follows
 - (c) If either conclusion I or II follows
 - (d) If neither conclusion I nor II follows
 - (e) If both conclusions I and II follow
-

32. Statements: Some colours are pens All pens are pencils Only a few pencils are glitters Conclusions: I. All pencils being glitters is a possibility II. Some colours are pencils

- (a) If only conclusion I follows
 - (b) If only conclusion II follows
 - (c) If either conclusion I or II follows
 - (d) If neither conclusion I nor II follows
 - (e) If both conclusions I and II follow
-

33. Statements: All lines are square Only a few square are circles Conclusions: I. Some square are not circles II. Some lines being circles is a possibility

- (a) If only conclusion I follows
 - (b) If only conclusion II follows
 - (c) If either conclusion I or II follows
 - (d) If neither conclusion I nor II follows
 - (e) If both conclusions I and II follow
-

34. In the question below, some statements are given followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance with commonly known facts. Read all the conclusions and then decide which of the given conclusions logically doesn't follow from the given statements, disregarding commonly known facts. Give answer- Statements: All fruits are vegetable Only a few vegetable are carrot Some carrot are not tomato Conclusions: I. All fruits being tomato is a possibility II. No vegetable is carrot

- (a) If only conclusion I
 - (b) If only conclusion II
 - (c) If either conclusion I or II
 - (d) If neither conclusion I nor II
 - (e) If both conclusions I and II
-

35. In the word 'SOLVENT', how many pairs of the letters have the same number of letters between them (both forward and backward direction) as in the English alphabet?

- (a) One
 - (b) Two
 - (c) Four
 - (d) Three
 - (e) Five
-

Read the given information carefully and answer the related question: Seven persons A, B, C, D, E, F and G sit around a circular table facing inside (equidistant from each other) but not in same order as given. One person sits between G and D. B does not sit adjacent to G and D. C sits second to the left of B. The number of persons sit between B and G (when counted from the right of B) is one more than the number of persons A and E (when counted from the left of E).

36. What is the position of F with respect to B?

- (a) Immediate left
 - (b) Third to the right
 - (c) Second to the right
 - (d) Immediate right
 - (e) Third to the left
-

37. Who among the following sits second to the right of G?

- (a) E
- (b) D
- (c) A
- (d) F

(e) B

38. How many persons sit between D and E when counted from the right of D?

- (a) None
 - (b) Two
 - (c) Four
 - (d) One
 - (e) Three
-

39. If B is related to E, in the similar way C is related to G, then who among the following is related to F?

- (a) E
 - (b) A
 - (c) D
 - (d) C
 - (e) B
-

40. If all the are made to sit in alphabetical order starting from A in clockwise direction, then how many persons will remain same at their position (excluding A)?

- (a) One
 - (b) Two
 - (c) Three
 - (d) Four
 - (e) Five
-

The table given below shows the marks scored by P, Q, R, S and T in three different subjects (i.e. English, Hindi and Maths). Read the data carefully and answer the following question. Students English Hindi Maths P Q R S T

41. Find the ratio of marks scored by P and Q in English to marks score by S in maths.

- (a) 7:9
 - (b) 3:2
 - (c) 3:1
 - (d) 2:1
 - (e) 1:1
-

42. The total marks scored by P and T in Hindi is what percentage of marks scored by S in English and in Hindi together.

- (a) 90%
 - (b) 33%
 - (c) 66%
 - (d) 76%
 - (e) 75%
-

43. If total mark score by A in all the subjects is equal to sum of the marks scored by P and R together in all the given subjects and the ratio of marks scored by A in English, hindi and maths is 3:6:4 respectively, find the marks obtained by A in English.

- (a) 120
 - (b) 150
 - (c) 100
 - (d) 190
 - (e) 110
-

44. Find the average mark scored by all in Hindi.

- (a) 114.4
 - (b) 113.4
 - (c) 118.4
 - (d) 117.4
 - (e) 110.4
-

45. Find the difference between mark score by T and Q together in English and R and S together in Hindi.

- (a) 120
 - (b) 150
 - (c) 100
 - (d) 140
 - (e) 110
-

51. A 42-liter mixture contains milk and water in the ratio 2 : 5, respectively. After adding some quantity of milk, the ratio of water to milk becomes 1 : 4. Find the quantity of milk added (in liters).

- (a) 120
 - (b) 108
 - (c) 90
 - (d) 85
 - (e) 112
-

52. A and B together can complete a piece of work in 15 days, while B alone can complete it in 36 days. If both A and B start working together, but B leaves 6 days before the work is finished, find the total time taken by A to complete the remaining work.

- (a) 12.5
 - (b) 17.5
 - (c) 15.5
 - (d) 11.5
 - (e) 19.5
-

53. The breadth of a rectangle is 25% less than the length of the rectangle. If the perimeter of the rectangle is 70 cm, then find the area of the rectangle (in cm^2).

- (a) 300
 - (b) 450
 - (c) 320
 - (d) 280
 - (e) 480
-

54. A shopkeeper allowed a 20% discount off the marked price of an article. If he earned a profit of Rs 450 and the difference between the cost price and marked price of the article is Rs 1900, then find the cost price of the article (in Rs)

- (a) 5650
 - (b) 5850
 - (c) 5350
 - (d) 5550
 - (e) 5150
-

55. A can travel 54 km in 2 hours. If the speed of A is 20% more than the speed of B, then how many km are travelled by B in 4 hours (in km)?

- (a) 100
 - (b) 80
 - (c) 90
 - (d) 75
 - (e) 120
-

56. The upstream speed of a boat is 6 km/hr, and the speed of a stream is 2 km/hr. Find the time taken by the boat to cover 80 km downstream (in hours).

- (a) 12
 - (b) 7
 - (c) 5
 - (d) 10
 - (e) 8
-

57. A, B, and C started a business with investments of Rs 2800, Rs 5400, and Rs 3600, respectively. After 8 months, A left the business, and at the end of the year, the profit share of B is Rs 2430. Find the total profit (in Rs).
- (a) 4080
 - (b) 4480
 - (c) 4980
 - (d) 4890
 - (e) 4908
-
58. A man invested Rs X in compound interest at 10% p.a. for three years and received interest of Rs 1324. If he invested Rs (X + 500) in simple interest for two years at 15% p.a., then find the simple interest he received (in Rs).
- (a) 1800
 - (b) 1250
 - (c) 1550
 - (d) 1400
 - (e) 1350
-
59. Pipe A can fill a tank in 15 hours and Pipe B can fill it in 20 hours. Both pipes are opened together, but after 4 hours, Pipe A is closed. Find the total time (in hours) taken to fill the tank.
- (d) (e)
-
60. Two trains of lengths 180 m and 120 m are moving in opposite directions at speeds of 54 km/h and 72 km/h respectively. How long will they take to completely cross each other (in seconds)?
- (a) $40/7$
 - (b) $60/7$
 - (c) $44/7$
 - (d) $66/7$
 - (e) $70/7$
-
- What will come in the place of question mark (?) in the following questions.**
61. 2, 4, 12, ?, 240, 1440
- (a) 24
 - (b) 48
 - (c) 60
 - (d) 72
 - (e) 84
-
62. 1200, 300, 150, 112.5, ?, 140.625
- (a) 128
 - (b) 112.5
 - (c) 225
 - (d) 227.5
 - (e) 126.5
-
63. 1600, 1088, 1039, 823, 798, ?
- (a) 754
 - (b) 714
 - (c) 704
 - (d) 724
 - (e) 734
-
64. 147, ?, 111, 88, 59, 28
- (a) 130
 - (b) 126
 - (c) 128
 - (d) 133
 - (e) 116
-

65. 148, ?, 203, 243, 294, 358, 437 (a)172 (b)162 (c)150 (d)160 (e)182

(no options)

What will come in the place of question (?) mark in the following questions?

66. $50 ? 45 + 145 = 2.5 \times ?$

- (a) 50
 - (b) 60
 - (c) 30
 - (d) 20
 - (e) 10
-

67. $?225 \div ?25 \times 6 = ?\% \text{ of } 200$

- (a) 6
 - (b) 9
 - (c) 12
 - (d) 4
 - (e) 15
-

68. $16 \times 25 + 280 ? (25)^2 = 25\% \text{ of } ?$

- (a) 180
 - (b) 260
 - (c) 220
 - (d) 240
 - (e) 300
-

69. $?49 \times ?196 + 430 = (?)^2 ? 48$

- (a) 34
 - (b) 14
 - (c) 16
 - (d) 26
 - (e) 24
-

71. $108 \div 3 \times 5 - 225 \div 9 \times 4 = 400\% \text{ of } ?$

- (a) 50
 - (b) 10
 - (c) 30
 - (d) 20
 - (e) 40
-

76. $15\% \text{ of } 60 \text{ of } 36000 = 12 \times ?3$

- (a) 25
 - (b) 40
 - (c) 10
 - (d) 20
 - (e) 30
-

79. $12.5\% \text{ of } 400 = ? ? 60\% \text{ of } 1800$

- (a) 1150
 - (b) 1160
 - (c) 1170
 - (d) 1190
 - (e) 1130
-

80. $((36)^{1/2} + (169)^{1/2}) \times ? = 95$

- (a) 5
- (b) 4

(c) 3

(d) 2

(e) 1
