



**TELECALL**  
INSTITUTE OF TECHNOLOGY INC.

# CWD Bath-9



# Day 1 Activity (Colors and Typography)

## Typography

### Headers

We provide some basic styling on Headers tags. In the example we can see the six headers tags' different sizes.

Heading h1

Heading h2

Heading h3

Heading h4

Heading h5

Heading h6

### Blockquotes

Blockquotes are mainly used to give emphasis to a quote or citation. You can also use these for some extra text hierarchy and emphasis.

Blockquote is an example quotation that uses the blockquote tag. Here is another line to make it look bigger.

Blockquote is an example quotation that uses the blockquote tag. Here is another line to make it look bigger.

### Flow Text

TOGGLE FLOW TEXT

One common flaw we've seen in many frameworks is a lack of support for truly responsive text. While elements on the page resize fluidly, text still resizes on a fixed basis. To ameliorate this problem, for text heavy pages, we've created a class that fluidly scales text size and line-height to optimize readability for the user. Line length stays between 45-80 characters and line height scales to be larger on smaller screens. To see Flow Text in action, slowly resize your browser and watch the size of this text body change! Use the button above to toggle off/on flow-text to see the difference!

```
Welcome          colors-graphic.html  style.css  table-media.html
colors-graphic.html > html > body > div.container > h3.red-text.lighten-2
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <!-- Compiled and minified CSS -->
7      <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">
8      <link rel="stylesheet" href="style.css">
9      <title>Colors & Typography</title>
10 </head>
11 <body>
12     <h1 class="center red-text lighten-2"> Typography</h1>
13     <div class="divider"></div>
14
15     <br>
16     <div class="container">
17         <h3 class="red-text lighten-2"> Headers</h3>
18         <p> We provide some basic styling on Headers tags. In the example we can see the six headers tags' different sizes. </p>
19         <br>
20
21         <div class="card-panel">
22             <h1> Heading h1 </h1>
23             <h2> Heading h2 </h2>
24             <h3> Heading h3 </h3>
25             <h4> Heading h4 </h4>
26             <h5> Heading h5 </h5>
27             <h6> Heading h6 </h6>
28         </div>
29
30         <br>
31         <h3 class=" red-text text-lighten-2"> Blockquotes</h3>
32         <p> Blockquotes are mainly used to give emphasis to a quote or citation. You can also use these for some extra text hierarchy and emphasis.</p>
33         <!-- blockquote -->
34         <blockquote> Blockquote is an example quotation that uses the blockquote tag.
35             Here is another line to make it look bigger.
36             <br>
37             Lorem ipsum dolor sit, amet consectetur adipisicing elit. Excepturi aliquam reprehenderit odit tenetur vel molestiae soluta expedita! Nihil suscipit voluptatum expedita. Sed placeat nisi modi vero ipsam tempore, facilis exercitationem.
38         </blockquote>
39
40         <br>
41         <h3 class="red-text text-lighten-2"> Flow Text </h3>
42         <button class="btn">TOGGLE FLOW-TEXT</button>
43         <div class="card-panel">
44             <p class="flow-text"> One common flaw we've seen in many frameworks is a lack of support for truly responsive text. While elements on the page resize fluidly, text still resizes on a fixed basis. To ameliorate this problem, for text heavy pages, we've created a class that fluidly scales text size and line-height to optimize readability for the user. Line length stays between 45-80 characters and line height scales to be larger on smaller screens. To see Flow Text in action, slowly resize your browser and watch the size of this text body change! Use the button above to toggle off/on flow-text to see the difference!</p>
45
46         </div>
47
48
49
50
51
52
53
<!-- Compiled and minified JavaScript -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/js/materialize.min.js"></script>
```



## Day 2 Activity - (Table & Media)

### Table

Tables are a nice way to organize a lot of data. We provide a few utility classes to help you style your table as easily as possible. In addition, to improve mobile experience, all tables on mobile screen widths are centered automatically.

Name	Item Name	Item Price
Alvin	Eclair	0.87
Alan	Jellybean	3.76
Jonathan	Lollipop	7.00
Shannon	KitKat	9.99

### Striped Table

Add class="striped" to the table tag for a striped table.

Name	Item Name	Item Price
Alvin	Eclair	0.87
Alan	Jellybean	3.76
Jonathan	Lollipop	7.00
Shannon	KitKat	9.99

### Highlight Table

Add class="highlight" to the table tag for a highlight table.

Name	Item Name	Item Price
Alvin	Eclair	0.87
Alan	Jellybean	3.76
Jonathan	Lollipop	7.00
Shannon	KitKat	9.99

### CWDBATCH9

Welcome colors-graphic.html style.css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- Compiled and minified CSS -->
    <link rel="stylesheet" href="https://unpkg.com/materialize@1.0.0/dist/css/materialize.min.css" integrity="sha384-9E3q4wQHlqZfJyWVnqoDZUkzjPdXgkqL9vZC+uOuXGmKtPzXrZv" crossorigin="anonymous">
    <link rel="stylesheet" href="style.css" type="text/css" media="screen"/>
    <title>Table & Media</title>
```

### Media CSS

#### Image

Images can be styled in different ways using Materialize.

#### Responsive Image

To make images resize responsively to page width, you can add the class responsive-img to your image tag. It will now have a max-width: 100% and height auto.

#### Circular Image



This is a square image. Add the "circle" class to it to make it appear circular.

#### Videos

We provide a container for Embedded Videos that resize them responsively.

#### Responsive Embeds

To make your embeds responsive, merely wrap them with a containing div which has the class video-container.



KABADO MOMENTS | PINOY ANIMATION

### Welcome

colors-graphic.html style.css table-media.html

```
</table>
</div>
<br><br><br>
<h1 class="red-text text-lighten-2 center">Media CSS</h1>
<div class="divider"></div>
<div class="container">
    <h3 class="red-text text-lighten-2">Image</h3>
    <p>Images can be styled in different ways using Materialize</p>
    <p>Responsive Image</p>
    <p>To make images resize responsively to page width, you can add the class responsive-img to your image tag. It will now have a max-width: 100% and height auto.</p>
    <p>Circular Image</p>
    <div class="col s12 m8 offset-m2 l6 offset-l3">
        <div class="card-panel grey lighten-5 z-depth-1">
            <div class="row valign-wrapper">
                <div class="col s2">
                    
                </div>
                <div class="col s10">
                    <span class="black-text">
                        This is a square image. Add the "circle" class to it to make it appear circular.
                    </span>
                </div>
            </div>
        </div>
    </div>
    <p>To make images appear circular, simply add class="circle" to them</p>
<br><br>
<h3 class="red-text text-lighten-2">Videos</h3>
<p>We provide a container for Embedded Videos that resize them responsively.</p>
<p>Responsive Embeds</p>
<div>To make your embeds responsive, merely wrap them with a containing div which has the class video-container.</div>
    <div class="video-container" style="border: 1px solid black; padding: 5px; border-radius: 5px; background-color: #f0f0f0; width: fit-content; margin-left: auto; margin-right: auto; text-align: center; height: 150px; position: relative; overflow: hidden; border: none; border-radius: 0; width: 100%; height: 100%;>
        <iframe width="707" height="398" src="https://www.youtube.com/embed/XTWD_Y8j00S" style="border: none; width: 100%; height: 100%; position: absolute; left: 0; top: 0; right: 0; bottom: 0; object-fit: cover; z-index: 1;"/>
    </div>
</div>
```

### Centered Table

Add class="centered" to the table tag to center align all the text in the table.

Name	Item Name	Item Price
Alvin	Eclair	0.87
Alan	Jellybean	3.76
Jonathan	Lollipop	7.00
Shannon	KitKat	9.99


### Responsive Table

Add class="responsive-table" to the table tag to make the table horizontally scrollable on smaller screen widths.

Name	Item Name	Item Price
Alvin	Eclair	0.87
Alan	Jellybean	3.76
Jonathan	Lollipop	7.00
Shannon	KitKat	9.99


### table-media.html

```
109    </tbody>
110    </table>
111    <h3 class="red-text text-lighten-2">Centered Table</h3>
112    <p>Add class="centered" to the table tag to center align all the text in the table</p>
113    <table class="highlight centered">
114        <thead>
115            <tr>
116                <th>Name</th>
117                <th>Item Name</th>
118                <th>Item Price</th>
119            </tr>
120        </thead>
121        <tbody>
122            <tr>
123                <td>Alvin</td>
124                <td>Eclair</td>
125                <td>0.87</td>
126            </tr>
127            <tr>
128                <td>Alan</td>
129                <td>Jellybean</td>
130                <td>3.76</td>
131            </tr>
132            <tr>
133                <td>Jonathan</td>
134                <td>Lollipop</td>
135                <td>7.00</td>
136            </tr>
137            <tr>
138                <td>Shannon</td>
```



A screenshot of a Google Meet video conference. The interface shows a grid of participant thumbnails and names. The names visible are Bobby Ferrer, Gladys Cahayon, Juelice Capistrano, Pua Rowell Juan, Mark Andrie Ayala Alcantara, Chelsea Juriele Cuevas, Meninng Jr. Arnel E., and Marites Ongpiao. There are also 12 others listed in the bottom right corner. The overall theme is dark.

## Day 3 Activity - (Media) Material Box, Slider with initialization and Option



```
1 Welcome colors-graphic.html style.css table-media.html
243 <ul class="slides">
244   <li>
245     
246     <div class="caption right-align">
247       <h3>This is our big Tagline!</h3>
248       <h5>light grey-text text-lighten-3</h5>Here's our small slogan.</h5>
249     </div>
250   </li>
251 <div>
252   <div class="slider">
253     <ul class="slides">
254       <li>
255         
256         <div class="caption left-align">
257           <h3>This is our big Tagline!</h3>
258           <h5>light grey-text text-lighten-3</h5>Here's our small slogan.</h5>
259         </div>
260       </li>
261     </div>
262     <div class="slider">
263       <ul class="slides">
264         <li>
265           
266           <div class="caption center-align">
267             <h3>This is our big Tagline!</h3>
268             <h5>light grey-text text-lighten-3</h5>Here's our small slogan.</h5>
269           </div>
270         </li>
271       </div>
272     <div style="height: 1000px;"></div>
273   <!--Jquery CDN-->
274   <script src="https://code.jquery.com/j">
275   <!-- Compiled and minified JavaScript
276   <script src="https://cdnjs.cloudflare.
277 
278   <script>
279     $(document).ready(function(){
280       // materialbox init
281       $('.materialboxed').materialbo
282         inDuration: 1000,
283         outDuration: 1000
284     });
285     // Slider init
286     $('.slider').slider()
287 
288   });
289 
290 </script>
```

## Day 4 Activity (Navbar & Sidenav)

### Navbar

The navbar is fully contained by an HTML5 Nav tag. Inside a recommended container div, there are 2 main parts of the navbar. A logo or brand link, and the navigation links. You can align these links to the left or right.

#### Right Aligned Links

To right align your navbar links, just add a right class to your <ul> that contains them.



#### Left Aligned Links

To left align your navbar links, just add a left class to your <ul> that contains them.



#### Centering the logo

The logo will center itself on medium and down screens, but if you want the logo to always be centered, add the class to your. You will have to make sure yourself that links do not overlap if you use this.



#### Active Items

Add active class to your li tags to denote the current page.



### Extended Navbar with Tabs


To add extended components to the navbar, add the class nav-extended to the outer nav tag. This will allow your navbar height to be variable. Then you can just include a tabs component inside the nav-wrapper.



### Extended Navbar with Tabs

To add extended components to the navbar, add the class nav-extended to the outer nav tag. This will allow your

navbar height to be variable. Then you can just include a tabs component inside the nav-wrapper.



```
colors-graphic.html Navbar - Sidenav.html 2 style.css table-media.html ...  
Navbar - Sidenav.html > html > head > link  
1 a<!DOCTYPE html>  
2 <html lang="en">  
3 <head>  
4   <meta charset="UTF-8">  
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">  
6   <!--Font awesome-->  
7   <script src="https://kit.fontawesome.com/fcf14f70db.js" crossorigin="anonymous"></script>  
8   <!-- Font awesome cdnjs-->  
9   <!-- Compiled and minified CSS -->  
10  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/materialize/1.0.0/css/materialize.min.css">  
11  <link rel="stylesheet" href="style.css">  
12  <!--Costume CSS-->  
13  <title>Navbar & SideNav</title>  
14  <title>Navbar & Sidenav</title>  
15 </head>  
16 <body>  
17   <h1 class="center red-text text-lighten-2">Navbar</h1>  
18   <div class="divider"></div>  
19   <div class="container">  
20     <br>  
21     <p>The navbar is fully contained by an HTML5 Nav tag. Inside a recommended container div, there are 2 main parts of the navbar. A logo or brand link, and the navigation links. You can align these links to the left or right.</p>  
22  
23     <h3 class="red-text text-lighten-2">Right Aligned Links</h3>  
24     <p> To right align your navbar links, just add a right class to your <ul> that contains them.</p>  
25  
26     <nav class="light-blue lighten-2">  
27       <div class="nav-wrapper">  
28         <div class="container">  
29           <a href="https://fontawesome.com/" class="brand-logo" target="_blank">  
30             <i class="fa-regular fa-font-awesome"></i>  
31           </a>  
32         </div>  
33       </div>  
34     </nav>  
35     <h3 class="red-text text-lighten-2">Extended Navbar with Tabs</h3>  
36     <p> To add extended components to the navbar, add the class nav-extended to the outer nav tag. This will allow your navbar height to be variable. Then you can just include a tabs component inside the nav-wrapper.</p>  
37     <!--Navbar Extended-->  
38     <nav class="purple nav-extended">  
39       <div class="container">  
40         <div class="nav-wrapper">  
41           <a href="https://fontawesome.com/" class="brand-logo" target="_blank">  
42             <i class="fa-brands fa-instagram"></i>  
43           <a href="#" class="sidenav-trigger" data-target="mobile-demo">  
44             <i class="fa-solid fa-bars"></i>  
45           </a>  
46           <ul id="nav-mobile" class="right hide-on-med-and-down">  
47             <li class="active">  
48               <a href="https://fontawesome.com/kits/target=_blank">Kits</a>  
49             </li>  
50             <li>  
51               <a href="https://fontawesome.com/kits/fcf14f70db/icons/target=_blank">Icons</a>  
52             </li>  
53             <li>  
54               <a href="https://fontawesome.com/kits/fcf14f70db/setup/target=_blank">Docs</a>  
55             </li>  
56           </ul>  
57         </div>  
58         <div class="nav-content">  
59           <ul class="tabs tabs-transparent">  
60             <li class="tab">  
61               <a href="#test1">Test 1</a>  
62             </li>  
63             <li>  
64               <a href="#test2">Test 2</a>  
65             </li>  
66             <li>  
67               <a href="#test3">Test 3</a>  
68             </li>  
69           </ul>  
70         </div>  
71       </div>  
72     </nav>
```


### Navbar & SideNav

Design & Print Tshirt  
Corporate Giveaways  
Digital Printing

### Navbar with Tabs

avbar, add the class nav-extended to the outer nav tag. This will allow your

can just include a tabs component inside the nav-wrapper.



## Day 5 Activity (Buttons)

File | C:/Users/user/Desktop/CWDBATCH9/Buttons.html

### Submit Button

When you use a button to submit a form, instead of using a input tag, use a button tag with a type submit

SUBMIT ▶

### Large

This button has a larger height for buttons that need more attention.

BUTTON    BUTTON    BUTTON

### Small

This button has a larger height for buttons that need more attention.

BUTTON    BUTTON    BUTTON


### Disabled

This style can be applied to all button types

BUTTON

# Floating Action Button

If you want a fixed floating action button, you can add multiple actions that will appear on hover. Our demo is in the bottom righthand corner of the page.



```
>Welcome    table-media.html    colors-graphic.html    Buttons.html X    style.css    Navbar - Sidenav.html
Buttons.html > html > body > div.divider
34
35      <h3 class="red-text text-lighten-2">Flat</h3>
36      <p>Flat buttons are used to reduce excessive layering. For example, flat buttons are usually used for actions within a card or modal so there aren't too many overlapping shadows.</p>
37      <a href="" class="waves-effect waves-teal btn-flat">Button</a>
38
39      <h3 class="red-text text-lighten-2">Submit Button</h3>
40      <p>When you use a button to submit a form, instead of using a input tag, use a button tag with a type submit</p>
41
42
43      <button class="btn waves-effect waves-light light-blue">
44          <i class="material-icons right"></i>
45          Submit <i class="fa-solid fa-caret-right"></i>
46      </button>
47
48
49      <h3 class="h3 red-text text-lighten-2">Large</h3>
50      <p>This button has a larger height for buttons that need more attention.</p>
51      <a href="" class="btn-large wave-effect waves-light red">Button</a>
52      <a href="" class="btn-large wave-effect waves-light cyan"> <i class="fa-solid fa-phone"></i> </i> Button </a>
53      <a href="" class="btn-large wave-effect waves-light green"></i> </i> Button <i class="fa-regular fa-envelope">
54          </i></a>
55
56      <h3 class="red-text text-lighten-2">Small</h3>
57      <p>This button has a larger height for buttons that need more attention.</p>
58
59      <a href="" class="btn-small wave-effect waves-light red">Button</a>
60      <a href="" class="btn-small wave-effect waves-light cyan"> <i class="fa-solid fa-phone"></i> </i> Button </a>
61      <a href="" class="btn-small wave-effect waves-light green"></i> </i> Button <i class="fa-regular fa-envelope">
62          </i></a>
63
64      <h3 class="red-text text-lighten-2">Disabled</h3>
```



# Grid

We are using a standard 12 column fluid responsive grid system. The grid helps you layout your page in an ordered, easy fashion.

## Container

The container class is not strictly part of the grid but is important in laying out content. It allows you to center your page content. The container class is set to -70% of the window width. It helps you center and contain your page content. We use the container to contain our body content.

## Demo

Try the button below to see what the page looks like without containers.



To add a container just put your content inside a <div> tag with a container class. Here's an example of how your page might be set up.

## Introduction

Take a look at this section to quickly understand how the grid works!

### 12 Columns

Our standard grid has 12 columns. No matter the size of the browser, each of these columns will always have an equal width.



## Grid

We are using a standard 12 column fluid responsive grid system. The grid helps you layout your page in an ordered, easy fashion.

## Container

The container class is not strictly part of the grid but is important in laying out content. It allows you to center your page content. The container class is set to -70% of the window width. It helps you center and contain your page content. We use the container to contain our body content.

## Demo

Try the button below to see what the page looks like without containers.





To add a container just put your content inside a <div> tag with a container class. Here's an example of how your page might be set up.

## Introduction

Take a look at this section to quickly understand how the grid works!

### 12 Columns

Our standard grid has 12 columns. No matter the size of the browser, each of these columns will always have an equal width.



```
grid.html
<div class="grid">
  <div class="row">
    <div class="col s12 m3 l1 card-panel cyan white-text">
      <div class="center">1</div>
    </div>
    <div class="col s12 m3 l1 card-panel orange white-text">
      <div class="center">2</div>
    </div>
    <div class="col s12 m3 l1 card-panel black white-text">
      <div class="center">3</div>
    </div>
    <div class="col s12 m3 l1 card-panel green white-text">
      <div class="center">4</div>
    </div>
    <div class="col s12 m3 l1 card-panel blue white-text">
      <div class="center">5</div>
    </div>
    <div class="col s12 m3 l1 card-panel purple white-text">
      <div class="center">6</div>
    </div>
    <div class="col s12 m3 l1 card-panel yellow white-text">
      <div class="center">7</div>
    </div>
    <div class="col s12 m3 l1 card-panel red white-text">
      <div class="center">8</div>
    </div>
    <div class="col s12 m3 l1 card-panel pink white-text">
      <div class="center">9</div>
    </div>
    <div class="col s12 m3 l1 card-panel light-blue white-text">
      <div class="center">10</div>
    </div>
    <div class="col s12 m3 l1 card-panel light-green white-text">
      <div class="center">11</div>
    </div>
    <div class="col s12 m3 l1 card-panel light-purple white-text">
      <div class="center">12</div>
    </div>
  </div>
</div>
```

File | C:/Users/user/Desktop/CWDBATCH9/index.html

Home

## Dashboard

Revenue	Clicks	Users	Conversion Rate
\$12,476.00	11,893	230,648	0.24%
^12%	^8%	^2%	^12%

Revenue	Users	CTR
\$12,476.00	2024	0.20%
^12%	^9%	^4%

File Edit Selection View Go Run Terminal Help

index.html index.html chart.js style.css

SEARCH

OPEN EDITORS 1 unsaved

index.html C:\Users\user\Desktop\CWDBATCH9\index.html

style.css C:\Users\user\Desktop\CWDBATCH9\style.css

SEARCH

Search Replace

You have not opened or specified a folder. Only open files are currently searched - Open Folder

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <script src="https://kit.fontawesome.com/FcF14f720db.js" crossorigin="anonymous"></script>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/fontawesome.min.css" integrity="sha512-sIarrrIu8pEqPG2LEzi87HcSmqGtp7juScmGyJ0r8Saw2BAzDzrtaX3vgx0L1NkoYHCF0VC0GptDPs18zQ==" crossorigin="anonymous" referrerpolicy="no-referrer" />
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet" type="text/css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/unsafe/unstable/0.1.0-beta.10/materialize.css" />
    <link rel="stylesheet" href="style.css" />
    <title>Dashboard Admin</title>
</head>
<body>
```

Dashboard Admin



7:18 AM | ger-nzqy-nrq

Activate Windows

Go to Settings for activation

File | C:/Users/user/...

Home

## Dashboard

Revenue	Clicks
\$12,476.00	11,893
^12%	^8%

Users	Conversion Rate
230,648	0.24%
^2%	^12%

Revenue	Users	CTR
\$12,476.00	2024	0.20%
^12%	^9%	^4%

