


```
😊 🖆 Student
      grades
                              Grades
      parent
                               String
      classroom
                           Classroom
     setClassroom(Classroom) void
      getChemistry()
                                   int
      toString()
                               String
m
      getAverage()
                                 float
      setMusic(int)
                                 void
m
      getTeacher()
                              Person
m
      getClassroom()
                           Classroom
      setEnglish(int)
                                 void
      getMusic()
                                   int
      getParent()
                               String
      getMath()
                                   int
      setJava(int)
                                 void
                                 void
🗰 🖢 setMath(int)
                                 void
      setChemistry(int)
      dataToStringarray()
                              String[]
      setParent(String)
                                 void
m
      getPhysics()
m
                                   int
      getEnglish()
                                   int
      setPhysics(int)
                                 void
      getJava()
                                   int
```

```
Teacher
   salary
                                int
  setMusic(int)
                              void
m = setSalary(int)
                              void
     getParent()
                             String
     setPhysics(int)
                              void
     getSalary()
                                int
     getMusic()
                                int
     getEnglish()
                                int
💼 📜 getChemistry()
                                int
  setChemistry(int)
                              void
m 🖢 setMath(int)
                              void
m toString()
                             String
ၮ 🖢 dataToStringarray()
                           String[]
  getPhysics()
                                int
                              void
m 🖢 setJava(int)
  setClassroom(Classroom) void
  getMath()
m
                                int
  setEnglish(int)
                              void
  getJava()
                                int
     getClassroom()
                         Classroom
     setParent(String)
                              void
```



	© • Person	
f	age	int
6	id	int
6 a	email	String
6 a	name	String
		void
m •	setAge(int)	void
	The state of the s	int
(m) n	<i>y</i> , ,	int
m ·	3	int
m ·	3 70	void
(m) ₁		int
(m) n	·	void
m ·	getId()	int
m 1	setSalary(int)	void
(m) n	setClassroom(Classr	oom) void
(m) n	setMath(int)	void
(m) n	dataToStringarray()	String[]
(m) n	getJava()	int
(m) n	getParent()	String
(m) n	setJava(int)	void
(m) n	setParent(String)	void
m •	getName()	String
(m) n	getClassroom()	Classroom
(m) n	setMusic(int)	void
(m) n	getEnglish()	int
(m) n	setEnglish(int)	void
m •	setName(String)	void
m •	getEmail()	String
m •	getAge()	int
m •	setEmail(String)	void
(n) n	getMusic()	int



