## Practical No. 11

Title: Design web application with the help of node js, express, body parser, express-session and mysql

**Aim:** To Design web application with the help of node js, express, body parser, express-session and mysql

**Step 1: Open XAMPP** 




Step 2: Run MySql in it




**Step 3: Create contactform.sql database, run cmd > node index.js** file

PS G:\MCA-Web-main\MCA-WEB-MAIN\Create> node index.js
Server is running
Connected!

Step 4: Create login.html



**Step 4: Create Registration Page** 



**Step 5: Create Database with Structure** 



Step 6: Insert Value in the Table Because we will do code that says if you have the account you will add another person to it.



```
Index.is:
var express = require('express');
var mysql = require('mysql');
var db=require('./database');
var session = require('express-session');//session
var flash = require ('express-flash');//flash
var app = express();
var bodyParser = require('body-parser');
//const { stringify } = require('querystring');
app.use(bodyParser.json());
app.use(bodyParser.urlencoded({ extended: true }));
app.use(flash());
app.use(session({
 secret: '123456cart',
 resave: false,
 saveUninitialized: true,
 cookie: { maxAge: 60000}
}))
app.get('/', function(req, res){
  res.sendFile( dirname+'/login.html');
 });
app.post('/auth',function(reg,res){
 let email = req.body.email;
 let fname = req.body.fname;
 if(email && fname){
    db.query('Select * from infoTB where fname = ? and email
= ?',[fname,email],function(error,results){
     if(error) throw error;
     if(results.length > 0){
       req.session.loggedin = true;
       req.session.fname=fname;
       res.redirect('/register');
      }else{
       res.send('Incorrect UserEmail or Username');
     res.end();
    });
  }else{
    res.send('Please enter UserEmail and Password');
    res.end();
});
app.get('/register',function(req,res){
 if (req.session.loggedin) {
    res.sendFile(__dirname+'/new.html');
  } else {
    res.send('Please Login to view the Page');
});
```

```
app.post('/formSubmit', function(req, res){
 if(req.session.loggedin){
 //res.send(JSON.stringify("Hello "+req.body.name+" "+req.body.surname));
 var f name = req.body.fname;
  var 1 name = req.body.lname;
 var email = req.body.email;
  var tel = req.body.tel;
 var dob = req.body.dob;
  var sql = `INSERT
INTO infoTB(fname,lname,email,tel,dob)VALUES("$\{f name\}","$\{l name\}","$\{e}
mail}","${tel}","${dob}")`;
 db.query(sql,function(err,result){
   if (err) throw err;
   console.log("record inserted");
   req.flash('success','Data added succefully');
  });
  }else{
   res.send('Please send login view');
  res.redirect('/register');
  res.end();
  });
app.post('/logout',function(req,res){
 req.session.destroy((err) =>{
   res.redirect('/');
  })
});
app.post('/reg',function(req,res) {
 req.session.destroy((err) =>{
   res.redirect('/register');
  })
});
app.post('/loged',function(req,res){
 req.session.destroy((err) =>{
   res.redirect('/');
 })
});
app.listen(5003,()=>\{
 console.log("Server is running")
});
Database.js
var mysql = require('mysql');
var con = mysql.createConnection({
 host: "localhost",
 user: "root",
 password: "".
 database:"infoDB"
});
con.connect(function(err) {
 if (err) throw err;
```

```
console.log("Connected!");
});
module.exports=con;
Login.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6J
Xm" crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG
5KkN" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q
" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl
" crossorigin="anonymous"></script>
<style>
  .gradient-custom {
/* fallback for old browsers */
background: #6a11cb;
/* Chrome 10-25, Safari 5.1-6 */
background: -webkit-linear-gradient(to right, rgba(106, 17, 203, 1), rgba(37, 117, 252,
1));
/* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
background: linear-gradient(to right, rgba(106, 17, 203, 1), rgba(37, 117, 252, 1))
</style>
<title>Document</title>
</head>
<body>
  <section class="vh-100 gradient-custom">
    <div class="container py-5 h-100">
     <div class="row d-flex justify-content-center align-items-center h-100">
       <div class="col-12 col-md-8 col-lg-6 col-xl-5">
        <div class="card bg-dark text-white" style="border-radius: 1rem;">
         <div class="card-body p-5 text-center">
          <div class="mb-md-5 mt-md-4 pb-5">
           <h2 class="fw-bold mb-2 text-uppercase">Login</h2>
           Please email your login and first
name!
           <form action="/auth" method="post">
```

```
<div class="form-outline form-white mb-4">
            <input type="email" name="email" id="typeEmailX" class="form-</pre>
control form-control-lg" />
            <label class="form-label" for="typeEmailX">Email</label>
           </div>
           <div class="form-outline form-white mb-4">
            <input type="text" name="fname" id="typePasswordX" class="form-</pre>
control form-control-lg" />
            <label class="form-label" for="typePasswordX">Name</label>
           </div>
           <a class="text-white-50"</pre>
href="#!">Forgot password?</a>
           <button class="btn btn-outline-light btn-lg px-5"</pre>
type="submit">Login</button>
         </form>
           <div class="d-flex justify-content-center text-center mt-4 pt-1">
            <a href="#!" class="text-white"><i class="fab fa-facebook-f fa-
lg"></i>></a>
            <a href="#!" class="text-white"><i class="fab fa-twitter fa-lg mx-4 px-
2"></i>></a>
            <a href="#!" class="text-white"><i class="fab fa-google fa-
lg"></i></a>
           </div>
          </div>
          < div >
           Don't have an account? <form action="/reg"</pre>
method="post"><button class="btn btn-outline-light btn-lg px-5"
type="submit">Register</button></form>
           </div>
         </div>
        </div>
       </div>
     </div>
    </div>
   </section>
</body>
</html>
New.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <style>
    .gradient-custom {
/* fallback for old browsers */
background: #f093fb;
```

```
/* Chrome 10-25, Safari 5.1-6 */
background: -webkit-linear-gradient(to bottom right, rgba(240, 147, 251, 1), rgba(245,
87, 108, 1));
/* W3C, IE 10+/ Edge, Firefox 16+, Chrome 26+, Opera 12+, Safari 7+ */
background: linear-gradient(to bottom right, rgba(240, 147, 251, 1), rgba(245, 87, 108,
1))
}
.card-registration .select-input.form-control[readonly]:not([disabled]) {
font-size: 1rem;
line-height: 2.15;
padding-left: .75em;
padding-right: .75em;
.card-registration .select-arrow {
top: 13px;
}
  </style>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6J
Xm" crossorigin="anonymous">
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-</pre>
KJ3o2DKtlkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG
5KkN" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"</pre>
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q
" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"</pre>
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl
" crossorigin="anonymous"></script>
  <title>Document</title>
</head>
<body>
  <section class="vh-100 gradient-custom">
    <div class="container py-5 h-100">
      <div class="row justify-content-center align-items-center h-100">
       <div class="col-12 col-lg-9 col-xl-7">
        <div class="card shadow-2-strong card-registration" style="border-radius:</pre>
15px;">
         <div class="card-body p-4 p-md-5">
          <h3 class="mb-4 pb-2 pb-md-0 mb-md-5">Registration Form</h3>
          <form action="/formSubmit" method="post">
           <div class="row">
             <div class="col-md-6 mb-4">
              <div class="form-outline">
```

```
<input type="text" id="firstName" name="fname" class="form-</pre>
control form-control-lg" />
               <label class="form-label" for="firstName">First Name/label>
            </div>
             <div class="col-md-6 mb-4">
              <div class="form-outline">
               <input type="text" id="lastName" name="lname" class="form-</pre>
control form-control-lg" />
               <lastName">Last Name</label>
              </div>
            </div>
           </div>
           <div class="row">
             <div class="col-md-6 mb-4 d-flex align-items-center">
              <div class="form-outline datepicker w-100">
               <input type="text" name="dob" class="form-control form-control-lg"</pre>
id="birthdayDate" />
               <label for="birthdayDate" class="form-label">Birthday</label>
            </div>
            <div class="col-md-6 mb-4">
              </div>
           <div class="row">
             <div class="col-md-6 mb-4 pb-2">
              <div class="form-outline">
               <input type="email" name="email" id="emailAddress" class="form-
control form-control-lg" />
               <label class="form-label" for="emailAddress">Email</label>
              </div>
            </div>
             <div class="col-md-6 mb-4 pb-2">
              <div class="form-outline">
               <input type="tel" name="tel" id="phoneNumber" class="form-
control form-control-lg" />
               <label class="form-label" for="phoneNumber">Phone
Number</label>
              </div>
            </div>
           </div>
           <div class="mt-4 pt-2">
```

```
<input class="btn btn-primary btn-lg" type="submit" value="Submit" />
           </div>
          </form>
          <form action="/logout" method="post">
          <div class="mt-4 pt-2">
           <input class="btn btn-primary btn-lg" type="submit" value="Logout" />
          </div>
         </form>
          <div><form action="/loged" method="post">
           Have an account? <input class="btn btn-primary btn-</pre>
lg" type="submit" value="Sign In" />
           </form>
          </div>
         </div>
        </div>
       </div>
     </div>
    </div>
   </section>
</body>
</html>
```

Here is Simple Flow Chart Of the Given Code:

Create Flow Chart That contains Steps: Login to Login.html, Register Form Display, If you want to add new user Add in it, Close/Logout from the System.

## Register Form Display If you want to add new user Add in it Close/Logout from the System.