# **XDO FUNCTIONS:**


In Oracle XML Publisher (now known as Oracle BI Publisher), XDO functions are used within the templates to manipulate and format data. These functions enable you to perform various tasks such as calculations, string manipulations, and date formatting within your RTF (Rich Text Format) templates.

Functionality	XDO Functions
Sysdate : Current Date	xdofx:sysdate()?
Addition	xdofx:11+3?
Lpad	xdofx:lpad('HelloWorld',20,'*')?
Decode	xdofx:decode('HI','HI','Hai','BI','Bye')?
Current Time	xdoxslt:current_time('ja-JP', 'Asia/Tokyo')?
Sub String	xdofx:substr('Hello Sub String',4,3)?
Lower	xdofx:lower('Hello Worldlm in Lower')?

Functionality	XDO Functions				
Sysdate : Current Date	2016-12-20T01:39:30.485+00:00				
Addition	14				
Lpad	********HelloWorld				
Decode	Hai				
Current Time	10:39:30				
Sub String	lo				
Lower	hello worldim in lower				

## **USING XDO FUNCTIONS:**

#### IF DEPT NAME IS ACCOUNTING THEN DISPLAY ACCOUNTING ON TOP:




DeptName: ACCOUNTING

Accounting

new IF condition:

Empno	Ename	Job	Mgr	Sal	Comm	Deptno	Loc
7782	CLARK	MANAGER	7839	2551 Higher	100	10	NEW YORK
7839	KING	PRESIDENT		5001 Higher	100	10	NEW YORK
7934	MILLER	CLERK	7782	1401 Higher	100	10	NEW YORK
4040	Chinna	п	7698	3001 Higher	100	10	NEW YORK

#### **CONDITION ON SALARY:**



### CONDITION ON JOB\_ID ON THE BASIS OF COLOR:

