

Security Risk Assessment Tool

Application Version: 3.6

Detailed Report

TogetherMindsAI

06-17-2026

DISCLAIMER

The Security Risk Assessment Tool at <http://HealthIT.gov> is provided for informational purposes only. Use of this tool is neither required by nor guarantees compliance with federal, state or local laws. Please note that the information presented may not be applicable or appropriate for all health care providers and organizations. The Security Risk Assessment Tool is not intended to be an exhaustive or definitive source on safeguarding health information from privacy and security risks. For more information about the HIPAA Privacy and Security Rules, please visit the HHS Office for Civil Rights Health Information Privacy website at: <http://www.hhs.gov/ocr/privacy/hipaa/understanding/index.html>

NOTE: The NIST, HICP, and HPH CPG standards provided in this tool are for informational purposes only as they may reflect current best practices in information technology and are not required for compliance with the HIPAA Security Rule's requirements for risk assessment and risk management. This tool is not intended to serve as legal advice or as recommendations based on a provider or professional's specific circumstances. We encourage providers and professionals to seek expert advice when evaluating the use of this tool. Updated 7/29/2025

Section 1, SRA Basics	Risk Score: 100 %
Threats & Vulnerabilities	Risk Rating

Section Questions

Q1. Has your practice completed a security risk assessment (SRA) before?

Answer	No.		
Education	Performing a security risk assessment periodically will help safeguard the confidentiality, integrity, and availability of ePHI. Consider scheduling a vulnerability scan to assist in identification of technical vulnerabilities to improve your risk assessment.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(1)(ii)(A) NIST CSF: ID.RA, ID.AM, GV.OC, PR.DS, PR.PS, RS.MI HPH CPG: 1 HICP: TV1 - Practice # 7, 10	Required	Raja Gopalan	Tue Jun 16 11:55:29 EDT 2026

Q5. How do you verify that that your security measures comply with current HIPAA requirements?

Answer	We review our practice's Security Policies and Procedures and keep up to date on relevant guidance regarding protection of ePHI through listservs or other security publications.		
Education	Security risk analysis is a foundational component of identifying and assessing ePHI risks and vulnerabilities in your practice. An accurate and thorough security risk assessment should be performed, reviewed, and updated periodically or in response to operational changes, security incidents, or the occurrence of a significant event. Additionally, consistently monitoring changes or updates to cybersecurity guidance related to ePHI protection will ensure you are aware of current requirements.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(1)(ii)(B) NIST CSF: GV.RR, GV.PO, GV.OV, GV.RM HPH CPG: 1 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 11:55:43 EDT 2026
Reviewed Date	06-17-2026		
Reviewed By	Raja Gopalan		

Section 2, Security Policies	Risk Score: 0 %
-------------------------------------	-----------------

Threats & Vulnerabilities	Risk Rating
---------------------------	-------------

Section Questions

Q1. Do you maintain documentation of policies and procedures regarding risk assessment, risk management and information security activities?

Answer	Yes, we have a process by which assigned personnel develop, implement, review, and update security policies and procedures.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Establishing and implementing cybersecurity policies, procedures, and processes is one of the most effective means of preventing cyberattacks.		
References	Compliance	Username	Audit Date
HIPAA: §164.316(a) NIST CSF: GV.RR, GV.PO, GV.OV, ID.RA, PR.PS HPH CPG: 1, 14, 15 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:32:20 EDT 2026

Q2. Do you review and update your security documentation, including policies and procedures?

Answer	Yes, we review and update our security documentation periodically and as necessary.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Review an appropriate number of policies over a specified timeframe. The goal is to establish a standard practice to review policies and to monitor compliance with this standard.		
References	Compliance	Username	Audit Date
HIPAA: §164.316(b)(2)(iii) NIST CSF: GV.RR, GV.PO, GV.OV, ID.RA, PR.PS, ID.IM HPH CPG: 7, 14, 15, 19 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:36:01 EDT 2026

Q3. How do you update your security program documentation, including policies and procedures?

Answer	We have a periodic review of information security policies that formally evaluates their effectiveness. Policies and procedures are updated as needed.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. With clearly articulated cybersecurity policies, your employees, contractors, and third-party vendors know which data, applications, systems, and devices they are authorized to access and the consequences of unauthorized access attempts.		
------------------	---	--	--

References	Compliance	Username	Audit Date
HIPAA: §164.316(b)(2)(iii) NIST CSF: GV.RR, GV.PO, GV.OV, ID.RA, PR.PS, ID.IM HPH CPG: 4 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:36:08 EDT 2026

Q4. Is the security officer involved in all security policy and procedure updates?

Answer	Yes.
---------------	------

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Describe cybersecurity roles and responsibilities throughout the organization, including who is responsible for implementing security practices and setting and establishing policy.
------------------	--

References	Compliance	Username	Audit Date
HIPAA: §164.316(b)(2)(iii) NIST CSF: GV.RR, GV.PO, GV.OV, ID.RA, PR.PS, ID.IM HPH CPG: 7, 15, 19 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:36:13 EDT 2026

Q5. How does documentation for your risk management and security procedures compare to your actual business practices?

Answer	Our risk management and security documentation completely and accurately reflects our actual business practices.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. With clearly articulated cybersecurity policies, your employees, contractors, and third-party vendors know which data, applications, systems, and devices they are authorized to access and the consequences of unauthorized access attempts.
------------------	---

References	Compliance	Username	Audit Date
HIPAA: §164.316(b)(1)(i) & (ii) NIST CSF: GV.OC, GV.RM, PR.PS HPH CPG: 1, 15, 19 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:36:19 EDT 2026

Q6. How long are information security management and risk management documents kept?			
Answer	We maintain documents for at least six (6) years from the date of their creation or when they were last in effect, whichever is longer. These documents are maintained and backed up.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. The federal requirement is six (6) years retention of documentation, but your state or jurisdiction may have additional requirements.		
References	Compliance	Username	Audit Date
HIPAA: §164.316(b)(2)(i) NIST CSF: GV.OC, GV.RM, PR.PS HPH CPG: 7, 18 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 12:36:23 EDT 2026
Q7. Do you make sure that information security and risk management documentation is available to those who need it?			
Answer	Yes. Documentation is made available to appropriate workforce members in physical and/or electronic formats (for example, our practice's shared drive or intranet).		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. With clearly articulated cybersecurity policies, your employees, contractors, and third-party vendors know which data, applications, systems, and devices they are authorized to access and the consequences of unauthorized access attempts.		
References	Compliance	Username	Audit Date
HIPAA: §164.316(b)(2)(ii) NIST CSF: GV.OC, GV.RM, PR.PS HPH CPG: 4 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:36:31 EDT 2026
Q8. How do you ensure that security and risk management documentation is available to those who need it?			
Answer	Appropriate workforce members receive instructions on our information security documentation and where to find it as part of their periodic privacy and security training. Documentation is securely made available to workforce members in physical or electronic formats.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Policies are established first and are then supplemented with procedures that enable the policies to be implemented. Policies describe what is expected, and procedures describe how the expectations are met.		
References	Compliance	Username	Audit Date

HIPAA: §164.316(b)(2)(ii) NIST CSF: GV.OC, GV.RM, PR.PS, ID.RA HPH CPG: 4 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:36:38 EDT 2026
Reviewed Date	06-17-2026		
Reviewed By	Raja Gopalan		

Section 3, Security & Workforce	Risk Score: 5 %
Threats & Vulnerabilities	Risk Rating

Section Questions

Q1. Who within your practice is responsible for developing and implementing information security policies and procedures?

Answer	The security officer is a member of the workforce identified by name in policy documents.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Describe cybersecurity roles and responsibilities throughout the organization, including who is responsible for implementing security practices and setting and establishing policy.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(2) NIST CSF: PR.AT, DE.AE, GV.RR, RS.CO, PR.PS, ID.AM HPH CPG: 4 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 12:37:04 EDT 2026

Q2. Do you identify and document the role and responsibilities of the security officer?

Answer	Yes. The security officer is identified by role and this is documented in our practice's information security policies, which describes the role's responsibilities.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Describe cybersecurity roles and responsibilities throughout the organization, including who is responsible for implementing security practices and setting and establishing policy.		
References	Compliance	Username	Audit Date

HIPAA: §164.308(a)(2) NIST CSF: Required
PR.AT, DE.AE, GV.RR, RS.CO,
PR.PS HPH CPG: 4 HICP: TV1 -
Practice # 10

Raja Gopalan

Tue Jun 16 12:37:08 EDT 2026

Q3. Is your security officer qualified for the position?

Answer	Yes. The security officer is an assigned member of the workforce familiar with security and has the authority to design, implement, and enforce security policies and procedures.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(2) NIST CSF: PR.AT, DE.AE, GV.RR, RS.CO HPH CPG: N/A HICP: TV1 - Practice # 8	Required	Raja Gopalan	Tue Jun 16 12:37:11 EDT 2026

Q4. Do workforce members know who the security officer is?

Answer	Yes. Workforce members are aware of who our security officer is.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(2) NIST CSF: PR.AT, DE.AE, GV.RR, RS.CO HPH CPG: 4 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 12:37:31 EDT 2026

Q5. Do workforce members know how and when to contact the security officer?

Answer	Workforce members are made aware of the identity of the security officer and reasons for contacting the security officer as part of their orientation to the practice (upon hire) as well as periodic reminders of our internal policies and procedures (e.g., periodic review).		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date

HIPAA: §164.308(a)(2) NIST CSF: Required
PR.AT, DE.AE, GV.RR, RS.CO
HPH CPG: 4 HICP: N/A

Raja Gopalan

Tue Jun 16 12:37:34 EDT 2026

Q7. How are staff roles and job duties defined with respect to ePHI access?

Answer	We have written job descriptions, roles, and required qualifications documented for all workforce members with access to ePHI.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Health care organizations of all sizes need to clearly identify all users and maintain audit trails that monitor each user's access to data, applications, systems, and endpoints.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(ii)(A) NIST CSF: ID.AM, PR.MA, DE.CM, DE.AE, PR.PS HPH CPG: 6, 7 HICP: TV1 - Practice #2, 3	Required	Raja Gopalan	Tue Jun 16 12:50:02 EDT 2026

Q8. Do you screen your workforce members (e.g., staff, volunteers, interns) with tools like credential verification or background checks to verify trustworthiness?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(ii)(B) NIST CSF: DE.AE, PR.AA, PR.IR, PR.PS HPH CPG: 6 HICP: N/A	Addressable	Raja Gopalan	Tue Jun 16 12:50:16 EDT 2026

Q9. How are your workforce members screened to verify trustworthiness?

Answer	Professional references are collected and verified. Criminal background checks are performed in addition to verifying licenses, credentials, certifications, and good standing with relevant agencies (e.g., check workforce members against the List of Excluded Individuals and Entities).		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date

Q10. Do you ensure that all workforce members (including management) are given security training?

Answer	Yes, we ensure all workforce members complete security training on a periodic basis.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Establish and maintain a training program for your workforce that includes a section on phishing attacks. All users in your organization should be able to recognize phishing techniques. Train your workforce to comply with organizational procedures and ONC guidance when transmitting PHI through e-mail. Train staff never to back up data on unapproved storage devices or personal cloud services. Train and regularly remind users that they must never share their passwords.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(5)(i) NIST CSF: PR.AT , GV.RM, PR.PS HPH CPG: 4 HICP: TV1 - Practice # 1, 4	Required	Raja Gopalan	Tue Jun 16 13:28:06 EDT 2026

Q11. How do you ensure that all workforce members are given security training?

Answer	We keep a list of workforce members who have completed security training. Trainings are provided upon hire and periodically thereafter. The list is reviewed and verified by the security officer.		
Education	This is an effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Train personnel to comply with organizational policies. At minimum, provide annual training on the most important policy considerations, such as the use of encryption, strong passwords, and PHI transmission restrictions. Provide staff with training on and awareness of phishing e-mails. Describe the mechanisms by which the workforce will be trained on cybersecurity practices, threats, and mitigations.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(5)(i) NIST CSF: PR.AT, PR.PS HPH CPG: 4 HICP: TV1 - Practice # 1, 4, 10	Required	Raja Gopalan	Tue Jun 16 13:28:11 EDT 2026

Q12. How long are records of workforce member security training kept?

Answer	Records documenting the completion of required security trainings are kept for all workforce members (including management) and retained for at least six (6) years after completion of the training.
---------------	---

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(5)(i) NIST CSF: PR.AT, PR.PS HPH CPG: 4 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 13:33:49 EDT 2026

Q13. Are procedures in place for monitoring log-in attempts and reporting discrepancies?

Answer	Yes, these procedures identify workforce members' roles and responsibilities, log-in monitoring procedure, how to identify a log-in discrepancy and how to respond to an identified discrepancy.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement access management procedures to track and monitor user access to computers and programs.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(5)(ii)(C) NIST CSF: DE.AE, DE.CM, RS.CO, PR.AT, PR.PS HPH CPG: 18 HICP: TV1 - Practice #2, 3	Addressable	Raja Gopalan	Tue Jun 16 13:33:54 EDT 2026

Q14. Is up-to-date malware protection included in your policies and procedures?

Answer	Yes. Software protection is included in our procedures. This includes a review of our procedures for guarding against malware, and the mechanisms in place for protection, and how procedures for workforce members to follow can help to detect and report malicious software.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Anti-malware software is readily available at low cost and is effective at protecting endpoints from computer viruses, malware, spam, and ransomware threats. Each endpoint in your organization should be equipped with malware protection software that is configured to update automatically. For medical devices, the medical device manufacturer should directly support anti-malware software, or it should be cleared for operation by the manufacturer. Ensure that malware protection is enabled. If anti-malware cannot be implemented, compensating controls should enforce a detection scan whenever the device is serviced prior to reconnecting to the device network.		
References	Compliance	Username	Audit Date

Q15. What password security elements are covered in your security training?

Answer	Our security procedures include what our workforce roles/responsibilities are in password security, how to safeguard passwords, how to respond to a compromised password, and how to properly change a password using various password characteristics (e.g., many characters long, easy to remember, avoiding easy to guess phrases).		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. To stay current with best practices on security procedures consider enforcing password security measures consistent with guidance in NIST SP 800-63-3. Assign a separate user account to each user in your organization. Train and regularly remind users that they must never share their passwords. Require each user to create an account password that is different from the ones used for personal internet or e-mail access (e.g., Gmail, Yahoo, Facebook). For devices that are accessed off site, leverage technologies that use multi-factor authentication (MFA) before permitting users to access data or applications on the device. Logins that use only a username and password are often compromised through phishing e-mails. Implement MFA authentication for the cloud-based systems that your organization uses to store or process sensitive data, such as EHRs. MFA mitigates the risk of access by unauthorized users.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(5)(ii)(D) NIST CSF: PR.AT HPH CPG: 2, 8 HICP: TV1 - Practice # 2, 3	Addressable	Raja Gopalan	Tue Jun 16 14:51:18 EDT 2026

Q16. Do you ensure workforce members maintain ongoing awareness of security requirements?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Establish and maintain a training program for your workforce that includes a section on phishing attacks. All users in your organization should be able to recognize phishing techniques. Train your workforce to comply with organizational procedures and ONC guidance when transmitting PHI through e-mail. Train staff never to back up data on uncontrolled storage devices or personal cloud services.		
References	Compliance	Username	Audit Date

HIPAA: §164.308(a)(5)(ii)(A) NIST Addressable
CSF: PR.AT, ID.RA, GV.OC,
GV.RR, GV.PO, GV.OV HPH
CPG: 4 HICP: TV1 - Practice # 1, 4

Raja Gopalan

Tue Jun 16 14:51:23 EDT 2026

Q17. How does your practice ensure workforce members maintain ongoing awareness of security requirements?

Answer	Formal trainings and periodic security reminders		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Provide staff with training on and awareness of phishing e-mails. Train personnel to comply with organizational policies. At minimum, provide annual training on the most important policy considerations, such as the use of encryption, strong passwords, and PHI transmission restrictions.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(5)(ii)(A) NIST Addressable CSF: PR.AT, ID.RA, GV.OC, GV.RR, GV.PO, GV.OV HPH CPG: 4 HICP: TV1 - Practice # 1, 4		Raja Gopalan	Tue Jun 16 14:51:37 EDT 2026

Q18. Do you have a sanction policy to enforce security procedures?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(1)(ii)(C) NIST Required CSF: PR.PS HPH CPG: N/A HICP: N/A		Raja Gopalan	Tue Jun 16 15:01:07 EDT 2026

Q19. What is included in your sanction policy to hold personnel accountable if they do not follow your security policies and procedures?

Answer	Formal written documentation of the sanction and the reason for the sanction.		
Education	Consider which sanction policies and procedures are reasonable and appropriate for your organization in order to hold personnel accountable if they do not follow your security policies and procedures.		
References	Compliance	Username	Audit Date

Section 4, Security & Data	Risk Score: 0 %
Threats & Vulnerabilities	Risk Rating

Section Questions

Q1. Do you manage and control personnel access to ePHI, systems, and facilities?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. User accounts enable organizations to control and monitor each user's access to and activities on devices, EHRs, e-mail, and other third-party software systems. It is essential to protect user accounts to mitigate the risk of cyber threats.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(i) NIST CSF: PR.AT, PR.PS, PR.AA, PR.IR HPH CPG: 6 HICP: TV1 - Practice #2, 3	Required	Raja Gopalan	Tue Jun 16 18:32:17 EDT 2026

Q2. How do you manage and control personnel access to ePHI, systems, and facilities?

Answer	Detailed log of personnel and access levels based on role. Updates are reviewed by the security officer.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement single sign-on systems that automatically manage access to all software and tools once users have signed onto the network. Such systems allow the organization to centrally maintain and monitor access.		
References	Compliance	Username	Audit Date

HIPAA: §164.308(a)(3)(i) NIST
CSF: PR.AT, PR.PS, PR.AA,
PR.IR HPH CPG: 3, 6 HICP: TV1 -
Practice #2, 3

Required

Raja Gopalan

Tue Jun 16 18:32:28 EDT 2026

Q3. What is your process for authorizing, establishing, and modifying access to ePHI?

Answer	Our security procedures designate personnel authorized to grant, review, modify, and terminate access. Access levels are reviewed and modified as needed.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Tailor access for each user based on the user's specific workplace requirements. Most users require access to common systems, such as e-mail and file servers. Implementing tailored access is usually called provisioning.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(4)(ii)(B) §164.308(a)(4)(ii)(C) NIST CSF: PR.AA, PR.IR, PR.PS HPH CPG: 6 HICP: TV1 - Practice # 3	Addressable	Raja Gopalan	Tue Jun 16 20:18:11 EDT 2026

Q4. How much access to ePHI is granted to users or other entities?

Answer	Minimum access necessary based on the user's formal role.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. As user accounts are established, the accounts must be granted access to the organization's computers and programs, as appropriate to each user. Consider following the "minimum necessary" principle associated with the HIPAA Privacy Rule. Allow each user access only to the computers and programs required to accomplish that user's job or role in the organization. This limits the organization's exposure to unauthorized access, loss, and theft of data if the user's identity or access is compromised.		
References	Compliance	Username	Audit Date
HIPAA: §164.502(b) NIST CSF: PR.AA, PR.IR, PR.PS, GV.RM, PR.DS HPH CPG: 3, 9 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 20:18:15 EDT 2026

Q5. How are individual users identified when accessing ePHI?

Answer	Unique IDs and individual passwords are created for authorized workforce members and contractors in order access ePHI.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Assign a separate user account to each user in your organization. Train and regularly remind users that they must never share their passwords. Require each user to create an account password that is different from the ones used for personal internet or e-mail access (e.g., Gmail, Yahoo, Facebook).		
References	Compliance	Username	Audit Date
HIPAA: §164.312(a)(2)(i) NIST CSF: PR.AA, PR.IR, DE.CM HPH CPG: 8, 9 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 20:19:30 EDT 2026

Q6. Do you ensure all of your workforce members have appropriate access to ePHI?

Answer	Yes. We have written procedures to ensure workforce members' access privileges are the minimum necessary (i.e., "need to know") based on their roles. These access privileges are approved by the security officer.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. As user accounts are established, the accounts must be granted access to the organization's computers and programs, as appropriate to each user. Consider following the "minimum necessary" principle associated with the HIPAA Privacy Rule. Allow each user access only to the computers and programs required to accomplish that user's job or role in the organization. This limits the organization's exposure to unauthorized access, loss, and theft of data if the user's identity or access is compromised.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(i) NIST CSF: PR.AT, PR.AA, PR.IR, PR.PS HPH CPG: 9 HICP: TV1 - Practice # 3,4	Required	Raja Gopalan	Tue Jun 16 20:21:08 EDT 2026

Q7. How do you make sure that your workforce's designated access to ePHI is logical, consistent, and appropriate?

Answer	Workforce members are granted access based on the minimum amount necessary for their role. This is consistently applied across the practice and any changes must be formally approved and documented.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Tailor access for each user based on the user's specific workplace requirements. Most users require access to common systems, such as e-mail and file servers. Implementing tailored access is usually called provisioning.		

References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(i) NIST CSF: PR.AT, PR.PS, DE.CM HPH CPG: 3, 8, 9 HICP: TV1 - Practice # 3,4	Required	Raja Gopalan	Tue Jun 16 20:21:16 EDT 2026

Q8. Do you use encryption everywhere ePHI is stored throughout your organization?

Answer	Yes.
Education	This is the most effective option. Whenever reasonable and appropriate implement a mechanism to encrypt and decrypt ePHI. Install encryption software on every endpoint that connects to your EHR system, especially mobile devices such as laptops. Maintain audit trails of this encryption in case a device is ever lost or stolen. This simple and inexpensive precaution may prevent a complicated and expensive breach. If supported by the manufacturer, medical devices should have local encryption enabled (if reasonable and appropriate) in case the device is stolen. Implement an e-mail encryption module that enables users to securely send e-mails to external recipients or to protect information that should only be seen by authorized individuals.

References	Compliance	Username	Audit Date
HIPAA: §164.312(a)(2)(iv) NIST CSF: PR.DS, PR.MA HPH CPG: 5 HICP: TV1 - Practice # 1, 4	Addressable	Raja Gopalan	Tue Jun 16 20:21:22 EDT 2026

Q9. What procedures do you have in place to encrypt ePHI when deemed reasonable and appropriate?

Answer	Encryption is evaluated as part of our risk management process. We have procedures in place to encrypt ePHI at rest (e.g., USB drives or tapes) and in transit (e.g., email or cloud EHR) whenever reasonable and appropriate, and find an alternative safeguard when not reasonable and appropriate.
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Install encryption software on every endpoint that connects to your EHR system, especially mobile devices such as laptops. Maintain audit trails of this encryption in case a device is ever lost or stolen. This simple and inexpensive precaution may prevent a complicated and expensive breach. Provide regular training on encryption.

References	Compliance	Username	Audit Date
------------	------------	----------	------------

HIPAA: §164.312(e)(2)(ii) NIST
CSF: PR.AA, PR.IR, PR.DS,
PR.PS HPH CPG: 5 HICP: TV1 -
Practice # 1, 4

Addressable

Raja Gopalan

Tue Jun 16 20:42:22 EDT 2026

Q10. Do you use alternative safeguards in place of encryption?

Answer	Yes. When encryption is not reasonable or appropriate, we implement an alternative safeguard and document as appropriate.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. For ePHI that is not, or cannot, be encrypted, or that is managed by a third party, implement and document alternate security controls to minimize theft or unauthorized removal. Example controls could include anti-theft cables, locks on rooms where the devices are located, user authorization restrictions, and badge readers to monitor access to rooms where devices are located.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.RR, GV.PO, GV.OV, PR.DS, PR.PS, ID.RA HPH CPG: 5 HICP: TV1 - Practice # 2	Addressable	Raja Gopalan	Tue Jun 16 23:24:03 EDT 2026

Q11. When encryption is deemed unreasonable or inappropriate to implement, do you document the use of an alternative safeguard?

Answer	Yes. We have policies and procedures to identify encryption capabilities of our devices and information systems. When encryption is not reasonable or appropriate, we implement an alternative safeguard and document it.		
Education	The best practice is having policies and procedures to identify the encryption capabilities of your devices and information systems and then documenting when ePHI encryption is not reasonable or appropriate and that you have implemented an alternative safeguard. For devices that cannot be encrypted or that are managed by a third party, implement physical security controls to minimize theft or unauthorized removal. Examples include installation of anti-theft cables, locks on rooms where the devices are located, and the use of badge readers to monitor access to rooms where devices are located.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: PR.DS HPH CPG: 5 HICP: TV1 - Practice # 2	Addressable	Raja Gopalan	Tue Jun 16 23:24:10 EDT 2026

Q12. Have you evaluated implementing any of the following encryption solutions in your local environment to protect ePHI: full disk encryption, file/folder/volume encryption, database encryption, encryption of thumb drives or other external media (including backup media)?

Answer	All of the above (and other solutions as applicable) have been identified, assessed if reasonable and appropriate to protect ePHI, and documented.		
Education	Encryption in these areas is critical to protecting ePHI in your local environment. Encryption applications prevent hackers from accessing sensitive data, usually by requiring a "key" to encrypt and/or decrypt data. Prohibit the use of unencrypted storage, such as thumb drives, mobile phones, or computers. Require encryption of these mobile storage mediums before use. If responses to questions in the tool represent risks in the aggregate, ensure that responses include sufficient detail or that supplemental documentation is maintained supporting aggregate risk determinations.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(e)(2)(ii) NIST CSF: PR.AA, PR.IR, PR.DS, DE.CM, ID.RA, GV.RM HPH CPG: 5 HICP: TV1 - Practice # 2	Addressable	Raja Gopalan	Tue Jun 16 23:24:20 EDT 2026

Q13. Have you evaluated implementing encryption solutions for any of the following cloud services to protect ePHI: email service, file storage, web applications, databases, remote system backups?

Answer	All of the above (and other solutions as applicable) have been identified, assessed if reasonable and appropriate to protect ePHI, and documented.		
Education	Encryption in these areas is critical to protecting ePHI in your cloud environments. Contracts with EHR vendors should include language that requires ePHI to be encrypted both at rest and during transmission between systems. If responses to questions in the tool represent risks in the aggregate, ensure that responses include sufficient detail or that supplemental documentation is maintained supporting aggregate risk determinations.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(e)(2)(ii) NIST CSF: N/A HPH CPG: 5 HICP: TV1 - Practice # 1	Addressable	Raja Gopalan	Tue Jun 16 23:24:23 EDT 2026

Q14. Have you evaluated implementing any of the following encryption solutions for ePHI in transit: encryption of internet traffic by means of a VPN, web traffic over HTTP encrypted using Transport Layer Security (TLS), or secure file transfer?

Answer	All of the above (and other solutions as applicable) have been identified, assessed if reasonable and appropriate to protect ePHI, and documented.		
Education	Encryption in these areas is critical to protecting ePHI in transit. At minimum, provide annual training on the most important policy considerations, such as the use of encryption and PHI transmission restrictions. Implement an e-mail encryption module that enables users to securely send e-mails to external recipients or to protect information that should only be seen by authorized individuals. If responses to questions in the tool represent risks in the aggregate, ensure that responses include sufficient detail or that supplemental documentation is maintained supporting aggregate risk determinations.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(e)(2)(ii) NIST CSF: N/A HPH CPG: 5 HICP: TV1 - Practice # 1, 4	Addressable	Raja Gopalan	Tue Jun 16 23:24:27 EDT 2026

Q15. Do you periodically review your information systems for how security settings can be implemented to safeguard ePHI?

Answer	Yes. We periodically review our information system and evaluate if additional settings can be implemented to safeguard ePHI and document our security settings.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Patching (i.e., regularly updating) systems removes vulnerabilities that can be exploited by attackers. Each patch modifies a software application, rendering it more difficult for hackers to maintain programs that are aligned with the most current version of that software application. Configure endpoints to patch automatically and ensure that third-party applications are patched as soon as possible. Schedule and conduct vulnerability scans on servers and systems under your control to proactively identify technology flaws. Remediate flaws based on the severity of the identified vulnerability. This method is considered an "unauthenticated scan." The scanner has no extra sets of privileges to the server. It queries a server based on ports that are active and present for network connectivity. Each server is queried for vulnerabilities based upon the level of sophistication of the software scanner. Conduct web application scanning of internet-facing web servers, such as web-based patient portals. Specialized vulnerability scanners can interrogate running web applications to identify vulnerabilities in the application design. Conduct routine patching of security flaws in servers, applications (including web applications), and third-party software. Maintain software at least monthly, implementing patches distributed by the vendor community, if patching is not automatic. Robust patch management processes mitigate vulnerabilities associated with obsolete software versions, which are often easier for hackers to exploit.		
References	Compliance	Username	Audit Date

HIPAA: §164.312(a)(1) NIST CSF: Required
PR.AA, PR.IR, PR.DS, ID.RA,
PR.PS, DE.CM HPH CPG: 1, 16,
18, 20 HICP: TV1 - Practice # 2, 7

Raja Gopalan

Tue Jun 16 23:24:30 EDT 2026

Q16. How are you aware of the security settings for information systems which process, store, or transmit ePHI?

Answer	All systems which create, receive, maintain, or transmit ePHI (including any firewalls, databases, servers, and networked devices) have been examined to determine how security settings can be implemented to most appropriately protect ePHI.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Vulnerability scans may yield large amounts of data, which organizations urgently need to classify, evaluate, and prioritize to remediate security flaws before an attacker can exploit them.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(a)(1) NIST CSF: Required PR.AA, PR.IR, PR.DS, PR.PS, ID.RA, PR.MA, DE.CM HPH CPG: 1, 18, 20 HICP: TV1 - Practice # 7	Required	Raja Gopalan	Tue Jun 16 23:24:45 EDT 2026

Q17. Do you use security settings and mechanisms to record and examine information system activity?

Answer	Yes and documentation is available of security setting assessments and mechanisms to record and examine information system activity.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. User accounts enable organizations to control and monitor each user's access to and activities on devices, EHRs, e-mail, and other third-party software systems. Frequently reviewing access and activities on all devices that access ePHI allows you to be proactive for potential threats or vulnerabilities that arise.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(b) NIST CSF: Required PR.DS, DE.CM HPH CPG: 14, 15, 16, 18, 20 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:25:04 EDT 2026

Q18. What mechanisms are in place to monitor or log system activity?

Answer	Monitoring of system users, access attempts, and modifications. This includes a date/time stamp.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement access management procedures to track and monitor user access to computers and programs.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(b) NIST CSF: PR.DS, PR.MA, DE.AE, DE.CM, RS.AN HPH CPG: 14, 15, 16, 18, 20 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:25:09 EDT 2026

Q19. How do you monitor or track ePHI system activity?

Answer	System activity records are reviewed on a regular basis with the results of such reviews documented. The frequency of reviews is documented within our procedures. Results of activity reviews are also maintained, including activities which may prompt further investigation.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement access management procedures to track and monitor user access to computers and programs.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(1)(ii)(D) NIST CSF: ID.RA, PR.DS, PR.MA, DE.AE, DE.CM, RS.AN HPH CPG: 14, 15, 16, 18, 20 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:25:14 EDT 2026

Q20. Do you have automatic logoff enabled on devices and platforms accessing ePHI?

Answer	Yes, automatic logoff is enabled on all devices and platforms to terminate access to ePHI after a set time of inactivity.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Configure systems and endpoints to automatically lock and log off users after a predetermined period of inactivity, such as 15 minutes.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(a)(2)(iii) NIST CSF: PR.AA, PR.IR, PR.DS HPH CPG: 11 HICP: TV1 - Practice # 3	Addressable	Raja Gopalan	Tue Jun 16 23:25:17 EDT 2026

Q21. Do you ensure users accessing ePHI are who they claim to be?

Answer	Yes. We require strong authentication where possible and have documentation of generic, shared, application, service, and system account assessments.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Strong authentication is one way to confirm users accessing ePHI are who they claim to be. The use of shared or generic accounts should be avoided. If shared accounts are required, train and regularly remind users that they must sign out upon completion of activity or whenever they leave the device, even for a moment. Passwords should be changed after each use. Sharing accounts exposes organizations to greater vulnerabilities. For example, the complexity of updating passwords for multiple users on a shared account may result in a compromised password remaining active and allowing unauthorized access over an extended period of time.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(d) NIST CSF: PR.AA, PR.IR, PR.DS, PR.MA, DE.CM HPH CPG: 3, 8 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:25:21 EDT 2026

Q22. How do you ensure users accessing ePHI are who they claim to be?

Answer	Users authenticate themselves to access ePHI using the method authorized by our practice's policy and procedure (e.g., user name and password, physical token, or biometric feature) and documentation is available for authentication solutions (e.g., EHR, VPN, Active Directory, admin tools).		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Configure systems and endpoints to automatically lock users out after a specific number of failed login attempts. Implement MFA authentication for the cloud-based systems that your organization uses to store or process sensitive data, such as EHRs. MFA mitigates the risk of access by unauthorized users.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(d) NIST CSF: PR.AA, PR.IR, PR.DS, PR.MA, DE.CM HPH CPG: 3, 8 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:25:24 EDT 2026

Q23. How do you determine the means by which ePHI is accessed?

Answer	All systems, devices, and applications which access ePHI are identified, evaluated, approved, and inventoried. Users can only access ePHI through these approved systems, devices, and applications.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Assign a separate user account to each user in your organization. Train and regularly remind users that they must never share their passwords. Require each user to create an account password that is different from the ones used for personal internet or e-mail access (e.g., Gmail, Yahoo, Facebook). For devices that are accessed off site, leverage technologies that use multi-factor authentication (MFA) before permitting users to access data or applications on the device. Logins that use only a username and password are often compromised through phishing e-mails. Implement MFA authentication for the cloud-based systems that your organization uses to store or process sensitive data, such as EHRs. MFA mitigates the risk of access by unauthorized users.		
------------------	---	--	--

References	Compliance	Username	Audit Date
HIPAA: §164.312(d) NIST CSF: PR.AA, PR.IR, PR.DS, PR.MA, DE.CM, PR.PS HPH CPG: 3, 8 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:25:27 EDT 2026

Q24. Do you protect ePHI from unauthorized modification or destruction?

Answer	Yes. We have developed and implemented policies and procedures to protect ePHI from improper alteration or destruction.
---------------	---

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Organizational policies should address all user interactions with sensitive data and reinforce the consequences of lost or compromised data.
------------------	--

References	Compliance	Username	Audit Date
HIPAA: §164.312(c)(1) NIST CSF: PR.DS HPH CPG: N/A HICP: TV1 - Practice # 4	Required	Raja Gopalan	Tue Jun 16 23:25:31 EDT 2026

Q25. How do you confirm that ePHI has not been modified or destroyed without authorization?

Answer	We have mechanisms (e.g., integrity verification tools) to corroborate that ePHI has not been altered or destroyed in an unauthorized manner or detect if such alteration occurs.
---------------	---

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Establish a data classification policy that categorizes data as, for example, Sensitive, Internal Use, or Public Use. Identify the types of records relevant to each category. Implement data loss prevention technologies to mitigate the risk of unauthorized access to PHI.
------------------	--

References	Compliance	Username	Audit Date
------------	------------	----------	------------

Q26. Do you protect against unauthorized access to or modification of ePHI when it is being transmitted electronically?

Answer	Yes. We have implemented technical security measures and procedures to prevent unauthorized access to and detect modification of transmitted ePHI.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. When e-mailing PHI, use a secure messaging application such as Direct Secure Messaging (DSM), which is a nationally adopted secure e-mail protocol and network for transmitting PHI. DSM can be obtained from EHR vendors and other health information exchange systems. It was developed and adopted through the Meaningful Use program, and many medical organizations nationwide now use DSM networks. When texting PHI, use a secure texting system.		

References	Compliance	Username	Audit Date
HIPAA: §164.312(e)(1) NIST CSF: PR.AA, PR.IR, PR.DS HPH CPG: 17 HICP: TV1 - Practice # 1, 4	Required	Raja Gopalan	Tue Jun 16 23:45:28 EDT 2026

Q27. Have you implemented mechanisms to record activity on information systems that create or use ePHI?

Answer	Yes. Activity on systems that create or use ePHI is recorded and examined through monitoring of audit logs, system logs, or other mechanisms. This is documented in our procedures, including a complete inventory of systems that record activity and how it is examined.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement single sign-on systems that automatically manage access to all software and tools once users have signed onto the network. Such systems allow the organization to centrally maintain and monitor access.		

References	Compliance	Username	Audit Date
HIPAA: §164.312(b) NIST CSF: PR.AA, PR.IR, PR.DS, PR.PS, DE.AE, DE.CM, RS.AN, PR.MA HPH CPG: 18 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:45:32 EDT 2026

Q28. Does the organization stay up to date or informed (e.g., cybersecurity listserv monitoring) on emerging threats and vulnerabilities that may affect information systems?

Answer	Yes, the organization subscribes to cybersecurity listservs and other informational sources that supply information regarding legal and regulatory requirements pertaining to cybersecurity emerging threats.		
Education	This is the most effective option of those provided to track and manage current legal and regulatory requirements on protection of individuals information and understanding emerging cybersecurity threats. Subscribing to notifications from IT authoritative sources on threats and vulnerabilities such as CISA, ISO/IEC, H-ISAC, or IT-ISAC is a starting point for keeping abreast of the most current information available.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.OC HPH CPG: 14, 15 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:45:36 EDT 2026

Q29. Is there a process in place to identify and evaluate information systems for potential emerging technical vulnerabilities and how the exposure could affect systems that contain ePHI?

Answer	Yes, periodic vulnerability scans or penetration testing are done on a regular, scheduled basis to assess network computing and physical and system architecture for weaknesses, and software systems that may have reached their end of life.		
Education	This is the most effective option among those provided to identify potential new threats and vulnerabilities within the information system. Timely information about technical vulnerabilities should be evaluated to identify the organizations exposure to vulnerabilities and appropriate measures should be taken to address the risk. The organization should identify any patch or software configuration and software end of life that needs to be addressed as well as assess all facilities that house critical computing assets for physical vulnerabilities and resilience issues. The organization should monitor sources of cyber threat intelligence for information on new vulnerabilities in products and services and review processes and procedures for weaknesses that could be exploited to affect cybersecurity.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.OC HPH CPG: 1 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:45:40 EDT 2026

Q30. If new threats or vulnerabilities are identified through regular scanning, what is done to mitigate and respond to them?

Answer	The organization applies their policy and procedures consistent with the risk assessment to mitigate identified vulnerabilities.
---------------	--

Education	This is the most effective option among those provided to respond to and mitigate identified risks. The organization applies the policy and procedures consistent with the risk assessment to mitigate any identified vulnerabilities in a risk appropriate way. In addition, the organization tracks the progress of risk response implementation and uses findings to inform risk response decisions and actions.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.OC HPH CPG: 16 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:45:45 EDT 2026
Reviewed Date	06-17-2026		
Reviewed By	Raja Gopalan		

Section 5, Security and the Practice	Risk Score: 0 %
Threats & Vulnerabilities	Risk Rating

Section Questions

Q1. Do you manage access to and use of your facility or facilities (i.e., that house information systems and ePHI)?			
Answer	Yes. We have written procedures in place restricting access to and use of our facilities.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Just as network devices need to be secured, physical access to the server and network equipment should be restricted to IT professionals. Configure physical rooms and wireless networks to allow internet access only.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(1) NIST CSF: ID.RA, PR.AA, PR.IR, DE.CM, PR.PS HPH CPG: 7 HICP: TV1 - Practice # 6	Required	Raja Gopalan	Tue Jun 16 23:46:01 EDT 2026
Q2. What physical protections do you have in place to manage facility security risks?			

Answer	We have methods for controlling and managing physical access to our facility, such as keypads, locks, and security cameras, as well as documented physical protection assessments in place for each of our facilities. We also have an inventory of our practice's facilities that house equipment that create, maintain, receive, and transmit ePHI. Our policies and procedures outline managements' involvement in facility access control and how authorization credentials for facility access are issued and removed for our workforce members and/or visitors. Workforce members' roles and responsibilities in facility access control procedures are documented and communicated.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Always keep data and network closets locked. Grant access using badge readers rather than traditional key locks. Disable physical network ports that are not in use. Maintain physical network ports as inactive until an activation request is authorized. This minimizes the risk of an unauthorized user "plugging in" to an empty port to access to your network. In conference rooms or waiting areas, establish guest networks that separate organizational data and systems. This separation will limit the accessibility of private data from guests visiting the organization. Validate that guest networks are configured to access authorized guest services only.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(ii) NIST CSF: ID.AM, PR.AA, PR.IR, PR.DS, DE.CM HPH CPG: 7, 16 HICP: TV1 - Practice # 6	Addressable	Raja Gopalan	Tue Jun 16 23:46:04 EDT 2026

Q3. Do you restrict physical access to and use of your equipment (i.e., equipment that house ePHI)?

Answer	Yes. We have written policies and implemented procedures restricting access to equipment that house ePHI to authorized users only.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Restrict access to assets with potentially high impact in the event of compromise. This includes medical devices and internet of things (IoT) items (e.g., security cameras, badge readers, temperature sensors, building management systems).		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(1) NIST CSF: ID.RA, PR.AA, PR.IR, DE.CM, PR.PS HPH CPG: 7, 11 HICP: TV1 - Practice # 6	Required	Raja Gopalan	Tue Jun 16 23:46:07 EDT 2026

Q4. Do you manage workforce member, visitor, and third-party access to electronic devices?

Answer	Yes. We have written procedures for classifying electronic devices, based on their capabilities, connection, and allowable activities, and documentation of such classifications as applied to our electronic devices; access to electronic devices by workforce members, visitors, and/or third parties is determined based on their classification.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. In conference rooms or waiting areas, establish guest networks that separate organizational data and systems. This separation will limit the accessibility of private data from guests visiting the organization. Validate that guest networks are configured to access authorized guest services only.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(b) NIST CSF: PR.AA, PR.IR, PR.DS, DE.CM, PR.PS HPH CPG: 10, 6 HICP: TV1 - Practice #4, 6	Required	Raja Gopalan	Tue Jun 16 23:46:10 EDT 2026

Q5. Do you have physical protections in place, such as cable locks for portable laptops, screen filters for screens visible in high traffic areas, to manage electronic device security risks?

Answer	Yes, we have physical protections in place for all electronic devices. Protections are described in policies and procedures and in documentation assessing the specific protections in place.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Examples include installation of anti-theft cables, locks on rooms where the devices are located, screen protectors or dividers, and the use of badge readers to monitor access to rooms where devices are located. Document these safeguards in your policies and procedures. A small organization's endpoints must be protected. Endpoints include desktops, laptops, mobile devices, and other connected hardware devices (e.g., printers, medical equipment).		
References	Compliance	Username	Audit Date
HIPAA: §164.310(c) NIST CSF: PR.AA, PR.IR, PR.DS, DE.CM HPH CPG: 11 HICP: TV1 - Practice # 6	Required	Raja Gopalan	Tue Jun 16 23:46:13 EDT 2026

Q6. What physical protections do you have in place for electronic devices with access to ePHI?

Answer	We have robust procedures for electronic device access control, such as authorization for issuing new electronic device access and removing electronic device access. We also use screen filters, docking stations with locks, and/or cable locks for portable devices, privacy screens (walls or partitions), and/or secured proximity for servers and network equipment. Assessments of physical protections in use are documented.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. For devices that cannot be encrypted or that are managed by a third party, implement physical security controls to minimize theft or unauthorized removal. Examples include installation of anti-theft cables, locks on rooms where the devices are located, and the use of badge readers to monitor access to rooms where devices are located. Disable physical network ports that are not in use. Maintain physical network ports as inactive until an activation request is authorized. This minimizes the risk of an unauthorized user "plugging in" to an empty port to access to your network.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(c) NIST CSF: PR.AA, PR.IR, PR.DS, DE.CM HPH CPG: 11 HICP: TV1 - Practice # 2, 6	Required	Raja Gopalan	Tue Jun 16 23:46:16 EDT 2026

Q7. Do you keep an inventory and a location record of all electronic devices?

Answer	Yes. Our inventory list of all electronic devices and their functions is currently documented and updated on a periodic basis.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. A complete and accurate inventory of the Information Technology (IT) and Operational Technology (OT) assets in your organization facilitates the implementation of optimal security controls. This inventory can be conducted and maintained using a well-designed spreadsheet.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(b) NIST CSF: PR.AA, PR.IR, PR.DS, ID.AM HPH CPG: 11 HICP: TV1 - Practice # 5	Required	Raja Gopalan	Tue Jun 16 23:46:19 EDT 2026

Q8. Do you have an authorized user who approves access levels within information systems and locations that use ePHI?

Answer	Yes. We have written procedures outlining who has the authorization to approve access to information systems, location, and ePHI; how access requests are submitted and how access is granted.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Describe cybersecurity roles and responsibilities throughout the organization, including who is responsible for implementing security practices and setting and establishing policy.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(ii)(A) NIST CSF: ID.AM, PR.MA, PR.PS HPH CPG: 6 HICP: TV1 - Practice # 2, 10	Addressable	Raja Gopalan	Tue Jun 16 23:46:22 EDT 2026

Q9. Do you validate a person's access to facilities (including workforce members and visitors) based on their role or function?

Answer	Yes. We have procedures for validating access to our facility. Access levels are based on role or function. We also have strict requirements for validating workforce members or visitors who seek access to our critical systems and software programs.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Just as network devices need to be secured, physical access to the server and network equipment should be restricted to IT professionals. Configure physical rooms and wireless networks to allow internet access only.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(iii) NIST CSF: ID.RA, PR.AA, PR.IR, PR.DS, DE.CM, DE.CP, PR.PS HPH CPG: 6 HICP: TV1 - Practice # 6	Addressable	Raja Gopalan	Tue Jun 16 23:46:24 EDT 2026

Q10. How do you validate a person's access to your facility?

Answer	We maintain lists of authorized persons and have controls in place to identify access attempts. We grant access only to authorized persons.		
Education	These are effective means of validating facility access. Always keep data and network closets locked. Consider issuing keys marked "do not duplicate" or use keypad entry or badge readers for access.		
References	Compliance	Username	Audit Date

HIPAA: §164.310(a)(2)(iii) NIST Addressable
CSF: ID.RA, PR.AA, PR.IR,
PR.DS, DE.CM, DE.CP HPH CPG:
6 HICP: TV1 - Practice # 6

Raja Gopalan

Tue Jun 16 23:46:27 EDT 2026

Q11. Do you have access validation requirements for personnel and visitors seeking access to your critical systems (such as IT/OT, software developers, or network admins)?

Answer	Yes and assessments of access validation processes currently in use are documented.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Just as you might restrict physical access to different parts of your medical office, it is important to restrict the access of third-party entities, including vendors, to separate networks. Allow them to connect only through tightly controlled interfaces. This limits the exposure to and impact of cyberattacks on both your organization and on the third-party entity.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(iii) NIST CSF: ID.RA, PR.AA, PR.IR, PR.DS, DE.CM, DE.CP, PR.PS HPH CPG: 6, 3 HICP: TV1 - Practice #3, 6	Addressable	Raja Gopalan	Tue Jun 16 23:46:31 EDT 2026

Q12. Does this include controlling access to your software programs for testing and revisions?

Answer	Yes and assessments of processes used to control access to software for testing and revisions are documented.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(iii) NIST CSF: ID.RA, PR.AA, PR.IR, PR.DS, DE.CM, DE.CP HPH CPG: 6, 3 HICP:TV1, Practice # 2	Addressable	Raja Gopalan	Tue Jun 16 23:46:33 EDT 2026

Q13. Do you have procedures for validating a third-party person's access to the facility based on their role or function?

Answer	Yes and assessments of processes used to validate third-party facility access are documented.
---------------	---

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Just as you might restrict physical access to different parts of your medical office, it is important to restrict the access of third-party entities, including vendors, to separate networks. Allow them to connect only through tightly controlled interfaces. This limits the exposure to and impact of cyberattacks on both your organization and on the third-party entity.		
------------------	--	--	--

References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(iii) NIST CSF: ID.RA, PR.AA, PR.IR, PR.DS, DE.CM, DE.CP, PR.PS HPH CPG: 6, 10 HICP: TV1 - Practice # 6	Addressable	Raja Gopalan	Tue Jun 16 23:46:36 EDT 2026

Q14. Do you have hardware, software, or other mechanisms that record and examine activity on information systems with access to ePHI?

Answer	Yes.
---------------	------

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement single sign-on systems that automatically manage access to all software and tools once users have signed onto the network. Such systems allow the organization to centrally maintain and monitor access.
------------------	--

References	Compliance	Username	Audit Date
HIPAA: §164.312(b) NIST CSF: PR.AA, PR.IR, PR.DS, DE.AE, DE.CM HPH CPG: 18 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:46:39 EDT 2026

Q15. What requirements, mechanisms, or controls are in place for retention of audit reports?

Answer	Our practice retains records of audit report review for a minimum of six (6) years, consistent with retention requirements for all information security documentation.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Your state or jurisdiction may have additional requirements beyond the six (6) year retention requirement.
------------------	--

References	Compliance	Username	Audit Date
-------------------	-------------------	-----------------	-------------------

HIPAA: §164.312(b) NIST CSF:
PR.DS, DE.AE, DE.CM, PR.PS
HPH CPG: 18 HICP: N/A

Required

Raja Gopalan

Tue Jun 16 23:46:42 EDT 2026

Q16. Do you maintain records of physical changes upgrades, and modifications to your facility?

Answer Yes. We have written procedures to document modifications to our facility. This includes documenting when physical security component repairs, modifications, or updates are needed and our workforce members' roles and responsibilities in that process. Any changes to our facility's security components go through an authorization process.

Education This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.

References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(iv) NIST CSF: PR.DS, PR.MA HPH CPG: 11 HICP: N/A	Addressable	Raja Gopalan	Tue Jun 16 23:46:45 EDT 2026

Q17. How do you maintain awareness of the movement of electronic devices and media?

Answer We maintain a detailed inventory of all electronic devices and media which contain ePHI, including where they are located, which workforce members are authorized to access or possess the devices, and to where they are moved.

Education This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Although it can be difficult to implement and sustain IT/OT asset management processes, such processes should be part of daily IT/OT operations and encompass the lifecycle of each IT or OT asset, including procurement, deployment, maintenance, and decommissioning (i.e., replacement or disposal) of the device.

References	Compliance	Username	Audit Date
HIPAA: §164.310(d)(2)(iii) NIST CSF: PR.MA, DE.AE, DE.CM, PR.DS HPH CPG: 11 HICP: TV1 - Practice # 5, 10	Addressable	Raja Gopalan	Tue Jun 16 23:46:48 EDT 2026

Q18. Do you back up ePHI to ensure availability when devices are moved?

Answer Yes. Our critical data and ePHI is centrally stored (such as in a cloud or active directory server) that can be accessed from any authorized device.

Education	This is an effective option to protect the confidentiality, integrity, and availability of ePHI. Make sure backups will be available and functional when needed through periodic testing. Train staff never to back up data on uncontrolled storage devices or personal cloud services. Leveraging the cloud for backup purposes is acceptable if you have established an agreement with the cloud vendor and verified the security of the vendor's systems.		
------------------	--	--	--

References	Compliance	Username	Audit Date
HIPAA: §164.310(d)(2)(iv) NIST CSF: PR.DS, PR.PS HPH CPG: 11, 16 HICP: TV1 - Practice # 4	Addressable	Raja Gopalan	Tue Jun 16 23:46:53 EDT 2026

Q19. Do you ensure devices which created, maintained, received, or transmitted ePHI are effectively sanitized when they are disposed of?

Answer	Yes. We remove any data storage or memory component from the device and then store it in a secure location. Data is wiped from the device prior to disposing of the device using a method that conforms to guidelines in NIST SP 800-88 and OCR Guidance to Render Unsecured Protected Health Information Unusable, Unreadable, or Indecipherable to Unauthorized Individuals.
---------------	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Although it can be difficult to implement and sustain IT/OT asset management processes, such processes should be part of daily IT/OT operations and encompass the lifecycle of each IT or OT asset, including procurement, deployment, maintenance, and decommissioning (i.e., replacement or disposal) of the device.
------------------	--

References	Compliance	Username	Audit Date
HIPAA: §164.310(d)(1) NIST CSF: PR.AA, PR.IR, PR.DS, PR.PS HPH CPG: 11 HICP: TV1 - Practice # 5	Required	Raja Gopalan	Tue Jun 16 23:46:56 EDT 2026

Q20. How do you determine what is considered appropriate use of electronic devices and connected network devices?

Answer	We have documented policies and procedures in place outlining proper functions to be performed on electronic devices and devices (e.g., whether or not they should access ePHI), how those functions will be performed, who is authorized to use the devices, and the physical surroundings of the devices.
---------------	---

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. As user accounts are established, the accounts must be granted access to the organization's computers and programs, as appropriate to each user. Consider following the "minimum necessary" principle associated with the HIPAA Privacy Rule. Allow each user access only to the computers and programs required to accomplish that user's job or role in the organization. This limits the organization's exposure to unauthorized access, loss, and theft of data if the user's identity or access is compromised.		
------------------	--	--	--

References	Compliance	Username	Audit Date
HIPAA: §164.310(b) NIST CSF: PR.AA, PR.IR, PR.DS, DE.CM, ID.RA HPH CPG: 3, 11 HICP: TV1 - Practice # 4, 5	Required	Raja Gopalan	Tue Jun 16 23:46:59 EDT 2026

Q21. Do you ensure access to ePHI is terminated when employment or other arrangements with the workforce member ends?

Answer	Yes. We have written procedures documenting termination or change of access to ePHI upon termination or change of employment, including recovery of access control devices (including organization-owned devices, media, and equipment), deactivation of information system access, appropriate changes in access levels and/or privileges pursuant to job description changes that necessitate more or less access to ePHI, time frames to terminate access to ePHI, and exit interviews that include a discussion of privacy and security topics regarding ePHI.		
---------------	--	--	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. When an employee leaves your organization, ensure that procedures are executed to terminate the employee's access immediately. Prompt user termination prevents former employees from accessing patient data and other sensitive information after they have left the organization. This is very important for organizations that use cloud-based systems where access is based on credentials, rather than physical presence at a particular computer. Similarly, if an employee changes jobs within the organization, it is important to terminate access related to the employee's former position before granting access based on the requirements for the new position.		
------------------	--	--	--

References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(ii)(C) NIST CSF: PR.AA, PR.IR, PR.PS HPH CPG: 6 HICP: TV1 - Practice # 3	Addressable	Raja Gopalan	Tue Jun 16 23:47:04 EDT 2026

Q22. Do you have procedures for terminating or changing third-party access across your organization when the contract, business associate agreement, or other arrangement with the third party ends or is changed?

Answer	Yes
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. When a contract with a business associate or third party is terminated, ensure that procedures are executed to terminate the access immediately. Prompt user termination prevents business associates or third parties from accessing patient data and other sensitive information after the contract is terminated with the organization. This is very important for organizations that use cloud-based systems where access is based on credentials, rather than physical presence at a particular computer.

References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(3)(ii)(C) NIST CSF: PR.AA, PR.IR, PR.PS HPH CPG: 10 HICP: TV1 - Practice # 3	Addressable	Raja Gopalan	Tue Jun 16 23:47:10 EDT 2026

Q23. How do you ensure media is sanitized prior to re-use?

Answer	We have a process to completely purge data from all devices prior to re-use through device reimaging, degaussing, or other industry standard method; our method conforms to guidelines in NIST SP 800-88 and OCR Guidance to Render Unsecured Protected Health Information Unusable, Unreadable, or Indecipherable to Unauthorized Individuals.		
Education	This is an effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Ensure that obsolete data are removed or destroyed properly so they cannot be accessed by cyber-thieves. Just as paper medical and financial records must be fully destroyed by shredding or burning, digital data must be properly disposed of to ensure that they cannot be inappropriately recovered. Discuss options for properly disposing of outdated or unneeded data with your IT support. Create and document policies and procedures that outline the process by which media is sanitized prior to disposal. Do not assume that deleting or erasing files means that the data are destroyed.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(d)(2)(ii) NIST CSF: PR.PS, PR.MA HPH CPG: 11, 16 HICP: TV1 - Practice # 4	Required	Raja Gopalan	Tue Jun 16 23:47:13 EDT 2026
Reviewed Date	06-17-2026		
Reviewed By	Raja Gopalan		

Section 6, Security and Business Associates

Risk Score: 0 %

Threats & Vulnerabilities

Risk Rating

Section Questions

Q1. Do you contract with business associates or other third-party vendors?

Answer	Yes.		
Education	Make sure all business associates and third-party vendors have been evaluated to determine whether or not they require a Business Associate Agreement.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.RR, GV.PO, GV.OV HPH CPG: 10 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:51:19 EDT 2026

Q2. Do you allow third-party vendors to access your information systems and/or ePHI?

Answer	Yes.		
Education	Make sure all business associates and third-party vendors have been evaluated to determine whether or not they require a Business Associate Agreement. User accounts enable organizations to control and monitor each user's access to and activities on devices, EHRs, e-mail, and other third-party software systems. It is essential to protect user accounts to mitigate the risk of cyber threats.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.RR, GV.PO, GV.OV HPH CPG: 10 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:51:24 EDT 2026

Q3. How do you identify which third-party vendors are business associates and need to create, receive, maintain, or transmit ePHI?

Answer	We review third-party vendor contracts to determine which vendors or contractors require access to ePHI and we include a Business Associate Agreement (BAA) in our contract with them.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. As user accounts are established, the accounts must be granted access to the organization's computers and programs, as appropriate to each user. Consider following the "minimum necessary" principle associated with the HIPAA Privacy Rule. Allow each user access only to the computers and programs required to accomplish that user's job or role in the organization. This limits the organization's exposure to unauthorized access, loss, and theft of data if the user's identity or access is compromised.		
References	Compliance	Username	Audit Date

HIPAA: §164.308(b)(1) NIST CSF: Required
ID.AM, PR.AA, PR.IR, PR.DS HPH
CPG: 10, 12 HICP: TV1 - Practice
3

Raja Gopalan

Tue Jun 16 23:51:27 EDT 2026

Q4. How does your practice enforce or monitor access for each of these business associates?

Answer	We determine degree of access based on the amount of ePHI accessed and the types of devices or mechanisms used for access. We control, enforce, and monitor third-party access using access management policies and procedures.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Implement access management procedures to track and monitor user access to computers and programs. Frequently viewing audit, system, and other logs to monitor what ePHI is being accessed by business associates will inform the need to enforce compliance or terminate contracts with the business associate.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(b)(1) NIST CSF: Required ID.AM, PR.AA, PR.IR, PR.DS, DE.CM HPH CPG: 10 HICP: TV1 - Practice # 3	Required	Raja Gopalan	Tue Jun 16 23:51:31 EDT 2026

Q5. How do business associates communicate important changes in security practices, personnel, etc. to you?

Answer	Our BAAs include language describing how security-relevant changes should be communicated to our organization.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.RR, GV.PO, GV.OV HPH CPG: 10, 13 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:51:34 EDT 2026

Q6. Have you executed business associate agreements with all business associates who create, receive, maintain, or transmit ePHI on your behalf?

Answer	Yes. We ensure all business associates have a fully executed BAA with us before creating, receiving, maintaining, or transmitting ePHI on our behalf.
---------------	---

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(b)(3) NIST CSF: PR.AA, PR.IR HPH CPG: 10 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:51:47 EDT 2026

Q7. How do you maintain awareness of business associate security practices (i.e., in addition to Business Associate Agreements)?

Answer	Our practice performs extra due diligence in the form of monitoring third-party connections to our information systems or other forms of access, in addition to including language for security compliance in our Business Associate Agreements (BAAs).		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: PR.AT, RS.CO, DE.CM HPH CPG: 10, 12, 13 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:51:50 EDT 2026

Q12. How does your practice document all of its business associates requiring access to ePHI?

Answer	We maintain a current listing of all business associates with access to ePHI in addition to having Business Associate Agreements (BAAs) on file with any business associates with access to ePHI.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(b)(1) NIST CSF: ID.AM, PR.AA, PR.IR, PR.DS HPH CPG: 10 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:51:54 EDT 2026

Q13. Do you obtain Business Associate Agreements (BAAs) from business associates who access another covered entity's ePHI on your behalf?

Answer	Yes. We make sure to have BAAs in place with covered entities for which we are Business Associates as well as subcontractors to those covered entities who contract with us.		
---------------	--	--	--

Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(b)(2) NIST CSF: N/A HPH CPG: 10 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:51:58 EDT 2026

Q14. Does the organization require business associates and third-party vendors to implement security requirements more stringent than required in the HIPAA Rules?

Answer	Yes, contracts with vendors or BAs outline requirements to follow the HIPAA Rules as applicable to BAs with additional cybersecurity protocols.		
Education	This is the most effective of the options provided. The HIPAA Rules require a covered entity obtain satisfactory assurances from its business associates that it will appropriately safeguard PHI it receives or creates on behalf of the covered entity. Organizations could consider protocols within their business practice to include enhanced cybersecurity and supply chain requirements beyond those required by the HIPAA Rules that third parties can follow and how compliance with the requirements may be verified. Rules and protocols for information sharing between the organization and suppliers are detailed and included in contracts between the two.		
References	Compliance	Username	Audit Date
HIPAA: N/A NIST CSF: GV.SC HPH CPG: 13 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:01 EDT 2026

Q15. How do you track and verify business associate and third-party vendor compliance to security policies and where are these policies documented?

Answer	The organization has developed a risk management program with policies and procedures that guide the implementation and monitoring of business associate and third-party vendor activities related to cybersecurity compliance.		
Education	This is the most effective of the options provided. The organization could require business associate and third-party vendor to disclose cybersecurity features, functions, and known vulnerabilities of their products and services for the life of the product or the term of service. Contracts could require evidence of performing acceptable security practices through self-attestation, conformance to known standards, certifications, or inspections. Business associates and third-party vendors could be monitored to ensure they are fulfilling their security obligations throughout the relationship lifecycle.		
References	Compliance	Username	Audit Date

Section 7, Contingency Planning	Risk Score: 10 %
Threats & Vulnerabilities	Risk Rating

Section Questions

Q1. Does your practice have a contingency plan in the event of an emergency?

Answer	Yes. We have a response plan in place that includes policies and procedures to follow in the event of an emergency such as cyberattack, natural disaster, and power outages.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. The contingency plan should be reviewed, tested, and updated periodically. As part of this you should determine what critical services and ePHI must be available during an emergency.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA HPH CPG: 7, 19 HICP: TV1 - Practice # 8	Required	Raja Gopalan	Tue Jun 16 23:52:18 EDT 2026

Q2. Is your contingency plan documented?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:21 EDT 2026

Q3. Do you periodically update your contingency plan?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA, ID.IM HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:25 EDT 2026

Q4. How do you ensure that your contingency plan is effective and updated appropriately?

Answer	We periodically review the plans contents, perform tests of the plan, and record the results. We revise the plan as needed and document this in policy.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(ii)(D) NIST CSF: ID.IM, ID.RA, PR.PS, GV.OC HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:28 EDT 2026

Q5. Have you considered what kind of emergencies could damage critical information systems or prevent access to ePHI within your practice?

Answer	Yes and we have documented contingency plans for various types of emergencies.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA, ID.RA HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:31 EDT 2026

Q6. What types of emergencies have you considered?

Answer	We have considered natural disasters, such as wildfire, damaging winds, floods, hurricanes, tornadoes, or earthquakes.		
---------------	--	--	--

Education	You should consider infrastructure and man-made disasters that could affect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA, ID.RA HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:34 EDT 2026
Q7. Have you documented in your policies and procedures various emergency types and how you would respond to them?			
Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Review and revise these documents based on testing and incident results.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:38 EDT 2026
Q8. Does your practice have policies and procedures in place to prevent, detect, and respond to security incidents?			
Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(6)(i) NIST CSF: DE.AE, RS.CO, RC.CO, PR.PS HPH CPG: 18, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:41 EDT 2026
Q9. How does your practice prevent, detect, and respond to security incidents?			
Answer	We have a security incident response plan documented in our policies and procedures.		

Education	Consider testing the security incident response plan periodically using a documented process. The incident plan should cover broad categories of incidents to prepare for. Testing the incident plan is an effective means of preparation and training. Describe requirements for users to report suspicious activities in the organization and for the cybersecurity department to manage incident response.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(6)(i) NIST CSF: DE.AE, RS.CO, RC.CO, PR.PS, RS.IP HPH CPG: 7, 18, 19 HICP: TV1 - Practice # 8	Required	Raja Gopalan	Tue Jun 16 23:52:45 EDT 2026

Q10. Has your practice identified specific personnel as your incident response team?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Before an incident occurs, make sure you understand who will lead your incident investigation. Additionally, make sure you understand which personnel will support the leader during each phase of the investigation. At minimum, you should identify the top security expert who will provide direction to the supporting personnel.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(6)(ii) NIST CSF: RC.CO, GV.RM, PR.PS, DE.AE, RS.MA, RS.CO, RS.AN, RS.MI, ID.AM, GV.RR, GV.PO, GV.OV HPH CPG: 7, 19 HICP: TV1 - Practice # 8	Required	Raja Gopalan	Tue Jun 16 23:52:48 EDT 2026

Q11. How are members of your incident response team identified and trained?

Answer	Workforce members are trained on their role and responsibilities as part of the incident response team (upon hire) as well as periodic reminders of our internal policies and procedures and testing exercises.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. At minimum, you should identify the top security expert who will provide direction to the supporting personnel. Ensure that the leader is fully authorized to execute all tasks required to complete the investigation.		
References	Compliance	Username	Audit Date

HIPAA: §164.308(a)(6)(ii) NIST
CSF: PR.AT, RC.CO, GV.RM,
PR.PS, DE.AE, RS.MA, RS.CO,
RS.AN, RS.MI, ID.AM, ID.RA HPH
CPG: 4, 7, 19 HICP: TV1 - Practice
8

Required

Raja Gopalan

Tue Jun 16 23:52:51 EDT 2026

Q12. Has your practice evaluated and determined which systems and ePHI are necessary for maintaining business-as-usual in the event of an emergency?

Answer	Yes, we have a process of evaluating all hardware and software systems, including those of business associates, to determine criticality of the systems and ePHI that would be accessed by executing our contingency plan. This is documented along with our asset inventory.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Define the standard practices for recovering IT/OT assets in the case of a disaster, including backup plans.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA HPH CPG: 19 HICP: TV1 - Practice # 10	Required	Raja Gopalan	Tue Jun 16 23:52:55 EDT 2026

Q13. How would your practice maintain access to ePHI in the event of an emergency, system failure, or physical disaster?

Answer	We have implemented procedures and mechanisms for obtaining necessary electronic protected health information during various types of emergencies.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(a)(2)(ii) NIST CSF: PR.AA, PR.IR, GV.OC, PR.DS, PR.PS, PR.MA, RS.MA, RS.CO HPH CPG: 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:52:58 EDT 2026

Q14. How would your practice maintain security of ePHI and crucial business processes before, during, and after an emergency?

Answer	We have robust contingency plans which provide for alternate site or other means for continued access to ePHI. We test them periodically to ensure continuity of security processes in an emergency setting.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(ii)(C) NIST CSF: GV.OC, GV.RM, PR.PS, RS.MA, RS.CO, RS.AN, RC.CO, RC.RP HPH CPG: 7, 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:53:02 EDT 2026

Q15. Do you have a plan for backing up and restoring critical data?

Answer	Yes, we have a plan for determining which data is critically needed, creating retrievable, exact copies of critical data and how to restore that data, including from alternate locations. We also test and revise the plan, as needed.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI. Define the standard practices for recovering IT/OT assets in the case of a disaster, including backup plans.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(7)(ii)(A), §164.308(a)(7)(ii)(B), and §164.308(a)(7)(ii)(E) NIST CSF: GV.OC, ID.RA, GV.RM, RS.AN, PR.PS, RS.MA, RS.CO, RC.CO, RC.RP, PR.DS HPH CPG: 19, 20 HICP: TV1 - Practice # 10	Required & Addressable	Raja Gopalan	Tue Jun 16 23:53:05 EDT 2026

Q16. How is your practice's emergency procedure activated?

Answer	Upon identification or initiation of an emergency situation, emergency procedures are activated according to documented procedure, such as by formal communication from the security officer or other designated personnel.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date

HIPAA: §164.312(a)(2)(ii) NIST
CSF: GV.OC, PR.PS, DE.AE,
RS.MA, RS.CO HPH CPG: 19
HICP: N/A

Required

Raja Gopalan

Tue Jun 16 23:53:08 EDT 2026

Q17. How is access to your facility coordinated in the event of disasters or emergency situations?

Answer	We have written policies and procedures outlining facility access for the restoration of lost data under the Disaster Recovery Plan and Emergency Mode Operations Plan in the event of an emergency. Members of the workforce who need access to the facility in an emergency have been identified. Roles and responsibilities have been defined. A backup plan for accessing the facility and critical data is in place.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.310(a)(2)(i) NIST CSF: GV.OC, GV.RM, PR.AA, PR.IR, PR.PS, RS.MA, PR.DS, RS.CO, RC.RP HPH CPG: 19 HICP: N/A	Addressable	Raja Gopalan	Tue Jun 16 23:53:15 EDT 2026

Q18. How is your emergency procedure terminated after the emergency circumstance is over?

Answer	Upon the conclusion of the emergency situation, normal operations are resumed according to documented procedure, such as by formal communication from the security officer or other designated personnel.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.312(a)(2)(ii) NIST CSF: N/A HPH CPG: 19 HICP: N/A	Required	Raja Gopalan	Tue Jun 16 23:53:24 EDT 2026

Q19. Do you formally evaluate the effectiveness of your security safeguards, including physical safeguards?

Answer	Yes.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date

Q20. How do you evaluate the effectiveness of your security safeguards, including physical safeguards?

Answer	We have procedures in place to evaluate the effectiveness of our security policies and procedures, physical safeguards, and technical safeguards. Our evaluation is conducted periodically and in response to changes in the security environment.		
Education	This is the most effective option among those provided to protect the confidentiality, integrity, and availability of ePHI.		
References	Compliance	Username	Audit Date
HIPAA: §164.308(a)(8) NIST CSF: Required ID.AM, GV.OC, ID.RA, PR.PS, DE.AE, DE.CM, RS.MI, ID.IM, RC.MI HPH CPG: 19 HICP: N/A		Raja Gopalan	Tue Jun 16 23:53:31 EDT 2026
Reviewed Date	06-17-2026		
Reviewed By	Raja Gopalan		

Practice Information (1 location)

Practice Name	TogetherMindsAI
Address	909 Third Ave., #222
City, State, Zip	New York, NY, 10150
Phone, Fax	(609) 785-1422
Point of Contact	Raja Gopalan
Title/Role	CEO
Phone	(609) 785-1422
Email	raja@onlinegbc.com

Asset Information (9 total)

Risk	ID#	Type	Status	ePHI	Encryption	Assignment	Location
No	Together MindsAI Web App	Software	Active	Yes	Yes	Org/Dev Lead	GCP Cloud Run (us-central1)
No	PostgreS QL Datab ase	Server	Active	Yes	Yes	Org/Dev Lead	GCP Cloud SQL
No	Database Backups	Electronic Media	Active	Yes	Yes	Org/Dev Lead	GCP
No	Secret M anager	Software	Active	No	Yes	Org/Dev Lead	GCP
No	Audit Lo gs	Software	Active	No	Yes	Org/Dev Lead	GCP Cloud SQL
No	Clinicia n Device s	Mobile Device	Active	Yes	Yes	Each Clinician	Clinician sites
No	Client D evices	Mobile Device	Active	Yes	No	Client	Client homes
No	Dev/Admi n Workst ation	Workstation	Active	Yes	Yes	Org/Dev Lead	Office/Home
No	A/V + ST T Pipeli ne (Plan ned)	Software	Inactive	Yes	Yes	Org/Dev Lead	TBD

Business Associates and Vendors (7 total)

Vendor Name	Vendor Type	Satisfactory Assurances	Risk Assessed
Google Cloud Platform	Cloud Hosting/Infrastructure	true	true
Anthropic	AI / LLM API	false	true
Microsoft	Identity / OAuth	true	true
Google Identity (OAuth)	Identity / OAuth	true	true
A/V Conferencing (Planned)	WebRTC Audio/Video	true	true

Vendor Name	Vendor Type	Satisfactory Assurances	Risk Assessed
Speech-to-Text (Planned)	Speech-to-Text	false	false
SMTP Email Provider	Email	false	false