

Site & Soil Preparation		
Choose highland areas (1,500–3,000 m.a.s.l.)		
well-drained loamy soil,		
pH 5.5–6.0.		
Plough 3 weeks before planting (25 cm deep).		
Harrow & level 1 week before planting.		
Apply 2–4 tons/acre of well-prepared manure during harrowing.		
Soil testing		
Lime		
Seed & Planting		
Use certified seed (check KEPHIS label).		
Spacing: 75 cm between rows × 30 cm within rows		
Depth: 8–12 cm, sprouts facing up.		
Seed rate: ~16–20 bags/ acre		
Plant at onset of rains.		
Crop Growth & Management		
Emergence (2–3 weeks after planting)		
Tuber initiation/flowering (4–6 weeks)		
Bulking (6–10 weeks)		
Weeding & Earthing-up:		
Weed at 3 and 6 weeks.		
Ridge/earth up after weeding to cover tubers.		
Fertilizer & Nutrition		

Basal (at planting): DAP or NPK 200–250 kg/ha (80–100 kg/acre).		
Top-dress: CAN 150–200 kg/ha (60–80 kg/acre) at 4–6 weeks.		
Pest & Disease Management		
Scout weekly for late blight, early blight, viruses.		
Apply protective fungicide 2–3 weeks after emergence, then every 7–10 days depending on rains.		
Use insecticides only when threshold pests (aphids, tuber moths) appear.		
Harvesting		
Harvest when haulms dry (or chemically desiccate)		
Cure tubers for 1–2 weeks in shade for skin hardening.		