	Assignment No. 2
Que-1	What is % method?
Ans-	Python uses C-style string to many operator
	Python uses C-style string formatting to create new formatted strings. The 10/10 operator
	is used to format a set of variables enclosed in a "tuple" (a fixed fize list).
	enclosed in a tupe la fixed most design
	together with a formatting ething, which
	contains normal text together with
	together with a formatting ething, which contains normal text together with "argument specifics", special symbols like "% 8" and specifics", for string 6s and for integer 6d is used.
	" Tool", for string 103 way for way
	is used.
0	what is string? How it is represented?
Que-2	Give string functions with example.
A	Give string functions with called stolker.
Ans -	Chi a con appays of bytes representing
	Strings are arrays of bytes representing .  Oucode characters. However, Python does
	not have a character date type, a
	single character is simply a stone with
	a length of 1. Square brackets can be
	wed for access of elements of string.
1	。 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
ラ	String functions:
	And the second and the second
	function Name Description Example
	Commence of the Commence of th
	Capitalize () Returns the string var= PYTHON?
	with first character print (var.
	capitalized and rest capitalize())

	Page Ho
	of the characters in Output: Python · lower case.
	Lower case.
	lower() Converts all the van='pyTHON'
	characters of the print (var. lowers)
	stoing to Lowercase. Butput: python
	upper () Converts all the van="Python"
	string to there Output: PYTHON
	uppercase!
	The state of the s
	title () Returns the title cased. var="welcome
5	version of string to python"
	which means that print (var. title()) all words stoot with output:
	appearase and rest Welcome to
	of the characters in Python
	the words are in ,
	lowercase.
	- the or officer we retrovale themselves
	count (state Returns the number of var= ambala)
	beg (, end ]]) times substring str? str = 'a'
	macros in same bee end printings, court
	if beg and end are (Ath)
	not given if it is not butput. I
	given then substrong is
	searched in whole
	string.
-	Search is case-sensitive.