IDO Extensions Alignment

Zuoshuang "Allen" Xiang, Yongqun "Oliver" He University of Michigan Medical School 12/08/2010





Outline

- Goal: compare/align IDO core and IDO extensions
- Methods:
 - 3+1 ontologies: FLU, BO, IDOMAL & IDO core
 - OntoBee extension:
 - Web interface + RDF store + SPARQL + PHP
 - Tree structure display
 - Some basic statistics
- Demo of OntoBee/Compasion page
- Results

Ontologies Compared

- IDO
 - http://purl.obolibrary.org/obo/ido/2010-12-02/ido.owl
- BO
 - http://sourceforge.net/projects/bo-ontology/
- FLU
 - http://sourceforge.net/projects/influenzo/
- IDOMAL
 - http://anobase.vectorbase.org/idomal/IDOMAL.obo
 - Converter: oboformat
- Retrieved on 12/5/2010

Basic Characters

- IDOMAL vs FLU/BO
 - obo format vs. owl(RDF/XML)
 - Plain text vs. xml
 - OBO-Edit vs Protege
 - Structure glue: part_of, participate_in etc. vs. is_a
 - Term mapping vs import
 - New IDs vs. imported IDs

part_of, participate_in etc.

```
□ — process

☐ ← II process of malaria pathogen


  II attachment to hepatocyte cell membrane
  III entrance to the vacuole
  ← III exflagellation
    II female gametogenesis

☐ ← II fertilization (sensu Plasmodium)

    □ ← preceded by ookinete formation
     □ ← preceded_by invasion of mosquito midgut epithelium.
          participates in calreticulin
        participates_in MAOP
        participates in P25
        participates_in P28
        participates in PPLP-3
        participates_in PPLP-5
        participates in SOAP
```


IDOMAL in OBO-Edit

IDOMAL has own IDs for all the root classes



IDOMAL in Protege

Many terms do not have asserted/inferred parents



fiat process part 'flight patterns in swarms' "flower visiting" 'flowing water in canal' 'flowing water in ditch' 'free-running of rhythm' geographical reconnaissance of the area 'hardening and darkening of cuticle' 'hardening and darkening of the chorion' 'histological change' histolysis 'hormone secretion' 'human population of immune individuals' 'human population of non-immune individuals' 'identification and numbering sprayable houses/structures' 'inhibition of invasion' 'inhibition of sequestration' - "initiation of infection" • insemination 'invasion of epithelium' 'invasion of salivary gland' darge open marsh' 'late phase' 'macrogamete stage' 'maintenace phase of malaria eradication' 'malaria pathogen' 'malaria prevention in individuals' 'male fecundity' 'marshy part of lake' 'mating in resting sites' 'maturation of sporozoite in salivary gland' 'membrane invagination' 'microgamete stage' 'migration to salivary gland' 'modified AChE' 'modified GABA receptor' 'modified midgut protease activity' 'modified midaut receptor' 'modified nicotinic receptor' 'modified sodium channel' p'modulation of host immune response'

Ontologies Alignment

http://www.ontobee.org/compare/index.php

```
Entity | entity (BO) (FLU) | Entity (IDO)
   OGMS 0000067 | undefined primitive term (BO) (FLU)
   Occurrent | occurrent (BO) (IDO) (FLU)
   Continuant | continuant (BO) (IDO) (FLU)
      Independent Continuant | independent continuant (BO) (IDO) (FLU)
         MaterialEntity | material entity (BO) (IDO) (FLU)
            <u>IDO 0000586</u> | infection (BO) (IDO) (FLU)
                BO 0000193 | Brucella infection (BO)
                   BO 0000194 | Brucella abortus infection (BO)
                   BO 0000195 | Brucella melitensis infection (BO)
                   BO 0000196 | Brucella suis infection (BO)
                   BO 0000197 | Brucella canis infection (BO)
```


Term Statistics

Ontology	Number of terms (including imported)	Number of terms (excluding imported)
IDO	612	414
ВО	1302	446
FLU	1221	315
IDOMAL	2442	1420

- •Terms shared by BO, FLU and IDOMAL: o
 - •Terms shared by BO & FLU (minus 5): 587
 - •Terms shared by BO & IDOMAL (minus 5): o
 - •Terms shared by FLU & IDOMAL (minus 5): o
- •Terms shared by IDO & IDOMAL: o

Online at http://www.ontobee.org/compare/stat.php

Venn Diagram



Terms with Duplicate IDs

- virulence: IDO_0000466; IDOMAL_0000004;
- **immune response:** GO_0006955; IDOMAL_0002357;
- **population:** OBI_0000181; IDOMAL_0001254;
- anatomical entity: CARO_0000000; OBI_0100015;
- **organism:** OBI_0100026; IDOMAL_0000640;
- infectious disease: IDO_0000436; IDOMAL_0001051;
- **pathogen:** IDO_0000528; IDOMAL_0000063;
- vaccine: VO_0000001; IDOMAL_0000262;
- protein complex: GO_0043234; IDOMAL_0000732;
- **host exposure to infectious agent:** IDO_0000594; IDO_0000658;
- **protein:** PRO_000000001; IDOMAL_0001067;
- B cell receptor complex: GO_0019815; IDOMAL_0000064;
- host: IDO_0000531; IDOMAL_0000055;
- **enzyme:** OBI_0000427; IDOMAL_0000729;
- **author role:** IAO_0000442; FLU_0000899;
- **disposition:** http://www.ifomis.org/bfo/1.1/snap#Disposition; IDOMAL_0001050;
- **object:** http://www.ifomis.org/bfo/1.1/snap#Object; IDOMAL_0000003;
- quality: http://www.ifomis.org/bfo/1.1/snap#Quality; IDOMAL_0000002;
- role: http://www.ifomis.org/bfo/1.1/snap#Role; IDOMAL_0000001;
- **process:** http://www.ifomis.org/bfo/1.1/span#Process; IDOMAL_ooooooo;
- process_boundary: http://www.ifomis.org/bfo/1.1/span#ProcessBoundary; IDOMAL_0002437;
- doxycycline: BO_0000113; IDOMAL_0000229;
- (76 in total)

IDO Terms w/ Child in BO or FLU

- 1. IDO_oooo568: zoonosis
- 2. IDO_oooo547: virulence factor
- 3. IDO_oooo460: infected host
- 4. IDO_oooo460: infected organism
- 5. IDO_oooo453: zoonotic disposition
- 6. IDO_000562: antibiotic
- 7. IDO_0000425: virulence factor disposition
- 8. IDO_oooo586: infection
- 9. IDO_oooo495: infectious disease course
- 10. IDO_0000405: pathogen role
- 11. IDO_0000436: infectious disease
- 12. IDO_000508: virion
- 13. IDO_0000559: antiviral
- 14. IDO_oooo603: process of establishing an infection

Acknowledgements

- IDO
- OBI
- FLU
- IDOMAL
- BO