1

SVĚTOVÉ EMISE CO_2 Z FOSILNÍCH PALIV A VÝROBY CEMENTU

Emise skleníkových plynů běžně zobrazujeme přepočtené na CO_2 ekvivalent (kvůli přítomnosti dalších plynů), tedy v jednotce CO_2eq. Zde jde přímo o emise oxidu uhličitého, proto uvádíme pouze CO_2.



více info na **faktaoklimatu.cz**/emise-fosilni-paliva

zdroj dat: Global Carbon Project

2


Celková míra recyklace obalových odpadů v EU
% z celkového množství obalových odpadů
0
10
20
30
40
50
60
70
80
90
79
74
72
72
71
70
69
67
67
67
66
66
66
65
65
65
63
62
59
59
58
58
57
55
55
54
51
49
38
36
Belgie
Irsko
Švédsko
Německo
Nizozemsko
Česká republika
Slovinsko
Španělsko
Itálie
Rakousko
Francie
Slovensko
Bulharsko
Dánsko
Spojené království
EU 28
Lucembursko
Portugalsko
Chorvatsko
Řecko
Estonsko
Finsko
Rumunsko
Kypr
Norsko
Litva
Lotyšsko
Maďarsko
Malta
Polsko

3

Annual area burnt by wildfires, 2012 to 2025

Area burnt by wildfires[1] in hectares. The 2025 data is incomplete and was last updated 14 November 2025.



Data source: Global Wildfire Information System (2025)

OurWorldinData.org/wildfires | CC BY

1. Wildfires A wildfire, characterized by its uncontrolled and rapid spread, can occur in various types of vegetation and wildlands, including forests, savannahs, grasslands, and various other vegetation types. These incidents are identified using satellite imagery, which detects thermal anomalies as indicators of active burning areas.

4

Environmental footprints of dairy and plant-based milks

Our World in Data

Impacts are measured per liter of milk. These are based on a meta-analysis of food system impact studies across the supply chain which includes land use change, on-farm production, processing, transport, and packaging.



Data source: Joseph Poore and Thomas Nemecek (2018).

OurWorldinData.org/environmental-impacts-of-food | CC BY

land use
= využití půdy
greenhouse gas emissions
= emise skleníkových plynů
freshwater use
= spotřeba pitné vody
eutrophication
= eutrofizace (proces obohacování vod o živiny, zejména dusík a fosfor)

dairy milk
= mléko
almond milk
= mandlové mléko
rice milk
= rýžové mléko
oat milk
= ovesné mléko
soy milk
= sójové mléko

5

Průměrné roční teploty v České republice (2000–2024)

2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024
9,1	7,8	8,7	8,2	7,8	7,7	8,2	9,1	8,9	8,4	7,2	8,5	8,3	7,9	9,4	9,4	8,7	8,6	9,6	9,5	9,1	8,0	9,2	9,7	10,3