

AdventureWorks Data Dictionary & Segmentation Guide

Part 1: Quick Reference Data Segmentation

Use this guide to quickly identify which files to pull for specific analytical models.

1. Sales Analytics

- * `Sales.CountryRegionCurrency.xlsx`
- * `Sales.CreditCard.xlsx`
- * `Sales.Currency.xlsx`
- * `Sales.CurrencyRate.xlsx`
- * `Sales.SalesOrderDetail.xlsx`
- * `Sales.SalesOrderHeader.xlsx`
- * `Sales.SalesOrderHeaderSalesReason.xlsx`
- * `Sales.SalesTaxRate.xlsx`
- * `Sales.SalesTerritory.xlsx`
- * `Sales.SpecialOffer.xlsx`
- * `Sales.SpecialOfferProduct.xlsx`

2. Customer Experience / CRM

- * `Person.Address.xlsx`
- * `Person.AddressType.xlsx`
- * `Person.BusinessEntity.xlsx`
- * `Person.BusinessEntityAddress.xlsx`
- * `Person.BusinessEntityContact.xlsx`
- * `Person.ContactType.xlsx`
- * `Person.CountryRegion.xlsx`
- * `Person.EmailAddress.xlsx`
- * `Person.Password.xlsx`
- * `Person.Person.xlsx`
- * `Person.PersonPhone.xlsx`
- * `Person.StateProvince.xlsx`
- * `Sales.Customer.xlsx`
- * `Sales.PersonCreditCard.xlsx`
- * `Sales.ShoppingCartItem.xlsx`
- * `Sales.Store.xlsx`

3. Operations / Inventory

- * `Production.BillOfMaterials.xlsx`
- * `Production.Location.xlsx`
- * `Production.ProductInventory.xlsx`
- * `Production.TransactionHistory.xlsx`
- * `Production.WorkOrder.xlsx`
- * `Production.WorkOrderRouting.xlsx`

****4. Product****

- * `Production.Culture.xlsx`
- * `Production.Product.xlsx`
- * `Production.ProductCategory.xlsx`
- * `Production.ProductCostHistory.xlsx`
- * `Production.ProductDescription.xlsx`
- * `Production.ProductSubcategory.xlsx`
- * `Production.UnitMeasure.xlsx`

****5. HR / Employee Analytics****

- * `HumanResources.Department.xlsx`
- * `HumanResources.Employee.xlsx`
- * `HumanResources.EmployeeDepartmentHistory.xlsx`
- * `HumanResources.EmployeePayHistory.xlsx`
- * `HumanResources.JobCandidate.xlsx`
- * `HumanResources.Shift.xlsx`
- * `Sales.SalesPerson.xlsx`
- * `Sales.SalesTerritoryHistory.xlsx`

****6. Purchasing / Vendor Analytics****

- * `Purchasing.ProductVendor.xlsx`
- * `Purchasing.PurchaseOrderDetail.xlsx`
- * `Purchasing.PurchaseOrderHeader.xlsx`
- * `Purchasing.ShipMethod.xlsx`
- * `Purchasing.Vendor.xlsx`

Part 2: The Full Data Dictionary

1. Sales Analytics

****Sales.CountryRegionCurrency****

- * ****CountryRegionCode:**** ISO code for a country.
- * ****CurrencyCode:**** ISO code for the currency used in that country.
- * ****ModifiedDate:**** Date and time the linkage was updated.

****Sales.CreditCard****

- * ****CreditCardID:**** Unique internal identifier for the credit card.
- * ****CardType:**** Brand/network of the card (e.g., Vista, SuperiorCard).
- * ****CardNumber:**** The credit card number.
- * ****ExpMonth:**** Two-digit expiration month.
- * ****ExpYear:**** Four-digit expiration year.
- * ****ModifiedDate:**** Date and time the record was updated.

****Sales.Currency****

- * ****CurrencyCode:**** Standard 3-letter ISO code for a currency.
- * ****Name:**** Full name of the currency.
- * ****ModifiedDate:**** Date and time the record was updated.

****Sales.CurrencyRate****

- * ****CurrencyRateID:**** Unique identifier for this daily exchange rate.
- * ****CurrencyRateDate:**** The date the exchange rate applies to.
- * ****FromCurrencyCode:**** Base currency (usually USD).
- * ****ToCurrencyCode:**** Currency being converted into.
- * ****AverageRate:**** Average exchange rate for the day.
- * ****EndOfDayRate:**** Final closing exchange rate for the day.
- * ****ModifiedDate:**** Date and time the rate was recorded.

****Sales.SalesOrderDetail****

- * ****SalesOrderID:**** ID of the master receipt this item belongs to.
- * ****SalesOrderDetailID:**** Unique identifier for this specific line item.
- * ****CarrierTrackingNumber:**** Shipping tracking number for this item.
- * ****OrderQty:**** Number of units purchased.
- * ****ProductID:**** The specific item purchased.
- * ****SpecialOfferID:**** ID of any discount or promotion applied.
- * ****UnitPrice:**** Selling price per unit.
- * ****UnitPriceDiscount:**** Discount amount applied per unit.
- * ****LineTotal:**** Calculated total (``OrderQty` * (`UnitPrice` - `UnitPriceDiscount`)`).
- * ****rowguid:**** GUID for database replication.
- * ****ModifiedDate:**** Date and time this line item was updated.

****Sales.SalesOrderHeader****

- * ****SalesOrderID:**** Unique primary identifier for the sales order.
- * ****RevisionNumber:**** Tracks how many times the order was altered.
- * ****OrderDate:**** Date the customer placed the order.
- * ****DueDate:**** Date the order needs to arrive to the customer.
- * ****ShipDate:**** Date the order actually left the warehouse.
- * ****Status:**** Numerical code (e.g., 1 = In Process, 5 = Shipped).
- * ****OnlineOrderFlag:**** 1 for digital customer order, 0 for manual rep entry.
- * ****SalesOrderNumber:**** Formatted tracking number (e.g., "SO43659").
- * ****PurchaseOrderNumber:**** The customer's own PO number (for B2B).
- * ****AccountNumber:**** Customer's financial account number.
- * ****CustomerID:**** The buyer's ID.
- * ****SalesPersonID:**** Internal rep receiving commission.
- * ****TerritoryID:**** Geographic region the sale is credited to.
- * ****BillToAddressID:**** Where the invoice is sent.
- * ****ShipToAddressID:**** Where the physical product is sent.
- * ****ShipMethodID:**** Carrier/method used for delivery.

- * **CreditCardID:** Payment method used.
- * **CreditCardApprovalCode:** Bank authorization code.
- * **CurrencyRateID:** Exchange rate used (if foreign).
- * **SubTotal:** Total revenue before taxes/shipping.
- * **TaxAmt:** Total tax charged.
- * **Freight:** Total shipping charge.
- * **TotalDue:** Final amount paid (`SubTotal` + `TaxAmt` + `Freight`).
- * **Comment:** Special instructions.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the header was updated.

Sales.SalesOrderHeaderSalesReason

- * **SalesOrderID:** ID of the sales order.
- * **SalesReasonID:** ID of the specific marketing reason that drove the sale.
- * **ModifiedDate:** Date and time this linkage was updated.

Sales.SalesTaxRate

- * **SalesTaxRateID:** Unique identifier for the specific tax rule.
- * **StateProvinceID:** Geographic state or province this applies to.
- * **TaxType:** Type of tax (e.g., 1 for Retail, 2 for Wholesale).
- * **TaxRate:** Actual percentage rate charged.
- * **Name:** Legal name of the tax.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the tax rate was updated.

Sales.SalesTerritory

- * **TerritoryID:** Unique identifier for a sales region.
- * **Name:** Descriptive name of the territory.
- * **CountryRegionCode:** ISO country code.
- * **Group:** Broader continental group.
- * **SalesYTD:** Total revenue generated Year-To-Date.
- * **SalesLastYear:** Total revenue generated last year.
- * **CostYTD:** Operating costs Year-To-Date.
- * **CostLastYear:** Operating costs last year.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the metrics were updated.

Sales.SpecialOffer

- * **SpecialOfferID:** Unique identifier for a specific promotion.
- * **Description:** Internal or customer-facing description of the sale.
- * **DiscountPct:** Percentage of the discount (e.g., 0.15).
- * **Type:** Category of discount (e.g., Volume Discount).
- * **Category:** Who the discount applies to (e.g., Reseller).
- * **StartDate:** Date promotion becomes active.

- * ****EndDate:**** Date promotion expires.
- * ****MinQty:**** Minimum items required to trigger discount.
- * ****MaxQty:**** Maximum items before discount expires.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the offer was updated.

****Sales.SpecialOfferProduct****

- * ****SpecialOfferID:**** Identifier of the promotion.
- * ****ProductID:**** The specific item on sale.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the linkage was updated.

2. Customer Experience / CRM

****Person.Address****

- * ****AddressID:**** Unique identifier for a physical address.
- * ****AddressLine1:**** Primary street address.
- * ****AddressLine2:**** Secondary details (Apt, Suite).
- * ****City:**** City of the address.
- * ****StateProvinceID:**** Numerical identifier linking to state/province table.
- * ****PostalCode:**** Zip or postal code.
- * ****SpatialLocation:**** Geographic/coordinate data.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the address was updated.

****Person.AddressType****

- * ****AddressTypeID:**** Unique identifier for the category of the address.
- * ****Name:**** Description of address type (Billing, Shipping, Home).
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the type was updated.

****Person.BusinessEntity****

- * ****BusinessEntityID:**** Master unique identifier for any entity (employee, customer, store, vendor).
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the entity was updated.

****Person.BusinessEntityAddress****

- * ****BusinessEntityID:**** Master identifier for the entity.
- * ****AddressID:**** Identifier for the specific physical address.
- * ****AddressTypeID:**** Identifier defining what kind of address it is.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the linkage was updated.

****Person.BusinessEntityContact****

- * ****BusinessEntityID:**** Identifier of the business.
- * ****PersonID:**** Identifier of the human acting as the contact.
- * ****ContactTypeID:**** Identifier indicating the role of this contact.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the linkage was updated.

****Person.ContactType****

- * ****ContactTypeID:**** Unique identifier for the type of contact role.
- * ****Name:**** Descriptive title of the contact role.
- * ****ModifiedDate:**** Date and time the record was updated.

****Person.CountryRegion****

- * ****CountryRegionCode:**** Standard ISO code for the country.
- * ****Name:**** Full official name of the country.
- * ****ModifiedDate:**** Date and time the record was updated.

****Person.EmailAddress****

- * ****BusinessEntityID:**** Identifier of the person.
- * ****EmailAddressID:**** Unique identifier for the specific email record.
- * ****EmailAddress:**** The actual email string.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the email was updated.

****Person.Password****

- * ****BusinessEntityID:**** Identifier of the person.
- * ****PasswordHash:**** Securely hashed password.
- * ****PasswordSalt:**** Random string added to password before hashing.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the password was updated.

****Person.Person****

- * ****BusinessEntityID:**** Master unique identifier for the person.
- * ****PersonType:**** Code indicating type of person ('EM', 'SC', 'IN').
- * ****NameStyle:**** Flag for eastern or western name style.
- * ****Title:**** Courtesy title.
- * ****FirstName:**** First name.
- * ****MiddleName:**** Middle name/initial.
- * ****LastName:**** Last name.
- * ****Suffix:**** Name suffix.
- * ****EmailPromotion:**** Opt-in flag for promotional emails (0, 1, 2).
- * ****AdditionalContactInfo:**** XML document with extra contact details.
- * ****Demographics:**** XML document with demographic data.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the record was updated.

****Person.PersonPhone****

- * ****BusinessEntityID:**** Identifier of the person.
- * ****PhoneNumber:**** Actual phone number string.
- * ****PhoneNumberTypeID:**** Identifier indicating Cell, Home, or Work.
- * ****ModifiedDate:**** Date and time the phone was updated.

****Person.StateProvince****

- * ****StateProvinceID:**** Unique identifier for the state/province.
- * ****StateProvinceCode:**** Standardized abbreviation.
- * ****CountryRegionCode:**** ISO code linking to parent country.
- * ****IsOnlyStateProvinceFlag:**** Flag indicating if it's the only state in that region.
- * ****Name:**** Full name of the state/province.
- * ****TerritoryID:**** Linkage to a specific sales territory.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the record was updated.

****Sales.Customer****

- * ****CustomerID:**** Primary unique identifier for the customer account.
- * ****PersonID:**** Link to `Person` table (for individual retail buyers).
- * ****StoreID:**** Link to store profile (for wholesale B2B).
- * ****TerritoryID:**** Sales region this customer belongs to.
- * ****AccountNumber:**** Generated string for accounting.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the profile was updated.

****Sales.PersonCreditCard****

- * ****BusinessEntityID:**** Identifier of the person.
- * ****CreditCardID:**** Identifier of the specific credit card.
- * ****ModifiedDate:**** Date and time this linkage was updated.

****Sales.ShoppingCartItem****

- * ****ShoppingCartItemID:**** Unique identifier for the item in a cart.
- * ****ShoppingCartID:**** Identifier for the web session's cart.
- * ****Quantity:**** Number of units in cart.
- * ****ProductID:**** Specific item intended for purchase.
- * ****DateCreated:**** Timestamp the item was added.
- * ****ModifiedDate:**** Date and time the item was updated.

****Sales.Store****

- * ****BusinessEntityID:**** Master identifier for the wholesale store.
- * ****Name:**** Official name of the retail store.
- * ****SalesPersonID:**** Identifier for the internal rep managing this account.
- * ****Demographics:**** XML document storing B2B profile data.

- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the store profile was updated.

3. Operations / Inventory

****Production.BillOfMaterials****

- * ****BillOfMaterialsID:**** Unique identifier for this BOM record.
- * ****ProductAssemblyID:**** Identifier for the final parent product being built.
- * ****ComponentID:**** Identifier for the child part or raw material.
- * ****StartDate:**** Date component started being used in assembly.
- * ****EndDate:**** Date component was phased out.
- * ****UnitMeasureCode:**** Unit of measurement for quantity used.
- * ****BOMLevel:**** Depth in the manufacturing tree.
- * ****PerAssemblyQty:**** Exact amount required to make one parent unit.
- * ****ModifiedDate:**** Date and time the BOM was updated.

****Production.Location****

- * ****LocationID:**** Unique identifier for a physical storage/manufacturing area.
- * ****Name:**** Descriptive name of the location.
- * ****CostRate:**** Hourly cost associated with this location.
- * ****Availability:**** Manufacturing capacity metric.
- * ****ModifiedDate:**** Date and time the location was updated.

****Production.ProductInventory****

- * ****ProductID:**** Identifier of the product being stored.
- * ****LocationID:**** Specific location where product sits.
- * ****Shelf:**** Specific shelf identifier.
- * ****Bin:**** Specific bin identifier.
- * ****Quantity:**** Exact number of units currently physically present.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the inventory was updated.

****Production.TransactionHistory****

- * ****TransactionID:**** Unique identifier for specific inventory movement.
- * ****ProductID:**** The item that was moved.
- * ****ReferenceOrderID:**** ID of the document that caused the movement (PO, SO, WO).
- * ****ReferenceOrderLineID:**** Specific line item on the reference document.
- * ****TransactionDate:**** Date inventory physically moved.
- * ****TransactionType:**** Code explaining movement type ('W', 'S', 'P').
- * ****Quantity:**** Number of items moved.
- * ****ActualCost:**** Financial cost of the transaction.
- * ****ModifiedDate:**** Date and time the ledger was updated.

****Production.WorkOrder****

- * ****WorkOrderID:**** Unique identifier for internal manufacturing order.
- * ****ProductID:**** Item being instructed to build.
- * ****OrderQty:**** Total units requested to be built.
- * ****StockedQty:**** Successfully completed units that hit inventory.
- * ****ScrappedQty:**** Units that failed quality checks.
- * ****StartDate:**** Actual date manufacturing began.
- * ****EndDate:**** Actual date manufacturing finished.
- * ****DueDate:**** Target date for completion.
- * ****ScrapReasonID:**** Identifier explaining why units were scrapped.
- * ****ModifiedDate:**** Date and time the order was updated.

****Production.WorkOrderRouting****

- * ****WorkOrderID:**** Identifier linking to master work order.
- * ****ProductID:**** Product being manufactured.
- * ****OperationSequence:**** Step number in the manufacturing process.
- * ****LocationID:**** Specific shop floor location for this step.
- * ****ScheduledStartDate:**** Scheduled start for this step.
- * ****ScheduledEndDate:**** Scheduled finish for this step.
- * ****ActualStartDate:**** Actual physical start date.
- * ****ActualEndDate:**** Actual physical completion date.
- * ****ActualResourceHrs:**** Total hours spent completing this step.
- * ****PlannedCost:**** Estimated financial cost.
- * ****ActualCost:**** Actual financial cost incurred.
- * ****ModifiedDate:**** Date and time the routing was updated.

4. Product

****Production.Culture****

- * ****CultureID:**** Standard language/culture code (e.g., 'en', 'fr').
- * ****Name:**** Descriptive name of the culture.
- * ****ModifiedDate:**** Date and time the record was updated.

****Production.Product****

- * ****ProductID:**** Central unique identifier for a product.
- * ****Name:**** Descriptive name of the product.
- * ****ProductNumber:**** Standardized SKU.
- * ****MakeFlag:**** In-house (1) or purchased (0).
- * ****FinishedGoodsFlag:**** Final product ready for sale (1) or raw material (0).
- * ****Color:**** Product color.
- * ****SafetyStockLevel:**** Minimum inventory level to maintain.
- * ****ReorderPoint:**** Level that triggers an automatic reorder.
- * ****StandardCost:**** Standard cost to manufacture/purchase.
- * ****ListPrice:**** Suggested retail price.
- * ****Size:**** Physical size.
- * ****SizeUnitMeasureCode:**** Unit of measurement for size.

- * **WeightUnitMeasureCode:** Unit of measurement for weight.
- * **Weight:** Physical weight.
- * **DaysToManufacture:** Typical days to build.
- * **ProductLine:** Overarching product line (e.g., 'R', 'M').
- * **Class:** Quality classification.
- * **Style:** Style classification.
- * **ProductSubcategoryID:** Link to Subcategory.
- * **ProductModelID:** Link to overarching Product Model.
- * **SellStartDate:** Date product was first offered.
- * **SellEndDate:** Date product was removed from active catalog.
- * **DiscontinuedDate:** Date product was discontinued.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the product was updated.

****Production.ProductCategory****

- * **ProductCategoryID:** Unique identifier for high-level categories.
- * **Name:** Name of the category.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the category was updated.

****Production.ProductCostHistory****

- * **ProductID:** Identifier of the product.
- * **StartDate:** Date this standard cost took effect.
- * **EndDate:** Date this standard cost ended.
- * **StandardCost:** Standard cost during this period.
- * **ModifiedDate:** Date and time the history was updated.

****Production.ProductDescription****

- * **ProductDescriptionID:** Unique identifier for text description.
- * **Description:** Promotional or catalog text.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the description was updated.

****Production.ProductSubcategory****

- * **ProductSubcategoryID:** Unique identifier for the subcategory.
- * **ProductCategoryID:** ID of the parent category.
- * **Name:** Name of the subcategory.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time the subcategory was updated.

****Production.UnitMeasure****

- * **UnitMeasureCode:** Short standardized code ('IN', 'GAL').
- * **Name:** Full descriptive name of the unit.
- * **ModifiedDate:** Date and time the unit was updated.

5. HR / Employee Analytics

****HumanResources.Department****

- * ****DepartmentID:**** Unique numerical identifier for the department.
- * ****Name:**** Official name of the department.
- * ****GroupName:**** Broader organizational group.
- * ****ModifiedDate:**** Date and time the department was updated.

****HumanResources.Employee****

- * ****BusinessEntityID:**** Unique identifier for the employee.
- * ****NationalIDNumber:**** Government-issued ID number.
- * ****LoginID:**** Active network login username.
- * ****OrganizationNode:**** Spatial data indicating org chart placement.
- * ****OrganizationLevel:**** Depth within the hierarchy.
- * ****JobTitle:**** Official job title.
- * ****BirthDate:**** Employee's date of birth.
- * ****MaritalStatus:**** Married or single ('M' or 'S').
- * ****Gender:**** Gender ('M' or 'F').
- * ****HireDate:**** Official date joined company.
- * ****SalariedFlag:**** Fixed salary (1) or hourly (0).
- * ****VacationHours:**** Total accumulated vacation hours.
- * ****SickLeaveHours:**** Total accumulated sick leave hours.
- * ****CurrentFlag:**** Currently active (1) or inactive (0).
- * ****rowguid:**** GUID for database replication.
- * ****ModifiedDate:**** Date and time the employee record was updated.

****HumanResources.EmployeeDepartmentHistory****

- * ****BusinessEntityID:**** Unique identifier for the employee.
- * ****DepartmentID:**** Identifier for the specific department.
- * ****ShiftID:**** Identifier for the assigned work shift.
- * ****StartDate:**** Date started in this department/shift.
- * ****EndDate:**** Date left this department/shift.
- * ****ModifiedDate:**** Date and time this history was updated.

****HumanResources.EmployeePayHistory****

- * ****BusinessEntityID:**** Unique identifier for the employee.
- * ****RateChangeDate:**** Date pay rate was established or changed.
- * ****Rate:**** Monetary pay rate.
- * ****PayFrequency:**** How often paid (e.g., 1 for monthly).
- * ****ModifiedDate:**** Date and time the pay record was updated.

****HumanResources.JobCandidate****

- * ****JobCandidateID:**** Unique identifier for an applicant.
- * ****BusinessEntityID:**** Employee identifier (if hired).

- * ****Resume:**** Candidate's resume in XML.
- * ****ModifiedDate:**** Date and time the candidate record was updated.

****HumanResources.Shift****

- * ****ShiftID:**** Unique identifier for the work shift.
- * ****Name:**** Descriptive name of the shift.
- * ****StartTime:**** Standard clock-in time.
- * ****EndTime:**** Standard clock-out time.
- * ****ModifiedDate:**** Date and time the shift was updated.

****Sales.SalesPerson****

- * ****BusinessEntityID:**** Identifier of the employee acting as a sales rep.
- * ****TerritoryID:**** Region they are assigned to sell in.
- * ****SalesQuota:**** Monetary revenue target for the year.
- * ****Bonus:**** Flat monetary bonus if quota is hit.
- * ****CommissionPct:**** Percentage kept as commission.
- * ****SalesYTD:**** Total revenue brought in Year-To-Date.
- * ****SalesLastYear:**** Total revenue brought in last year.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time the rep's profile was updated.

****Sales.SalesTerritoryHistory****

- * ****BusinessEntityID:**** Identifier of the sales representative.
- * ****TerritoryID:**** Region assigned to.
- * ****StartDate:**** Date rep started in this region.
- * ****EndDate:**** Date rep stopped working in this region.
- * ****rowguid:**** GUID for replication.
- * ****ModifiedDate:**** Date and time history log was updated.

6. Purchasing / Vendor Analytics

****Purchasing.ProductVendor****

- * ****ProductID:**** Identifier of the product being purchased.
- * ****BusinessEntityID:**** Identifier of the vendor supplying the product.
- * ****AverageLeadTime:**** Average days vendor takes to deliver.
- * ****StandardPrice:**** Standard price vendor charges.
- * ****LastReceiptCost:**** Actual price paid the last time product was received.
- * ****LastReceiptDate:**** Date most recent shipment arrived.
- * ****MinOrderQty:**** Minimum units vendor allows.
- * ****MaxOrderQty:**** Maximum units vendor can supply.
- * ****OnOrderQty:**** Units currently ordered but not received.
- * ****UnitMeasureCode:**** Unit of measurement for purchasing.
- * ****ModifiedDate:**** Date and time linkage was updated.

****Purchasing.PurchaseOrderDetail****

- * **PurchaseOrderID:** Identifier of the master PO.
- * **PurchaseOrderDetailID:** Unique identifier for this line item.
- * **DueDate:** Expected arrival date.
- * **OrderQty:** Amount of product requested.
- * **ProductID:** Specific product purchased.
- * **UnitPrice:** Cost per unit on this order.
- * **LineTotal:** Calculated total (``OrderQty` * `UnitPrice``).
- * **ReceivedQty:** Amount physically received.
- * **RejectedQty:** Amount rejected at warehouse door.
- * **StockedQty:** Amount that made it to shelves.
- * **ModifiedDate:** Date and time line item was updated.

Purchasing.PurchaseOrderHeader

- * **PurchaseOrderID:** Unique identifier for the PO.
- * **RevisionNumber:** Tracks PO revisions.
- * **Status:** Code indicating order state.
- * **EmployeeID:** Internal buyer who placed the order.
- * **VendorID:** Vendor receiving the order.
- * **ShipMethodID:** Carrier method.
- * **OrderDate:** Date PO was generated.
- * **ShipDate:** Actual or estimated ship date.
- * **SubTotal:** Total cost before tax/freight.
- * **TaxAmt:** Tax charged.
- * **Freight:** Shipping/freight costs.
- * **TotalDue:** Final total owed to vendor.
- * **ModifiedDate:** Date and time PO header was updated.

Purchasing.ShipMethod

- * **ShipMethodID:** Unique identifier for shipping method.
- * **Name:** Descriptive name of the carrier.
- * **ShipBase:** Flat base fee charged.
- * **ShipRate:** Variable fee per unit of weight.
- * **rowguid:** GUID for replication.
- * **ModifiedDate:** Date and time shipping method was updated.

Purchasing.Vendor

- * **BusinessEntityID:** Master identifier for the vendor.
- * **AccountNumber:** Account number vendor uses to identify your company.
- * **Name:** Official name of vendor company.
- * **CreditRating:** Reliability rating (1-5).
- * **PreferredVendorStatus:** Flag indicating if heavily prioritized (1) or standard (0).
- * **ActiveFlag:** Indicates active buying relationship.
- * **PurchasingWebServiceURL:** API or URL for digital ordering.

* **ModifiedDate:** Date and time vendor record was updated.