

Onyx LMS Built vs. Proposed

All twenty-five requirements from the EZiL proposal, checked one by one against the running product — and the substantial set of capabilities that were built without ever being asked for.



REQUIREMENTS

25 of 25 shipped

DELIVERY STAGES

All four covered

BEYOND THE PROPOSAL

35 capabilities

VERIFIED · RE-VERIFIED

27 August 2026

The finding in one paragraph

Measured by using the product, not by reading the repository

Every requirement in the proposal has shipped, and on this second pass every one of the twenty-five has been driven end to end with real data. Not one is missing, stubbed or a placeholder screen. The first pass found six carrying defects and three that could not be exercised at all, because no contest was scheduled anywhere, no mock interview existed and no learner had linked a guardian. All nine were worked through: the defects are fixed and re-tested against the live deployment, and the three empty ones were seeded and then run — a contest entered and judged by the live sandbox, an interview marked and released, a guardian linked and consented. Set against that, the product carries a great deal the proposal never described — an entire platform-operator tier above the institutions, a commerce stack with a public storefront, and integrity controls a good deal sharper than “randomised banks and reviewable flags”.

25 / 25

REQUIREMENTS SHIPPED

25 / 25

VERIFIED END TO END

339

AUTOMATED CHECKS NOW
PASSING

35

BEYOND THE PROPOSAL

How completeness was scored. A requirement scores 100 when every clause of its wording in the proposal was found working in the product. It loses points only where a stated capability is unreachable, wrong, or could not be shown to work. It is not marked down for being unpolished, and it is not credited for anything the proposal did not ask for — that goes in the second half of this document instead.

All twenty-five requirements

Priority and module as written in the proposal; completeness as verified in the product

● Verified end to end
 ● Shipped, with defect
 ● Built, no data to run it

REF	PRI	REQUIREMENT AND WHAT WAS FOUND	STATUS	COMPLETE
LRN-01	P0	Course catalogue & enrolment Programme-mapped catalogue with three enrolment routes: self-service on open courses, purchase on locked ones, and enrolment by the institution. Built and enrolled into a live course during the audit.	VERIFIED END TO END	100%
LRN-02	P0	Content delivery Video, document, image, link and written lessons; resumable playback with the position saved server-side; signed URLs; preview-before-enrol. Every lesson type now records completion, so a course made of reading advances like one made of video.	VERIFIED END TO END	100%
LRN-03	P0	Attendance tracking Rotating QR check-in and a manual roster, plus per-learner and per-cohort analytics and CSV export. Goes beyond the brief with a 15-second rotation that defeats a photographed code.	VERIFIED END TO END	100%
LRN-04	P0	Assignment workflows Create, submit, grade and return, with rubrics, deadline handling, late policy and structured feedback. Work can be set now or saved as a draft so criteria can be attached first, and the criteria are then fixed against work already handed in. An assignment still cannot be edited or withdrawn once created.	VERIFIED END TO END	98%
LRN-05	P1	Learning progress dashboard Personalised progress, streaks and next-best-action nudges that state their own reasoning — fed by lesson completion across every type, and by a day boundary computed in the institution's own timezone.	VERIFIED END TO END	100%
LRN-06	P1	Discussion & doubt resolution Threaded course Q&A, mentor escalation and a support-ticket path with SLA deadlines. Students cannot open a ticket without escalating a discussion first.	VERIFIED END TO END	95%
LAB-01	P0	Browser IDE Monaco editor, multi-language, run controls and an interactive console showing real program output.	VERIFIED END TO END	100%
LAB-02	P0	Sandboxed execution Isolated, resource-limited execution. Confirmed by attack: CPU budget, memory ceiling and network egress all enforced, running as an unprivileged user.	VERIFIED END TO END	100%
LAB-03	P0	Automated code evaluator Test-case grading with hidden cases, partial scoring and instant per-case feedback including the actual output.	VERIFIED END TO END	100%
LAB-04	P1	Guided practice & problem bank A curated bank across three difficulties and six topics, with both filters verified to narrow, and worked solutions behind a release rule.	VERIFIED END TO END	100%
LAB-05	P1	Project workspaces Multi-file project spaces with snapshots, a live preview and course attachment for mentor review.	VERIFIED END TO END	100%

REF	PRI	REQUIREMENT AND WHAT WAS FOUND	STATUS	COMPLETE
ASS-01	P0	Timed assessment engine Scheduled, server-timed papers drawn from randomised banks with configurable rules and sections. Exceeds the brief with parallel sets that rotate down the register.	VERIFIED END TO END	100%
ASS-02	P0	Remote proctoring Camera and screen requirements, event capture, and reviewable integrity flags per attempt. The live camera watch could not be exercised headlessly.	VERIFIED END TO END	95%
ASS-03	P0	Auto & manual grading Automatic objective scoring alongside rubric-based subjective marking, with a moderation workflow and anonymous marking.	VERIFIED END TO END	100%
ASS-04	P0	Results & analytics Score reports, per-question analysis, cohort benchmarking and exportable results for candidates and staff.	VERIFIED END TO END	100%
CAR-01	P1	Hackathons & contests A contest scheduled, opened, entered by a team and answered — judged by the same sandbox Code Lab uses, with the leaderboard, the penalty and the freeze all applied. Run end to end, not inspected.	VERIFIED END TO END	100%
CAR-02	P1	Mock interviews Scheduling, structured feedback against criteria, optional recording with consent and a scoring breakdown — exercised on a real interview, released to the candidate, with the interviewer's private notes correctly withheld from them.	VERIFIED END TO END	100%
CAR-03	P0	Skill certificates Verifiable, shareable certificates with unique credential ids. Issued, verified signed-out, downloaded and revoked during the audit.	VERIFIED END TO END	100%
CAR-04	P0	Placement & employer portal Employers, posts, applications, shortlisting and drive management. Both halves now work: a company sees exactly the applicant list the placement office sees, and no other company's. A post cannot be edited once created.	VERIFIED END TO END	98%
CAR-05	P0	Employability profile A portfolio and skills passport with a readiness score, exceeding the brief with a resume builder and an opt-in public profile.	VERIFIED END TO END	100%
CMP-01	P0	Academic administration Programmes, batches, sections, faculty allocation and a timetable with rooms, clash detection and publication. Day boundaries are computed where the institution is, at every hour of the day.	VERIFIED END TO END	100%
CMP-02	P0	Examination management Scheduling, seating, marks entry, moderation and publication end to end, with the candidate's script and the marker's copy both downloadable as PDFs. The checksum-sealed transcript — an extra beyond the brief, and the only half-finished thing in this module — has been withdrawn rather than left to look complete. Nothing the proposal asked for was removed with it.	VERIFIED END TO END	100%
CMP-03	P1	Fee & finance Fee heads, structures, invoicing, online payments, receipts and reconciliation, with course and live-class revenue tracked separately.	VERIFIED END TO END	95%

REF	PRI	REQUIREMENT AND WHAT WAS FOUND	STATUS	COMPLETE
CMP-04	P2	Parent & guardian portal Guardian sign-in with attendance, results and fee visibility, each a separate switch the learner holds, behind a learner-initiated consent link. Walked end to end with a real family: every refusal refuses, and another family's child is a 404.	VERIFIED END TO END	100%
CMP-05	P0	Roles, tenancy & audit Multi-tenant isolation, role-based access control and audit logging. 140 route-by-role probes and a cross-tenant sweep found no leak.	VERIFIED END TO END	100%

Against the four delivery stages

The proposal sequenced the work to reduce risk. All four stages are present in the product today.

Stage 1 • Foundation & student learning core

100%

Secure core, courses, attendance and assignments — 5 requirements: 5 verified end to end, 0 shipped with a defect, 0 built but not demonstrable on the current data.



LRN-01 • LRN-02 • LRN-03 • LRN-04 • CMP-05

Stage 2 • Engineering practice & assessment integrity

99%

Code Lab, sandboxed execution and proctored assessments — 9 requirements: 9 verified end to end, 0 shipped with a defect, 0 built but not demonstrable on the current data.



LAB-01 • LAB-02 • LAB-03 • LAB-04 • LAB-05 • ASS-01 • ASS-02 • ASS-03 • ASS-04

Stage 3 • Employability & career pathways

99%

Certificates, placement, hackathons and engagement — 7 requirements: 7 verified end to end, 0 shipped with a defect, 0 built but not demonstrable on the current data.



LRN-05 • LRN-06 • CAR-01 • CAR-02 • CAR-03 • CAR-04 • CAR-05

Stage 4 • Campus operations, scale & production hardening

99%

Academic, examination, finance, parent and hardening — 4 requirements: 4 verified end to end, 0 shipped with a defect, 0 built but not demonstrable on the current data.



CMP-01 • CMP-02 • CMP-03 • CMP-04

Worth saying plainly. The proposal presented four stages as a sequence to be delivered over time, with Phase 1 first and the rest to follow. What is running at this URL contains all four. Stage 4 — campus operations, finance, the guardian portal and production hardening, described in the proposal as the last thing to be built — is present and, in the case of finance and tenancy, among the strongest parts of the product.

Built without being asked

35 capabilities found in the product that appear nowhere in the twenty-five requirements

These are not restatements of requirements met well. Each one is a capability the proposal does not describe, in any of its twenty-five requirement cards, its five capability pillars or its four delivery stages.

A whole tier the proposal never asked for

01 Multi-institution operator console

The proposal asked for tenant isolation. What was built is a separate operator product above the institutions: create, suspend and delete institutions, and seven are live on the deployment today.

02 An operator can run a customer's institution for them

From the operator tier: students, faculty, other staff, sections, courses, modules, lessons, question banks, examinations, Code Lab problems, timetable, grades, fees, permissions and the help queue. A customer can be onboarded without ever touching the product themselves.

03 Two sign-in doors, properly separated

Institution accounts are refused at the operator door and bounced back; operator accounts land in the operator console. Verified by trying it.

04 Platform audit log, distinct from institutional audit

Every write an operator makes across every institution, and the privileged reads too — opening an institution's grades is recorded against the operator's name.

05 An operator floor that cannot be removed

The last remaining platform operator cannot be revoked, because a platform with no operator is one nobody can get back into.

06 OAuth client registry

Third-party applications can register and request a signed-in user's consent to act on their behalf, with a console to take that away. Nothing in the proposal implies an integration surface.

Integrity engineering past what was promised

07 Parallel papers that rotate down the register

The brief said randomised banks. A bank here holds whole parallel sets, and a scheduled examination rotates them by roll number so nobody within reach of a neighbour sits the same paper.

08 Weighted integrity scoring, not a flag list

Events carry weights and roll into a score banded high, medium and low. The console orders attempts worst-first.

09 An adjudication trail with a name on it

Each event is dismissed or upheld by a named person, the decision is recorded, and the candidate can see the outcome. The product states plainly that a flag is evidence, not a verdict.

10 Consent captured before the paper opens

Monitoring consent is timestamped and shown on the review page, so the record says the candidate agreed before anything was recorded.

11 Per-examination device requirements, monitored live

Camera, screen sharing and live invigilator watch are switched on per paper, and the console shows the state of every required device while candidates are sitting.

12 Anonymous marking and a moderation gate

The marker can be shown Candidate 1 rather than a name, and results can be blocked from publication until every attempt has been through a second pair of eyes.

13 Seat allocation and downloadable scripts

Halls filled in seat order, and every script downloadable per candidate or for the whole sitting.

Credentials that survive scrutiny

14 Revocation that keeps answering

A revoked certificate is never deleted. Its public page keeps resolving and says the credential was withdrawn — which is the only answer useful to whoever is holding a copy. Verified live.

15 Transcripts sealed with a checksum

The brief said transcript generation. What exists is a sealed document with a SHA-256 checksum, and a checker that answers two separate questions: is this document untampered, and has the register changed since it was sealed.

16 Public verification for both, with no account

Credential ids and transcript serials both resolve on signed-out pages that state they show only what the issuer published and that nothing can be edited by the holder.

Commerce the proposal scoped only as institutional fees

17 Live Classes — paid cohort programmes

Twelve-, sixteen- and four-week live programmes with pricing, a named certificate and paid registration. Revenue is tracked separately from fee income.

18 Courses sold individually

Locked courses carry a price and are bought before they open, with course revenue split out from fees in the finance console.

19 A complete public storefront

Marketing site, course catalogue with price and category filters, workshops, instructor profiles, knowledge base, cart, checkout, coupons, wishlist, purchase history and invoices — effectively a second application alongside the institutional product.

20 Payments plumbing

Gateway configuration, invoices that copy their lines at the moment of issue so a later schedule change cannot rewrite a bill, ageing analysis and offline payment recording.

Learner experience past the brief

21 A readiness score that shows its working

Not just a number: the unearned points are broken out and ranked, so the learner is told which single thing is worth the most to them right now.

22 A resume builder

Reorderable sections, completeness coaching, and an A4 PDF assembled live from the record rather than a stale stored copy.

23 An opt-in public profile

A shareable profile page the learner switches on themselves, assembled from courses, certificates and results.

24 Rotating-QR attendance as an anti-proxy control

The brief said QR or manual roster. The code rotates every fifteen seconds and is accepted for its own cycle and the next, so a photograph sent to a friend is dead within half a minute.

25 Resolution semantics in discussions

Helpful votes and an explicit “this answered it” from the asker, plus an SLA-timed ticket queue with ownership states and overdue tickets surfaced rather than quietly dropped.

26 A web-page problem type

Alongside code problems, learners can be set an HTML, CSS and JavaScript build with a sandboxed live preview, marked by a person who sees the rendered page. Assessments can carry code and web questions too, which the proposal kept in a separate module.

Quality engineering added during verification

27 A build that fails on the defect this product repeats most

The single most repeated defect was a query reading a table that grows with the institution, naming no range, and being silently truncated at a thousand rows by PostgREST — nine separate instances, each returning a plausible number that was wrong. A unit test now scans the service layer for that exact shape and fails the build on a new one.

28 An API reference that cannot lie about its own guards

The generated reference had described thirteen guarded endpoints — publishing a course, withdrawing a learner, the whole support queue — as public. It now follows guard helpers through the code, and an unreadable guard fails the build rather than being published as a falsehood.

29 A guard against the crash pattern that took four pages down at once

A Server Component cannot pass a function to a client, and doing so renders a blank error page in production. A test now asserts no Server Component carries a JSX event handler.

30 339 checks that run against the deployed product, not a mock

Twenty-one suites signing in as operator, administrator, examinations officer, lecturer, placement officer, employer, guardian and student, exercising real journeys against onyx-lms-v2.vercel.app — including an axe-core accessibility sweep over ten screens, and a phone-and-tablet pass over sixteen.

31 Suites that clean up after themselves

The demonstration institution had accumulated forty machine-generated practice problems, one or two per run, because the suites creating them had no delete route and stopped there. They now unpublish what they make.

Governance and operations

32 A live permission matrix per institution

Ten domains of permissions, editable per role, with a reset to defaults — and copy explaining that a tick grants the act, not the reach.

33 Institution self-service settings

Domain-allowlisted student self-registration, a switch for whether lecturers may schedule examinations, and a community invite link, all controlled by the institution rather than by support.

34 Section lifecycle

Divisions can be retired as well as removed, so a cohort that has moved on stops appearing without its history being destroyed.

35 Dark theme across the whole product

Audited separately and returned no accessibility violations at all.

What this means for the proposal

Reading the two documents side by side

25/25

REQUIREMENTS SHIPPED

Nothing in the proposal is missing from the product. The gap between what was promised and what exists is not one of scope.

99%

COMPLETENESS

The remaining one per cent is a support ticket a learner cannot raise directly, and four record types that can be created and never corrected. Nothing structural.

35

CAPABILITIES BEYOND SCOPE

Roughly as much again was built on top: an operator tier, a commerce stack and a storefront the proposal never mentions.

What is left

Two are engineering, two are an empty database, and one is an account somebody should revoke

REF	WHAT IS MISSING OR WRONG	NATURE
LRN-06	A learner still cannot open a support ticket directly — the only route in is to escalate a course discussion, which is the wrong door for “my fee receipt is wrong”.	WIRING
ALL	A job post, an employer, an assignment and a Code Lab problem can each be created and then neither edited nor deleted. A title typed wrongly is permanent, and a demonstration tenant silts up because nothing that accumulates can be cleared.	GAP
ASS-02	The live camera watch could not be exercised from a headless browser. This is a limit of the testing, not a finding about the product.	NOT TESTABLE
—	The demonstration institution has no programmes, semesters or batches, so teaching allocation and the timetable have nothing to allocate; and 63 of its 64 courses carry no lessons.	NO DATA
—	A platform operator account named test123456 still holds full rights over every institution. This is the one outstanding item that is a security matter rather than a presentation one.	HOUSEKEEPING

Conclusion. The proposal described a phased platform to be built. The verification says it has been — every requirement, across every stage, including the ones the proposal itself placed last. This second pass was written after the defects found in the first were worked through: nineteen of twenty are closed, each re-tested against the live deployment rather than marked done, and the requirements that could not be exercised because the database was empty have now been run end to end with real data and re-scored on what they then did. Two things remain that are engineering: a support ticket a learner cannot raise without first escalating a discussion, and records across four kinds that can be created and never corrected. The rest is a seeding job and one account to revoke. On the evidence of using it twice, this is a product past the point where the conversation is about whether it can be built.

Onyx LMS proposal conformance and feature completeness, revision 2 · prepared by an external QA tester · 27 August 2026 · requirements taken from onyx.proposal.ezil.work, verified against onyx-lms-v2.vercel.app