Tyrel Stott

Dr. Gogolin

ISIN 325

March 3, 2026

SQL 2 Assignment

For this Assignment I will be conducting the 12 Queries as specified by the instructions. I will be using ChatGPT for help/assistance with the exception of the query which is specified to not utilize AI prompts for. I am the one writing these still, I do not copy and paste the output from an AI website. I hope you find the Assignment to be done well. -Tyrel

SQLQuery10....IADMIN (75))* SQLQuery9.s...IADMIN (57))*

```sql
Use Sick

Select Count(*) as TotalPatients
from Patient;

Select * from Patient
where PatientID = 1;

Select * from PatientAilment
where PatientID = 1;

Delete from PatientAilment
Where PatientAilment.PatientID = 1;

Select * from PatientAilment
where patientID = 1;

--Query 1
```

98 % No issues found

Results | Messages

	TotalPatients
1	26

Query executed successfully.

osrdpjvg..sq...IADMIN (52))

```sql
where PatientID = 1;

Select * from PatientAilment
where PatientID = 1;

Delete from PatientAilment
Where PatientAilment.PatientID = 1;

Select * from PatientAilment
where patientID = 1;
```

119 % No issues found Ln: 9, Ch: 1 (5

Results Messages

PatientID	AilmentID	StartDate	EndDate	ProviderID

Query executed successfully. localhost\SQLEXPRESS02 (17.... TYRELS-LAPTOP\FBIADMIN

SQLQuery1....ADMIN (68))* | osrdpjvg..sql...BIADMIN (52))

```sql
--Creating a view 3

create view vw_PatientAilments AS
Select
P.PatientID, P.FName, P.LName, A.Ailment, PA.StartDate, PA.EndDate, PA.ProviderID
From Patient p
Inner JOIN PatientAilment PA
ON P.PatientID = PA.PatientID
Inner Join Ailment A
on PA.AilmentID = A.AilmentID;


Select * from vw_PatientAilments;
```

108 % 1 0

Results | Messages

	PatientID	FName	LName	Ailment	StartDate	EndDate	ProviderID
1	2	Mary	Johnson	Diabetes Mellitus	2019-03-22	NULL	2
2	2	Mary	Johnson	Seasonal Allergies	2021-04-01	2021-05-15	5
3	3	Robert	Brown	Asthma	2017-08-12	NULL	4
4	3	Robert	Brown	Chronic Back Pain	2022-02-10	NULL	6
5	4	Patricia	Taylor	Depression	2020-11-05	NULL	7
6	4	Patricia	Taylor	Eczema	2019-01-14	2019-06-30	8
7	5	Michael	Anderson	Arthritis	2016-05-19	NULL	9
8	5	Michael	Anderson	Irritable Bowel S...	2021-07-07	NULL	10
9	6	Linda	Thomas	Anxiety Disorder	2018-09-03	NULL	11
10	6	Linda	Thomas	Vertigo	2020-10-10	2020-12-01	12
11	7	William	Jackson	Coronary Artery ...	2015-02-17	NULL	13
12	7	William	Jackson	Chronic Obstruct...	2022-01-01	NULL	14
13	8	Barbara	White	Seasonal Allergies	2019-04-20	2019-06-01	15
14	8	Barbara	White	Influenza	2023-01-05	2023-01-20	16
15	9	James	Harris	Migraine	2018-07-11	NULL	17
16	9	James	Harris	Sleep Apnea	2021-09-09	NULL	18
17	10	Susan	Martin	Hypertension	2016-03-30	NULL	19
18	10	Susan	Martin	Anemia	2022-05-14	NULL	20
19	10	Susan	Martin	Flu	NULL	NULL	NULL
20	10	Susan	Martin	1	NULL	NULL	NULL

Query executed successfully.

SQLQuery6.s...IADMIN (80))* | SQLQuery5.s...IADMIN (79))* | SQLQuery4.s...IADMIN (56))* | SQLQuery3....ADMIN (55))*

```sql
Use Sick

Select Concat('High', 'way')

Select DIFFERENCE('High', 'Way')

Select LOWER('HIGHWAY')

Select REPLACE('Password!', 's', '$')

Select Replicate('Nightmare', 5)

--5 examples of functions that I'm *fairly8 certain I didn't use the first time
```

108 % | 1 | 0 | Ln: 13, Ch: 80 | TABS | CRLF | Windows 1252

Results | Messages

	(No column name)
1	Highway

	(No column name)
1	2

	(No column name)
1	highway

	(No column name)
1	Pa$$word!

	(No column name)
1	NightmareNightmareNightmareNightmareNightmare

Query executed successfully. | localhost\SQLEXPRESS02 (17.... | TYRELS-LAPTOP\FBIADMIN... | Sick | 00:00:00 | Row: 1, Col: 1 | 5 rows

SQLQuery6.s...IADMIN (80))* SQLQuery5.s...IADMIN (79))* **SQLQuery4....ADMIN (56))*** SQLQuery3.s...IADMIN (55))*

```sql
Create Procedure InsertPatient
@PatientID INT,
@FName NVARCHAR(50),
@LName NVARCHAR(50),
@MName NVARCHAR(50),
@DOB Date,
@Gender CHAR(1),
@Height DECIMAL(4,1),
@Weight DECIMAL(4,1)
As
Begin
Insert into Patient
(PatientID, FName, LName, MName, DOB, Gender, Height, Weight)
Values
(@PatientID, @FName, @LName, @MName, @DOB, @Gender, @Height, @Weight);
End;

EXEC InsertPatient
@PatientID = 1420,
@FName = 'Tyrel',
@LName = 'Stott',
@MName = 'J',
@DOB = '2005-03-24',
@Gender = 'M',
@Height = 70.5,
@Weight = 201.8;

--Creation of a procedure then an execution of said procedure

Select * from Patient
Where Patient.PatientID = 1420;
```

108 % No issues found Ln: 28, Ch: 62 TABS

Results Messages

	PatientID	FName	LName	MName	DOB	Gender	Height	Weight
1	1420	Tyrel	Stott	J	2005-03-24	M	70.5	201.8


Connect
localhost\SQLEXPRESS02 (SQL Server 17.0.1000 - TYRELS-L
Databases
System Databases
Database Snapshots
Sick
Sick2
Database Diagrams
Tables
System Tables
FileTables
External Tables
Graph Tables
dbo.Ailment
dbo.Patient
dbo.Patient5
Columns
PatientID (PK, int, not null)
FName (nvarchar(20), not null)
LName (nvarchar(30), not null)
MName (nvarchar(20), null)
Keys
PK_Patient5
Constraints
Triggers
Use Sick2
Create Table Patient5
(
PatientID int NOT NULL,
FName nvarchar(20) NOT NULL,
LName nvarchar(30) NOT NULL,
MName nvarchar(20) NULL,
CONSTRAINT PK_Patient5 Primary KEY CLUSTERED(
PatientID ASC
)
On [PRIMARY] --key
)
on [PRIMARY] -- index
--manually typed out by me per your example, used sick2 to prevent breaking Sick
108 %
No issues found
Ln: 20, Ch: 81
TABS
CRLF
Messages

SQLQuery6....ADMIN (80))* | SQLQuery5.s...IADMIN (79))* | SQLQuery4.s...IADMIN (56))*

```sql
Use Sick

Select
PatientID, Count(AilmentID) AS TotalAilments
From PatientAilment
Group By PatientID;

-- query 8 how many ailments each patient has
```

119 % | No issues found | Ln: 10, Ch: 1 | TABS

Results | Messages

	PatientID	TotalAilments
1	2	5
2	3	2
3	4	2
4	5	2
5	6	2
6	7	2
7	8	2
8	9	2
9	10	4
10	11	5
11	12	2
12	13	2
13	14	2
14	15	1
15	16	2
16	17	2
17	18	2
18	19	2
19	20	2

Query executed successful... | localhost\SQLEXPRESS02 (17.... | TYRELS-LAPTOP\FBIADMIN... | Sick | 00:00:00 | Row:

SQLQuery7....ADMIN (77))* | SQLQuery3.s...IADMIN (55))*

```sql
USE SICK

-- #9 DISTINCT with asc and desc

Select DISTINCT Gender, PatientID
From Patient
Order by Gender ASC, PatientID Desc;
```

108 % | No issues found | Ln: 9, Ch: 1 | TABS | CRLF | Windows 1252

Results | Messages

	Gender	PatientID
1	F	24
2	F	22
3	F	20
4	F	18
5	F	16
6	F	14
7	F	12
8	F	10
9	F	8
10	F	6
11	F	4
12	F	2
13	M	1420
14	M	1000
15	M	25
16	M	23
17	M	21
18	M	19
19	M	17
20	M	15
21	M	13
22	M	11
23	M	9
24	M	7
25	M	5

ocalhost\SQLEXPRESS02 (17.... | TYRELS-LAPTOP\FBIADMIN... | Sick | 00:00:00 | Row: 1, Col: 1 | 27 rows

SQLQuery8....ADMIN (81))* | SQLQuery7.s...IADMIN (77))*

```sql
USE Sick

--Query 10 Inner Join

Select
P.FName, P.LName,
PR.FName as PFName,
PR.LName as PLName
From PatientAilment PA
Inner Join Patient P
on PA.PatientID = P.PatientID
Inner Join Provider PR
On PA.ProviderID = PR.ProviderID;
```

108 % | No issues found | Ln: 3, Ch: 23 | TABS | CRLF | Windows 1252

Results | Messages

	FName	LName	PFName	PLName
1	Mary	Johnson	Emily	Carter
2	Mary	Johnson	David	Patel
3	Mary	Johnson	James	Wilson
4	Mary	Johnson	James	Wilson
5	Mary	Johnson	James	Wilson
6	Robert	Brown	Sarah	Nguyen
7	Robert	Brown	Laura	Hernandez
8	Patricia	Taylor	Robert	Kim
9	Patricia	Taylor	Jessica	Morris
10	Michael	Anderson	Daniel	Lopez
11	Michael	Anderson	Amanda	Brooks
12	Linda	Thomas	Matthew	Sanders
13	Linda	Thomas	Olivia	Price
14	William	Jackson	Andrew	Bell
15	William	Jackson	Stephanie	Rivera
16	Barbara	White	Christopher	Howard
17	Barbara	White	Nicole	Ward
18	James	Harris	Brian	Cox
19	James	Harris	Rachel	Peterson

ocalhost\SQLEXPRESS02 (17.... | TYRELS-LAPTOP\FBIADMIN... | Sick | 00:00:00 | Row: 1, Col: 1 | 50 rows

SQLQuery9....ADMIN (57))* | SQLQuery8.s...IADMIN (81))*

```sql
Use SICK

--Query 11 Shows records even if there is nothing recorded

Select
P.PatientID,
P.FName,
A.Ailment
From Patient P
Left Outer Join PatientAilment PA
On P.PatientID = PA.PatientID
Left Outer Join Ailment A
On PA.AilmentID = A.AilmentID;
```

98 % | No issues found | Ln: 8, Ch: 10 | TABS | CRLF | Windows 1252

Results | Messages

	PatientID	FName	Ailment
1	1	John	NULL
2	2	Mary	Diabetes Mellitus
3	2	Mary	Seasonal Allergies
4	2	Mary	NULL
5	2	Mary	NULL
6	2	Mary	NULL
7	3	Robert	Asthma
8	3	Robert	Chronic Back Pain
9	4	Patricia	Depression
10	4	Patricia	Eczema
11	5	Michael	Arthritis
12	5	Michael	Irritable Bowel Syndrome
13	6	Linda	Anxiety Disorder
14	6	Linda	Vertigo
15	7	William	Coronary Artery Disease
16	7	William	Chronic Obstructive Pulmonary Disease
17	8	Barbara	Seasonal Allergies
18	8	Barbara	Influenza
19	9	James	Migraine

ocalhost\SQLEXPRESS02 (17.... | TYRELS-LAPTOP\FBIADMIN... | Sick | 00:00:00 | Row: 1, Col: 1 | 57 rows

SQLQuery10...DMIN (75))* | SQLQuery9.s...IADMIN (57))*

```sql
Use Sick
--Query 12 Shows all Ailments even if it isn't being used for a

Select
P.PatientID,
A.Ailment
From Patient P
Right Outer Join PatientAilment PA
On P.PatientID = PA.PatientID
Right Outer Join Ailment A
On PA.AilmentID = A.AilmentID;
```

98 % | No issues found | Ln: 11, Ch: 32 | TABS | CRLF | Windows 1252

Results | Messages

	PatientID	Ailment
28	12	Gastroesophageal Re...
29	5	Irritable Bowel Syndro...
30	19	Irritable Bowel Syndro...
31	4	Eczema
32	19	Eczema
33	13	Chronic Kidney Disease
34	12	Osteoporosis
35	24	Osteoporosis
36	9	Sleep Apnea
37	20	Sleep Apnea
38	10	Anemia
39	25	Anemia
40	13	Hypothyroidism
41	14	Hyperthyroidism
42	11	Urinary Tract Infection
43	7	Chronic Obstructive P...
44	21	Chronic Obstructive P...
45	6	Vertigo
46	14	Vertigo
47	15	Peptic Ulcer Disease
48	10	Flu
49	11	Flu
50	10	1
51	11	1
52	11	1
53	NULL	2
54	NULL	2
55	NULL	2

ocalhost\SQLEXPRESS02 (17.... | TYRELS-LAPTOP\FBIADMIN... | Sick | 00:00:00 | Row: 1, Col: 1 | 55 rows