



---

# OTC Link NQB IDQS FIX Specification

Version 1.18.1  
June 3, 2026

OTC Markets Group Inc.  
300 Vesey Street (1 North End Ave), 12th Floor  
New York, NY 10282

[www.otcmarkets.com](http://www.otcmarkets.com)

Contact Information  
E: [techsupport@otcmarkets.com](mailto:techsupport@otcmarkets.com)  
P: 212.896.4411

# Table Of Contents

---

|          |                                                |           |
|----------|------------------------------------------------|-----------|
| <b>1</b> | <b>INTRODUCTION.....</b>                       | <b>3</b>  |
| <b>2</b> | <b>BUSINESS RULES.....</b>                     | <b>3</b>  |
| 2.1      | HOURS OF OPERATION .....                       | 3         |
| 2.2      | DATA TYPES .....                               | 4         |
| 2.2.1    | <i>Timestamps</i> .....                        | 4         |
| 2.2.2    | <i>Price</i> .....                             | 4         |
| 2.2.3    | <i>Market Orders</i> .....                     | 4         |
| 2.3      | ON CLOSE TIME IN FORCE .....                   | 4         |
| 2.4      | CLOSING CROSS AUCTION OPT OUT .....            | 5         |
| 2.5      | SELF TRADE PREVENTION.....                     | 5         |
| 2.6      | ROUTE TO EXTERNAL MARKETPLACES .....           | 6         |
| 2.7      | INTERMARKET SWEEP ORDERS (ISO).....            | 6         |
| 2.8      | EXTERNAL ROUTING NOT ALLOWED .....             | 6         |
| 2.9      | OK TO CROSS .....                              | 6         |
| 2.10     | ROUTE ISO.....                                 | 6         |
| 2.11     | PING ISO .....                                 | 6         |
| 2.12     | ROUTE IOC.....                                 | 6         |
| 2.13     | IOC AFTER CANCEL / REPLACE .....               | 7         |
| 2.14     | PRIMARY PEG ORDER TYPE.....                    | 7         |
| 2.15     | POST ONLY ON ORDER ENTRY.....                  | 7         |
| 2.16     | ALLOW PRICE SLIDING.....                       | 7         |
| 2.17     | UNSOLICITED ORDER.....                         | 7         |
| 2.18     | WHEN TO REFRESH A RESERVE ORDER .....          | 7         |
| 2.19     | CANCEL / REPLACE AND PARTIAL CANCEL .....      | 8         |
| 2.20     | BULK CANCEL .....                              | 8         |
| 2.21     | LIQUIDITY INDICATOR.....                       | 8         |
| 2.22     | ERRONEOUS PRICE CHECK.....                     | 8         |
| 2.23     | CLOSING PRICE CHECK FOR OVERNIGHT ORDERS ..... | 8         |
| <b>3</b> | <b>FIX MESSAGES .....</b>                      | <b>8</b>  |
| 3.1      | LOGON SESSION PROFILE.....                     | 8         |
| 3.2      | STANDARD MESSAGE HEADER .....                  | 9         |
| 3.3      | STANDARD MESSAGE TRAILER.....                  | 9         |
| 3.4      | AUTOMATIC CANCEL ON DISCONNECT .....           | 9         |
| 3.5      | SERVICE BUREAU CONFIGURATION .....             | 9         |
| 3.6      | FIX SESSION THROTTLE .....                     | 10        |
| 3.7      | MESSAGES SUBMITTED TO OTC LINK NQB IDQS .....  | 10        |
| 3.7.1    | <i>New Order Single</i> .....                  | 10        |
| 3.7.2    | <i>Order Cancel Request</i> .....              | 12        |
| 3.7.3    | <i>Order Cancel / Replace Request</i> .....    | 13        |
| 3.8      | MESSAGES RECEIVED FROM OTC LINK NQB IDQS.....  | 13        |
| 3.8.1    | <i>Execution Report</i> .....                  | 13        |
| 3.8.2    | <i>Order Cancel Reject</i> .....               | 15        |
| <b>4</b> | <b>REVISION HISTORY .....</b>                  | <b>17</b> |

## 1 Introduction

The OTC Link NQB IDQS allows subscribers to submit attributable orders that will provide and remove liquidity on the NQB IDQS's order book for OTCQX, OTCQB and OTC Pink securities.

This OTC FIX gateway service utilizes the FIX 4.2 protocol standard as defined by [www.fixprotocol.org](http://www.fixprotocol.org), with some exclusive custom extensions.

Connection to the OTC FIX gateway is typically made through one or more extranet vendors. Please contact [techsupport@otcmarkets.com](mailto:techsupport@otcmarkets.com) for latest connectivity information.

OTC FIX gateways are configured to talk to a single service per port. Customers who wish to send and receive messages for different services should contact OTC Markets to provision at least one port for every service.

If the connection to an OTC FIX session is lost and reestablished later in the day, OTC will deliver all the queued outbound traffic that would have been received if the connection had not been lost. However, when a connection is initially established, even if it's later in the day, only messages generated from time of connection will be delivered. I.e., Messages queued prior to initial connection will not be delivered.

## 2 Business Rules

### 2.1 Hours of Operation

A regular Day order (DAY) is only executable during the normal trading session, 9:30am to 4:00pm. During shortened market trading days, a DAY order will be executable between 9:30am and 1:00pm.

DAY orders can be entered starting at 6:00am. DAY orders received prior to 9:30am are held and processed at 9:30am. All DAY orders received after normal operating hours are rejected.

A non-overnight extended Day order (GTX; a.k.a. DAYX) and a non-overnight modified Good Till Cancel order (GTC) will be executable within selected P1, P2 and P3 trading sessions from 8:00am to 5:00pm. During shortened market trading days, the operating hours for GTX and GTC orders will be from 8:00am to 2:00pm.

Non-overnight GTX and GTC orders can be entered starting at 6:00am. GTX and GTC orders received prior to 8:00am are held and processed at 8:00am. All non-overnight GTX or GTC orders received after extended operating hours are rejected.

An overnight Day, overnight extended Day order (GTX; a.k.a. DAYX) and an overnight modified Good Till Cancel order (GTC) can be entered within the selected PN trading session 7:00pm to 7:45am; from Sunday to Thursday. They will be executable from 8:00pm to 7:45am; from Sunday to Thursday. All overnight DAY, GTX or GTC orders received outside this session are rejected.

DAY orders expire at the end of the normal trading session. GTX orders expire at the end of the selected trading session. Both will include tags 39 & 150 = 3 in their respective execution reports. GTC orders are canceled by the system at the end of the selected trading session. It will include tags 39 & 150 = 4 in its execution report.

Like overnight GTX orders, overnight DAY orders expire at the end of the overnight session.

When an order contains TIF tag 59 = 5 (GTX) or 1 (GTC), the following trading sessions can be selected:

- P2: Order active between 9:30am and 4:00pm (essentially the same as TIF tag 59 = 0 [DAY], expires at 4:00pm).
- P1 plus P2: Order active between 8:00am and 4:00pm (expires at 4:00pm).
- P2 plus P3: Order active between 9:30am and 5:00pm (expires at 5:00pm).
- P1 plus P2 plus P3 or no sessions specified: Order active between 8:00am and 5:00pm.
- PN: Order active between 8:00pm and 7:45am; from Sunday to Thursday.

Note: P1 or P3 alone, as well as P1 plus P3 are not allowed and will be rejected.

IOC orders will match anytime during the full extended day (i.e., 8:00am to 5:00pm) and overnight session (i.e., 8:00pm to 7:45am).

An On Close (OC) order (a.k.a. At the Close) is only executable at 4:00pm. During shortened market trading days, an OC order will be executable at 1:00pm. OC orders can be entered starting at 6:00am and expire at the end of the normal trading session.

## 2.2 Data Types

### 2.2.1 Timestamps

All FIX timestamps are in UTC format as per the FIX standard format YYYYMMDD-HH:MM:SS.sss; where sss = milliseconds. Members are expected to synchronize their clocks with an external time source.

### 2.2.2 Price

Order entry price precision is limited to up to 2 decimal places when priced  $\geq$  \$1.00, and up to 4 decimal places when priced  $<$  \$1.00. However, since orders can execute at a midpoint, executions can occur at 3 decimal places when priced  $\geq$  \$1.00, and at 5 decimal places when priced  $<$  \$1.00.

### 2.2.3 Market Orders

Market orders (Tag 40 = 1) are only allowed for On Close orders (i.e., Market On Close, MOC). DAY, GTX, GTC or IOC orders entered without a limit price will be rejected.

## 2.3 On Close Time In Force

For securities enabled for the Closing Cross Auction, orders can optionally include the On Close order TIF Tag 59 = '7' (At the Close).

A Limit On Close (LOC) order will be designated by the 'TimeInForce' (TIF); FIX tag 59 = 7, 'OrdType' FIX tag 40 = 2 (Limit) and a price in 'Price' FIX tag 44. LOC orders can be entered starting at the same time as DAY and extended DAY orders. At a configurable time before market close, e.g., 10 mins (typically 3:50pm), LOC orders will not be allowed to be modified or canceled. After another configurable time, e.g., 2 mins (typically 3:58 pm), they can no longer be entered.

A Market On Close (MOC) order will be designated by the 'TimeInForce' (TIF); FIX tag 59 = 7 and 'OrdType' FIX tag 40 = 1 (Market). Any entered price will be ignored. MOC orders can be entered starting at the same time as DAY and extended DAY orders. At the same configurable time before market close as LOC orders, e.g., 10 mins (typically 3:50pm), MOC orders will not be allowed to be modified or canceled. After another configurable time, different than LOC, e.g. 5 mins (typically 3:55 pm), they can no longer be entered.

An Imbalance Only (IO) order will be designated by the 'TimeInForce' (TIF); FIX tag 59 = 7, 'OrdType' FIX tag 40 = 2 (Limit), a price in 'Price' FIX tag 44 and 'ExecInst' FIX tag 18 = 'i' (Imbalance Only). IO orders cannot be entered at market price. IO orders can be entered starting at the same time as DAY and extended DAY orders and up through market close at 4:00pm. At the same configurable time before market close at LOC orders, e.g., 10 mins (typically 3:50pm), IO orders will not be allowed to be modified or canceled. At market close, and for the purposes of disseminated price values, any IO order priced more aggressive than its same-side inside (based on the CBBO) will be repriced to that inside price.

## 2.4 Closing Cross Auction Opt Out

Subscribers can choose to have their posted DAY, GTX and GTC orders not participate in the Closing Cross Auction, by including 'ExecInst' FIX tag 18 = 'A' (No Cross). DAY, GTX and GTC orders with this ExecInst will not participate in the Closing Cross Auction at 4:00pm, nor will they be included in the Closing Cross Auction dissemination feed. This ExecInst will be ignored, if included on LOC or MOC orders.

## 2.5 Self Trade Prevention

Self trade prevention (a.k.a. anti-internalization) can be enabled on an order basis, with execution instruction Tag 18 = 'a' and optionally NoSelfTrade Tag 7928. Firms can optionally be configured for self trade prevention for all their orders across the board, or just all their orders on a given FIX session.

If the firm is configured for self trade prevention for all their orders across the board, or just all their orders on a given FIX session, Tag 18 = 'a' does not need to be entered on any orders and will be ignored. If the firm is NOT configured for self trade prevention for all their orders across the board, or just all their orders on a given FIX session, Tag 18 = 'a' is required on both the resting and incoming orders. If only one or neither order includes Tag 18 = 'a', the orders can match.

When enabled on the firm or FIX session level, or when both the resting and incoming orders have Tag 18 = a and the incoming order has either no Tag 7928 or Tag 7928 = D (Cancel Smaller/Decrement Larger), the following cancel / reduce method will be used:

- If the size of the incoming order is less than the resting order, the incoming order will be canceled, and the resting order will be reduced by the size of the canceled incoming order.
- If the size of the incoming order is greater than the resting order, the resting order will be canceled, and the incoming order will be reduced by the size of the canceled resting order.
- If the size of the incoming order is the same as the resting order, both the incoming order and the resting order will be canceled.

When an order is reduced due to self trade prevention, the subscriber will receive a Restatement execution report (tag 150 = D, tag 378 = 5).

When both the resting and incoming orders have Tag 18 = a and the incoming order has Tag 7928 = N (Cancel Newest), just the incoming order will be canceled.

When both the resting and incoming orders have Tag 18 = a and the incoming order has Tag 7928 = O (Cancel Oldest), just the resting order will be canceled.

When both the resting and incoming orders have Tag 18 = a and the incoming order has Tag 7928 = C (Cancel Both), both the incoming order and the resting order will be canceled.

## 2.6 Route to External Marketplaces

If at time of order entry, an external marketplace has a superior price to a resting OTC Link NQB IDQS order, a marketable incoming non-overnight order enabled for routing will be routed to the external marketplace. Routing functionality will route the full quantity of the order. The price will be the external marketplace's Top of Book price.

Typically, routing to external marketplaces only occurs during the normal trading session. Orders can optionally include the Route Outside Normal Market Hours execution instruction Tag 18 = 'n'. When included on a GTX or GTC order, the order can also route during the extended trading sessions.

## 2.7 Intermarket Sweep Orders (ISO)

Orders can optionally include the ISO execution instruction Tag 18 = 'f'. ISO orders will not be routed to external marketplaces, and can trade through those marketplaces. ISO conveys that the firm has taken responsibility for sending orders directly to the external marketplaces to access their better priced liquidity. ISO orders cannot trade through posted OTC Link NQB IDQS orders.

Since an ISO order is treated as IOC, TIF 59 will be superseded by the ISO execution instruction. The ISO execution instruction also supersedes all other execution instructions.

## 2.8 External Routing Not Allowed

Non-overnight orders can optionally include the External Routing Not Allowed execution instruction Tag 18 = 'h'. These orders will not route to OTC Link ATS or an external IDQS. The absence of this tag means routing is allowed. If an order with Tag 18 = 'h' is marketable with OTC Link ATS or an external IDQS on entry, or later becomes marketable, it will be canceled.

## 2.9 Ok to Cross

Execution instruction Tag 18 = 'B' on an NQB IDQS order will allow it to trade through an external marketplace quote and match a worse priced posted order.

## 2.10 Route ISO

Non-overnight orders can optionally include the Route ISO execution instruction Tag 18 = 'o'. Like ISO orders, Route ISO orders can internally trade through external marketplaces. But unlike ISO orders, after internal trades, any remaining quantity can route to external marketplaces. If quantity remains after routing, IOC orders will be canceled; DAY/GTX/GTC orders will post.

## 2.11 Ping ISO

Non-overnight orders can optionally include the Ping ISO execution instruction Tag 18 = 'p'. Ping ISO orders work exactly like Route ISO orders, except before routing to OTC Link ATS, they will ping Global OTC at the order's limit price.

## 2.12 Route IOC

Typically, IOC orders cannot be routed to OTC Link ATS or an external IDQS. However, non-overnight orders can optionally include either the Route IOC execution instruction Tag 18 = 'r' or the Route IOC to OTC Link ATS Only execution instruction Tag 18 = 'l' (lowercase L).

## 2.13 IOC after Cancel / Replace

Orders can optionally include the IOC after Cancel / Replace execution instruction Tag 18 = 'x'. If included, the cancel / replaced order will be treated as if its TIF was IOC. After any internal executions, the remaining quantity will be canceled back.

## 2.14 Primary Peg Order Type

Non-overnight orders can optionally include the Pegged order type Tag 40 = 'P' and the Primary Peg execution instruction Tag 18 = 'R'. Primary Peg buy orders can post at the bid of the CBBO. Primary Peg sell orders can post at the offer of the CBBO.

## 2.15 Post Only on Order Entry

Orders can optionally include the Post Only on Order Entry execution instruction Tag 18 = '6'. When these orders are entered during the active trading session, they will not remove liquidity (i.e., match against posted OTC Link NQB IDQS orders or routed to OTC Link ATS or external IDQS quotes) at the time the order is entered. They can only post to OTC Link NQB IDQS. After the orders post, non-overnight orders can later remove liquidity due to changes in the market.

Note this slightly modifies the traditional Post Only or Participate Don't Initiate Tag 18 = 6, which prohibits the order from ever removing liquidity.

## 2.16 Allow Price Sliding

Non-overnight orders can optionally include the Allow Price Sliding execution instruction Tag 18 = 'S'. These orders will behave like 'Post Only on Order Entry' orders, but will be displayed one tick<sup>1</sup> away from the opposite inside (i.e., one tick higher than the CBB for a sell order or one tick lower than the CBO for a buy order), if its limit price L/C's the opposite CBBO inside.

## 2.17 Unsolicited Order

In order to quote in securities that are not Piggy Back Qualified in OTC Link ATS, orders in those securities must be indicated as unsolicited; UnsolicitedFlag Tag 9534 must be 'Y'. If Tag 9534 is not set to Y on a DAY or GTC/GTC order, the order will be rejected. If Tag 9534 is not set to Y on an IOC order, the order will be accepted.

When the new SEC rule 15c2-11 rules take effect, unsolicited orders (tag 9534 = 'Y') in securities without current 211 information will require the NonAffiliateFlag (Tag 9535) be set to 'Y'. If Tag 9535 is not set to Y, the order will be rejected.

## 2.18 When to Refresh a Reserve Order

Orders that include a MaxFloor value in Tag 111 (i.e., reserve orders) can optionally include custom RefreshBelowShow Tag 9111 to indicate when to refresh a reserve order. When set to 'Y', the order will be refreshed to its entered MaxFloor when its display size drops below MaxFloor. When set to 'N', the

---

<sup>1</sup> One tick = 0.0001, when inside price < \$1.00. One tick = 0.01, when inside price >= \$1.00.

order will be refreshed to its entered MaxFloor when its display size drops below minimum quote size (which can be less than or equal to MaxFloor).

## 2.19 Cancel / Replace and Partial Cancel

DAY, GTX and GTC orders can be modified after they are posted to the book. Currently, only order price, quantity and MaxFloor can be modified. Any modification will cause order to lose time priority.

## 2.20 Bulk Cancel

Subscribers can cancel orders in bulk for either a single security or all securities by entering OrderID Tag 37 = -999. If the symbol is included in the cancel message, only orders in that symbol will be canceled. If no symbol is included, all the subscriber's orders will be canceled. Individual out messages will be sent to the subscriber for each order canceled.

## 2.21 Liquidity Indicator

On Partial and Full fill execution reports, LiquidityIndicator Tag 9730 will indicate if subscriber added or removed liquidity on the execution.

## 2.22 Erroneous Price Check

OTC Link NQB IDQS provides a risk control that rejects a Limit non-overnight order that is priced a percentage through the opposite inside (please contact [tradingservices@otcmarkets.com](mailto:tradingservices@otcmarkets.com) for price percentage details). Orders can optionally include the Ignore Erroneous Price Check execution instruction Tag 18 = 'c'. These orders will not be rejected for being priced a percentage through the opposite inside.

## 2.23 Closing Price Check for Overnight Orders

For selected securities, OTC Link NQB IDQS provides a risk control that rejects an overnight order that is priced a certain percentage above or below the security's previous closing price (please contact [tradingservices@otcmarkets.com](mailto:tradingservices@otcmarkets.com) for price percentage details).

# 3 FIX Messages

## 3.1 Logon Session Profile

A FIX session includes a client feature profile utilizing Tags 95 and 96 to the Logon Message. Utilizing this profile, subscribers can enable and disable session cancel on disconnect.

| Tag ID | Description                               | Values                                                                                                                     |
|--------|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| 95     | Number of Feature Position Fields to Read | 1                                                                                                                          |
| 96     | Cancel on Disconnect                      | Valid values:<br>0 = Do not enable Cancel on Disconnect for the session<br>1 = Enable Cancel on Disconnect for the session |



### 3.2 Standard Message Header

| Tag ID | Tag Name         | Required | Description                                                                                                                                                                                                                                                                              |
|--------|------------------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8      | BeginString      | Yes      | FIX.4.2<br>Must be first field in message.                                                                                                                                                                                                                                               |
| 9      | BodyLength       | Yes      | Length of message following BodyLength field up to and including the delimiter preceding the CheckSum field.<br>Must be second field in message.                                                                                                                                         |
| 34     | MesSeqNum        | Yes      | Sequential sequence number for session.                                                                                                                                                                                                                                                  |
| 35     | MsgType          | Yes      | Must be third field in message.<br>0 = HeartBeat<br>1 = TestRequest<br>2 = Resend/Request<br>3 = Reject<br>4 = SequenceReset<br>5 = Logout<br>8 = ExecutionReport<br>9 = OrderCancelReject<br>A = Logon<br>D = NewOrderSingle<br>F = OrderCancelRequest<br>G = OrderCancelReplaceRequest |
| 49     | SenderCompID     | Yes      | Standard FIX session IDs. Assigned per-connection                                                                                                                                                                                                                                        |
| 56     | TargetCompID     | Yes      | Standard FIX session IDs. Assigned per-connection                                                                                                                                                                                                                                        |
| 52     | SendingTime      | Yes      | Time in UTC format YYYYMMDD-HH:MM:SS.sss;<br>where sss = milliseconds                                                                                                                                                                                                                    |
| 115    | OnBehalfOfCompID | Yes      | NSSC MPID identifying the client sending order                                                                                                                                                                                                                                           |
| 116    | OnBehalfOfSubID  | No       | Trader sending message                                                                                                                                                                                                                                                                   |
| 128    | DeliverToCompID  | Yes      | Identifies subscriber on messages from OTC Link NQB IDQS, and 'OTCN' on messages to OTC Link NQB IDQS.                                                                                                                                                                                   |
| 129    | DeliverToSubID   | No       | Identifies trader on messages from OTC Link NQB IDQS.                                                                                                                                                                                                                                    |

### 3.3 Standard Message Trailer

| Tag ID | Tag Name | Description                                                                                                                                                     |
|--------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 10     | Checksum | Modulo 256 checksum of all characters in message up to and including the delimiter preceding the CheckSum field. Three digits with leading zeroes if necessary. |

### 3.4 Automatic Cancel on Disconnect

A FIX session can be configured to automatically cancel all open orders when a disconnect is detected between your firm and the OTC Link NQB IDQS. Note that orders executed just prior to the disconnect will not be fully canceled. Execution Reports for executed orders and automatically canceled orders will be available upon reconnection.

### 3.5 Service Bureau Configuration

Service Bureaus require special configuration. OnBehalfOfCompID must be set for New Order, Cancel and Cancel/Replace messages sent to OTC Link NQB IDQS. Orders with an unknown

OnBehalfOfCompld will be rejected. ClOrdID values are required to be unique only within a given OnBehalfOfCompld. Execution Report and Cancel Reject messages sent by OTC Link NQB IDQS will have the DeliverToCompld set. Orders must be cancelled or replaced using the same OnBehalfOfCompld as was sent on the Order.

### 3.6 FIX Session Throttle

In order to ensure a session provides more predictable performance, while also preventing it from affecting the performance of other sessions on the same gateway, a session can be configured to throttle inbound messages; typically, 1000 total inbound messages read per second.

After the 1000th message is received within a rolling 1 second, any subsequent message is buffered until that second is completed. The application then sequentially processes queued messages, carrying over to further seconds every additional 1000 messages in the buffer. In this manner, if 5001 messages are sent to the port in under a second, the last one will not be processed by the gateway until the 5th second.

Outbound message rate from the gateway is not inhibited.

### 3.7 Messages Submitted to OTC Link NQB IDQS

#### 3.7.1 New Order Single

A New Order is initiated by sending a FIX NewOrder (35=D) message to the OTC Link NQB IDQS.

| Tag ID | Tag Name   | Required | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------|------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 35     | MsgType    | Yes      | Should be "D"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 1      | Account    | No       | Reflected back on Execution Reports associated with this order. Can be used for clearing, max 40 characters.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 11     | ClOrdID    | Yes      | Unique for all orders sent today, max 40 characters.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 18     | ExecInst * | No       | <p>Valid values (space delimited):</p> <ul style="list-style-type: none"> <li>1 = Not Held (accepted, but not processed)</li> <li>f = ISO</li> <li>h = External Routing Not Allowed</li> <li>6 = Post Only on Order Entry</li> <li>R = Primary Peg (requires 40 = P)</li> <li>r = Route IOC</li> <li>l (lowercase L) = Route IOC to OTC Link ATS Only</li> <li>B = Ok to Cross</li> <li>a = Self Trade Prevention</li> <li>c = Ignore Erroneous Price Check</li> <li>o = Route ISO</li> <li>p = Ping ISO</li> <li>n = Route Outside Normal Market Hours</li> <li>S = Allow Price Sliding</li> <li>x = IOC after Cancel / Replace</li> <li>A = No Cross</li> <li>i = Imbalance Only LOC order (requires 59 = 7 and 40 = 2)</li> </ul> <p>If tag 18 is blank or absent, a marketable order with a TIF of Day can remove liquidity on entry by either matching a posted NQB IDQS order, or routing out to OTC Link ATS or external IDQS quotes.</p> |

OTC Link NQB IDQS FIX Specification 1.18.1

|      |                                                  |     |                                                                                                                                                                                           |
|------|--------------------------------------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 38   | OrderQty                                         | Yes | Number of shares, max value of 99,999,999                                                                                                                                                 |
| 40   | OrdType                                          | Yes | Valid value:<br>1 = Market (requires 59 = 7)<br>2 = Limit<br>P = Pegged (requires 18 = R)                                                                                                 |
| 44   | Price                                            | Yes | Price of order, max allowed price of \$99,999,999                                                                                                                                         |
| 47   | OrderCapacity                                    | Yes | Valid values:<br>A = Agency<br>P = Principal<br>R = Riskless Principal                                                                                                                    |
| 54   | Side                                             | Yes | Valid values:<br>1 = Buy<br>2 = Sell<br>5 = Sell short                                                                                                                                    |
| 55   | Symbol                                           | Yes | This field must contain a valid symbol in upper case lettering, max 14 characters.                                                                                                        |
| 59   | TimeInForce                                      | No  | Valid values:<br>0 = Day (Default)<br>3 = IOC**<br>5 = GTX<br>1 = GTC<br>7 = At the Close (OC)                                                                                            |
| 111  | MaxFloor                                         | No  | Portion of OrderQty to display. The balance is reserve. Must be >= minimum quote size and in round lot intervals.                                                                         |
| 114  | LocateReqd                                       | No  | Valid values:<br>Y = Yes<br>N = No<br><br>Required to be N for sell short orders. Rejected if Y or absent.                                                                                |
| 386  | NoTradingSessions ***                            | No  | 1, 2 or 3<br>[Must come before 336 Tag(s). Will be ignored if tag 59 not = GTX or GTC.]                                                                                                   |
| 336  | TradingSessionID ***<br>(NOTE: REPEATING GROUP!) | No  | P1 = 8:00am – 9:30am<br>P2 = 9:30am – 4:00pm<br>P3 = 4:00pm – 5:00pm<br>PN = 8:00pm – 7:45am; Sunday to Thursday                                                                          |
| 5700 | LocateBroker                                     | No  | Locate MPID                                                                                                                                                                               |
| 7928 | NoSelfTrade                                      | No  | Only applicable when 18 = a.<br>Valid values:<br>D = Cancel Smaller/Decrement Larger (Default)<br>N = Cancel Newest<br>O = Cancel Oldest<br>C = Cancel Both                               |
| 9111 | RefreshBelowShow                                 | No  | Flag indicating when reserve order will refresh; below minimum quote size or below MaxFloor (Show size).<br>Valid values:<br>Y = Below MaxFloor<br>N = Below Minimum Quote Size (Default) |
| 9534 | UnsolicitedFlag                                  | No  | Valid values:<br>Y = Order is unsolicited<br>N = Order is not unsolicited (Default)                                                                                                       |

|      |                  |    |                                                                                                                                                                            |
|------|------------------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |                  |    | Required to be Y for DAY/GTX/GTC orders in securities not Piggy Back Qualified.                                                                                            |
| 9535 | NonAffiliateFlag | No | Flag indicating unsolicited order is from a non-affiliate.<br>Y = Unsolicited order is from a Non-Affiliate<br>N = Unsolicited order is not from a Non-Affiliate (Default) |

\* Note: Since an ISO order is treated as IOC, TIF 59 will be superseded by the ISO execution instruction. The ISO ExecInst also supersedes all other execution instructions. Route ISO ExecInst supersedes Ping ISO. If an order includes both Ok to Cross instruction and either Route ISO or Ping ISO instruction, Ok to Cross will be ignored.

\*\* IOC orders will match anytime during the full extended day (i.e., 8:00am to 5:00pm, and 8:00pm to 7:45am).

\*\*\* Note: TIF 59 = 0 (Day) is essentially the same as 59 = 5 (GTX) or 1 (GTC) / 386 = 1 / 336 = P2. TIF 59 = 5 (GTX) or 1 (GTC) without tags 386 and 336 is the same as 386 = 3 / 336 = P1 P2 P3. If 386 = 2, any pair of P1, P2 and P3 will be allowed except P1 P3. P1 or P3 alone will be rejected. The order will start participating at the beginning of the first selected trading session. At the end of the last selected trading session, the order will expire.

### 3.7.2 Order Cancel Request

While an order is still open, a cancel order can be requested by sending a FIX CancelOrder (35=F) message to the OTC Link NQB IDQS. In addition to requirements for the standard FIX message header, only the following fields are used for an Order Cancel Request. Any other fields specified in the message are ignored.

| Tag ID | Tag Name      | Required | Description                                                                                                                                                                                                                                                                                            |
|--------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 35     | MsgType       | Yes      | Should be "F"                                                                                                                                                                                                                                                                                          |
| 1      | Account       | No       | Used on MPID Bulk Cancel Only.                                                                                                                                                                                                                                                                         |
| 11     | ClOrdID       | Yes      | This field contains the ID assigned to the message by your firm. A unique identifier, max 40 characters.                                                                                                                                                                                               |
| 18     | ExecInst      | No       | If sent, this value must match the original order.                                                                                                                                                                                                                                                     |
| 37     | OrderID       | No       | If present, the value must exactly match the OrderID OTC Link NQB IDQS assigns to the order. A value of -999 will indicate Bulk Cancel.                                                                                                                                                                |
| 38     | OrderQty      | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 40     | OrdType       | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 41     | OrigClOrdID   | Yes      | This value must match the ClOrdID of the order or replaced order being cancelled. This value is the ClOrdID of the most current successful change. If the order was not changed or replaced, then this will be the ClOrdID of the original order. This field is not required for Bulk Cancel requests. |
| 44     | Price         | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 47     | OrderCapacity | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 54     | Side          | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 55     | Symbol        | No       | If OrderID Tag 37 = -999, Symbol will indicate cancel only orders in that symbol. Leaving Symbol blank will cancel all orders in all symbols.                                                                                                                                                          |
| 59     | TimeInForce   | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 111    | MaxFloor      | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 5700   | LocateBroker  | No       | Ignored                                                                                                                                                                                                                                                                                                |
| 7928   | NoSelfTrade   | No       | Ignored                                                                                                                                                                                                                                                                                                |

|      |                  |    |         |
|------|------------------|----|---------|
| 9111 | RefreshBelowShow | No | Ignored |
| 9534 | UnsolicitedFlag  | No | Ignored |

### 3.7.3 Order Cancel / Replace Request

While an order is still open, a cancel / replace order can be requested by sending a FIX CancelReplaceOrder (35=G) message to the OTC Link NQB IDQS. In addition to requirements for the standard FIX message header, only the following fields are used for an Order Cancel/Replace (Change) Request. Any other fields specified in the message are ignored. Any change will cause order to lose time priority.

| Tag ID | Tag Name          | Required | Description                                                                                                                                                                                                                                               |
|--------|-------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 35     | MsgType           | Yes      | Should be "G"                                                                                                                                                                                                                                             |
| 11     | ClOrdID           | Yes      | This field contains the ID assigned to the message by your firm. A unique identifier, max 40 characters.                                                                                                                                                  |
| 18     | ExecInst          | No       | If sent, this value must match the original order. For pegged orders, this field must be populated with the same instructions as on the original order.                                                                                                   |
| 37     | OrderID           | No       | If present, the value must exactly match the OrderID OTC Link NQB IDQS assigns to the order.                                                                                                                                                              |
| 38     | OrderQty          | Yes      | This value can be changed. Number of shares, max value of 99,999,999                                                                                                                                                                                      |
| 40     | OrdType           | Yes      | Must be the same as the original order.                                                                                                                                                                                                                   |
| 41     | OrigClOrdID       | Yes      | This value must match the ClOrdID of the order or replaced order being cancel / replaced. This value is the ClOrdID of the most current successful change. If the order was not changed or replaced, then this will be the ClOrdID of the original order. |
| 44     | Price             | Yes      | This value can be changed. Price of order, max allowed price of \$99,999,999                                                                                                                                                                              |
| 47     | OrderCapacity     | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 54     | Side              | Yes      | Must be the same as the original order.                                                                                                                                                                                                                   |
| 55     | Symbol            | Yes      | Must be the same as the original order.                                                                                                                                                                                                                   |
| 59     | TimeInForce       | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 111    | MaxFloor          | No       | This value can be changed. Portion of OrderQty to display. The balance is reserve. MaxFloor must be >= minimum quote size                                                                                                                                 |
| 116    | OnBehalfOfSubID   | No       | This value can be changed. Trader sending message.                                                                                                                                                                                                        |
| 386    | NoTradingSessions | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 336    | TradingSessionID  | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 5700   | LocateBroker      | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 7928   | NoSelfTrade       | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 9111   | RefreshBelowShow  | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 9534   | UnsolicitedFlag   | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |
| 9535   | NonAffiliateFlag  | No       | If sent, this value must match the original order.                                                                                                                                                                                                        |

## 3.8 Messages Received from OTC Link NQB IDQS

### 3.8.1 Execution Report

The disposition of entered orders (e.g., acknowledgements, rejects, cancels, partial fills, fills, etc.) are returned from the OTC Link NQB IDQS using a FIX ExecutionReport (35 = 8) message. In addition to requirements for the standard FIX message header, the following fields will be specified on these messages.

| Tag ID | Tag Name      | Required | Description                                                                                                                                                                                            |
|--------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 35     | MsgType       | Yes      | Will be "8"                                                                                                                                                                                            |
| 1      | Account       | No       | Echoed back from submitted. Can be used for clearing.                                                                                                                                                  |
| 6      | AvgPx         | Yes      | Indicates Average Price of fills on order                                                                                                                                                              |
| 11     | ClOrdID       | Yes      | Echoed back from submitted                                                                                                                                                                             |
| 14     | CumQty        | Yes      | Cumulative quantity of shares executed for this order.                                                                                                                                                 |
| 17     | ExecID        | Yes      | Day-unique id of execution message assigned by the OTC Link NQB IDQS.                                                                                                                                  |
| 20     | ExecTransType | Yes      | Valid values:<br>0 = New                                                                                                                                                                               |
| 30     | LastMkt       | No       | Required to be OTCN on Fills and Partial Fills                                                                                                                                                         |
| 31     | LastPx        | No       | Indicates price of this fill. Only required on Fills and Partial Fills.                                                                                                                                |
| 32     | LastShares    | No       | Quantity of shares traded on this fill (zero for non-fills). Only required on Fills and Partial Fills.                                                                                                 |
| 37     | OrderID       | Yes      | Order ID assigned by the OTC Link NQB IDQS                                                                                                                                                             |
| 38     | OrderQty      | Yes      | Quantity of shares on original order.                                                                                                                                                                  |
| 39     | OrdStatus     | Yes      | Current status of order. Valid values:<br>0 = New<br>1 = Partially Filled<br>2 = Filled<br>3 = DoneForDay<br>4 = Canceled<br>5 = Replaced<br>6 = Pending Cancel<br>8 = Rejected<br>E = Pending Replace |
| 40     | OrdType       | Yes      | Valid values:<br>2 = Limit<br>P = Pegged                                                                                                                                                               |
| 41     | OrigClOrdID   | No       | The ClOrdID of the order being cancelled, replaced or restated.                                                                                                                                        |
| 44     | Price         | Yes      | Price of original order.                                                                                                                                                                               |
| 54     | Side          | Yes      | Side of original order.                                                                                                                                                                                |
| 55     | Symbol        | Yes      | Symbol of original order.                                                                                                                                                                              |
| 58     | Text          | Yes      | If present, indicates reason for reject or cancel.                                                                                                                                                     |
| 59     | TimeInForce   | No       | TIF of original order                                                                                                                                                                                  |
| 60     | TransactTime  | Yes      | Date-time that transaction occurred in UTC format YYYYMMDD-HH:MM:SS.sss; where sss = milliseconds                                                                                                      |
| 75     | TradeDate     | No       | Date trade reported to ORF. Only during the overnight session and only for specifically entitled FIX sessions.                                                                                         |
| 76     | ExecBroker    | No       | Execution contra. Only included when OrdStatus Tag 39 = 1 or 2 and only for specifically entitled FIX sessions.                                                                                        |
| 111    | MaxFloor      | No       | Portion of OrderQty to display. The balance is reserve.                                                                                                                                                |
| 150    | ExecType      | Yes      | Type of last execution. Valid values:<br>0 = New<br>1 = Partially Filled<br>2 = Filled                                                                                                                 |

|      |                       |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------|-----------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      |                       |     | 3 = DoneForDay<br>4 = Canceled<br>5 = Replaced<br>6 = Pending Cancel<br>8 = Rejected<br>D = Restated<br>E = Pending Replace                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 151  | LeavesQty             | Yes | Quantity of shares still open for further execution. Will be zero if order is closed, otherwise will be Tag 38 (OrderQty) – Tag 14 (CumQty).                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 378  | ExecRestatementReason | No  | Only present when 150=D<br>5 = Order reduced due to Anti-Internalization                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 9730 | LiquidityIndicator    | No  | Only included when OrdStatus Tag 39 = 1 or 2.<br>Valid Values:<br>A = Added Liquidity<br>R = Removed Liquidity<br>D = Added Liquidity – Sub Dollar<br>H = Removed Liquidity – Sub Dollar<br>X = Routed Execution – External ECN<br>L = Routed Execution – OTC Link ATS<br>P = Routed Execution – External Liquidity<br>a = Added Liquidity during Closing Cross Auction<br>r = Removed Liquidity during Closing Cross Auction<br>d = Added Liquidity during Closing Cross Auction – Sub Dollar<br>h = Removed Liquidity during Closing Cross Auction – Sub Dollar |
| 9740 | ClosingPrice          | No  | Symbol's closing price. Only included or specifically entitled FIX sessions, and when an overnight order is rejected due to closing price check,                                                                                                                                                                                                                                                                                                                                                                                                                  |

### 3.8.2 Order Cancel Reject

System rejects of Cancel and Cancel / Replace requests are returned from OTC Link NQB IDQS using a FIX CancelReject (35 = 9) message.

| Tag ID | Tag Name     | Required | Description                                                                                                            |
|--------|--------------|----------|------------------------------------------------------------------------------------------------------------------------|
| 35     | MsgType      | Yes      | Will be "9"                                                                                                            |
| 11     | ClOrdID      | No       | Echoed back if submitted on order                                                                                      |
| 37     | OrderID      | Yes      | Order ID assigned by the OTC Link NQB IDQS<br>For Bulk Cancel rejects: "N/A"<br>For Too Late To Cancel rejects: "NONE" |
| 39     | OrderStatus  | Yes      | Order Status of order that failed to be cancelled or replaced.                                                         |
| 41     | OrigClOrdID  | No       | The ClOrdID of order that failed to be cancelled or replaced.                                                          |
| 58     | Text         | No       | If present, indicates reason for reject.                                                                               |
| 60     | TransactTime | Yes      | Date-time that transaction occurred in UTC format YYYYMMDD-HH:MM:SS.sss; where sss = milliseconds                      |
| 102    | CxlRejReason | No       | Valid values:<br>0 = Too late to cancel<br>1 = Unknown order<br>3 = Already pending cancel or pending replace          |

# OTC Link NQB IDQS FIX Specification 1.18.1

|     |                  |     |                                                                     |
|-----|------------------|-----|---------------------------------------------------------------------|
| 434 | CxlRegResponseTo | Yes | Valid values:<br>1 = Cancel request<br>2 = Cancel / Replace Request |
|-----|------------------|-----|---------------------------------------------------------------------|



## 4 Revision History

| Version | Description of Version                                                                                                                                                                                                                                                                                                 | Date Completed |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 1.18.1  | Added new Self Trade Prevention options with NoSelfTrade Tag 7928.<br>Clarified Execution Report and Order Cancel Reject may include tag 41 (OrigClOrdID). Documentation change only.                                                                                                                                  | 2026.06.03     |
| 1.18    | Added Not Held execution instruction. It is accepted, but not processed.<br>Added ClosingPrice tag 9740 to Execution report for entitled overnight FIX sessions.<br>Added overnight DAY TimeInForce.<br>Clarified Post Only on Entry orders will not remove liquidity, when entered during the active trading session. | 2025.12.09     |
| 1.17    | Extended overnight session to 7:45am.                                                                                                                                                                                                                                                                                  | 2025.07.14     |
| 1.16.1  | Corrected typo that said TradingSessionID P1 or P2 cannot be entered alone. It should be P1 or P3 cannot be entered alone. P2 can be entered alone.                                                                                                                                                                    | 2025.05.28     |
| 1.16    | Added optional TradeDate tag 75 to Execution Report, available only during the overnight session.                                                                                                                                                                                                                      | 2025.01.28     |
| 1.15    | Removed ClearingIndicator from Execution Report.                                                                                                                                                                                                                                                                       | 2024.09.06     |
| 1.14.1  | Clarified that the Execution Report ClearingIndicator tag will only be included in the overnight session. It will be absent for the daytime sessions.                                                                                                                                                                  | 2024.07.18     |
| 1.14    | Added ClearingIndicator to Execution Report.                                                                                                                                                                                                                                                                           | 2024.07.12     |
| 1.13    | Added Overnight Trading.                                                                                                                                                                                                                                                                                               | 2024.05.02     |
| 1.12.1  | Removed note that Closing Cross Auction feature will not be available until a TBD future date.<br>Removed note that GTX/GTC orders with P1 and P3 alone may be implemented at a future date.                                                                                                                           | 2024.02.27     |
| 1.12    | Removed special Closing Cross Auction liquidity codes 'p' and 't'.                                                                                                                                                                                                                                                     | 2023.09.11     |
| 1.11    | Added Closing Cross Auction feature and order types (not available until a TBD future date).                                                                                                                                                                                                                           | 2023.08.31     |
| 1.10    | Added IOC after Cancel / Replace execution instruction.<br>Clarified that when cancel/replacing pegged orders, ExecInst field must be populated with the same instructions as on the original order.                                                                                                                   | 2023.01.31     |
| 1.9     | Added Allow Price Sliding execution instruction.                                                                                                                                                                                                                                                                       | 2022.09.27     |
| 1.8     | Added FIX Session Throttle<br>Added Route ISO, Ping ISO, and Route Outside Normal Market Hours execution instructions.                                                                                                                                                                                                 | 2022.06.27     |
| 1.7     | Added Ignore Erroneous Price Check execution instruction.                                                                                                                                                                                                                                                              | 2022.04.19     |
| 1.6     | Clarified if Non-Affiliate flag 9535 is included in Order Cancel / Replace Request, the value must match the original order.                                                                                                                                                                                           | 2021.09.07     |
| 1.5     | Added Non-Affiliate flag 9535.                                                                                                                                                                                                                                                                                         | 2021.05.14     |
| 1.4     | Added Self Trade Prevention execution instruction.                                                                                                                                                                                                                                                                     | 2021.02.23     |
| 1.3.1   | Changed NQB IDQS MPID from OTCB to OTCN.                                                                                                                                                                                                                                                                               | 2020.10.07     |
| 1.3     | Added option to route IOCs to both OTC Link ATS and Global OTC.                                                                                                                                                                                                                                                        | 2020.08.17     |
| 1.2     | Added Execution Instruction tag 18 = B (Ok to Cross)                                                                                                                                                                                                                                                                   | 2020.05.20     |

# OTC Link NQB IDQS FIX Specification 1.18.1

|     |                                                                                                            |            |
|-----|------------------------------------------------------------------------------------------------------------|------------|
|     | Clarified IOC orders will be accepted, if Tag 9534 is not set to Y in a non-Piggy Back Qualified security. |            |
| 1.1 | Added ExecBroker to Execution Report                                                                       | 2020.05.05 |
| 1.0 | Initial version                                                                                            | 2020.01.22 |