

UTP Snap-Shot 3.0

Version 3.0

Published June 2026

Table of Contents

1	Overview	3
2	Service availability	3
3	Architecture.....	3
4	Data Types	4
5	Message Formats.....	5
5.1	Control Message.....	6
5.2	Issue Symbol Directory Message.....	7
5.2.1	Issue Symbol Director Message Current (AB).....	8
5.2.2	Enhanced Issue Symbol Director Message Current (AF)	9
5.3	Reg SHO Short Sale Price Test Restricted Indicator (AV)	10
5.4	Cross SRO Trading Action message (AH).....	10
5.5	Market Center Trading Action Message (AK).....	11
5.6	Market Wide Circuit Breaker Decline Level Message (AC)	12
5.7	Limit Up – Limit Down Price Band Message	13
5.8	Auction Collar Message (AE)	14
5.9	Snapshot Support of Combined Protected and Odd Lot Messages	15
5.9.1	UTP Combined Quote Message long Form	15
5.9.2	Odd Lot Quote Message Long Form (QB)	16
5.10	Snap-Shot Support of UTP Appendages and Attachments	17
5.10.1	National BBO Appendage Long-form	17
5.10.2	UTP BOLO Appendage MPID-Form	17
5.10.3	UTP ADF MPID Odd Lot Attachment	17
5.11	Snapshot message	18
6	Support.....	19
	Appendix A.....	19

1 Overview

UTP Snap-Shot is a new optional service for UTP Direct Access Data Feed Recipients ("Recipients"). Using the UTP Snap-Shot service will allow the Recipients to obtain the current set of relevant quote and issue state messages sent on the UTP Data Service during the trading day. Firms may use the UTP Snap-Shot service to validate order book displays or to recover from major data gaps during the trading day. Last sale and other trade-related information will not be available.

UTP Snap-Shot is intended to be an optional add-on service for Recipients; this service does not replace the existing preferred retransmission service. UTP Snap-Shot uses the same message format as the UTP Data Services.

UTP Snap-Shot will be based on a similar architecture as the existing UTP SIP and will use the same the same data formats and will follow the 6 alpha-split channel model similar to the existing [UTP Data Services](#)

Upon initial implementation, the UTP Snap-Shot service will facilitate quote services and security state information. Last sale and other trade-related information will not be available.

2 Service availability

The service will be available during the operational hours of the UTP SIP, between 4:00 AM to 8:00 PM. Please refer to the [UTP SIP Transmission Schedule](#) on the UTP Plan website for a detailed listing of the operational hours.

The service will be operational in both Carteret and Chicago data center. User applications can connect to either of the data centers.

3 Architecture


UTP Snap-Shot is a point-to-point data feed product comprised of a series of sequenced messages. Each message is variable in length based on the message type. The messages that make up the UTP Snap-Shot protocol are typically delivered using a higher-level protocol that takes care of sequencing and delivery guarantees.

UTP will offer the Snap-Shot data feed in the [SoupBinTCP](#) protocol option only. Please note that users must login to SoupBinTCP for **sequence 1** to correctly receive data and it is expected that the user will disconnect after they have completed their receipt of the request. The service will not allow multiple simultaneous connections.

To minimize the impact to service and availability to other clients the system will prevent connection availability after the 999 connection attempt (reset daily).

In the market data messages, instruments are identified by security identifier (symbol) and communicated via the Issue Symbol Directory message. The security identifier (symbol) code appears in all messages.

The system will follow the 6 alpha-split channel model like the existing UTP Data Services. The user application can connect to one or all the channels to get the data about those symbols in that channel. All relevant messages will be transmitted once the user application connects to a channel.



4 Data Types

All integer fields are unsigned big-endian (network byte order) binary encoded numbers.

All alpha fields are ASCII fields which are left justified and padded on the right with spaces.

Prices are integer fields, supplied with an associated precision. When converted to a decimal format, prices are in fixed point format, where the precision defines the number of decimal places. For example, a field flagged as Price (6) has an implied 6 decimal places.

Timestamps are represented as nanoseconds since Epoch.

5 Message Formats

Upon logon to the UTP Snap-Shot service, firms will receive the following data elements with the relevant system time stamp:

- Control Messages disseminated from start of day;
- Issue Symbol Directory messages for all NASDAQ-listed securities in the UTP system;
- Regulation SHO Short Sale Price Test Restricted Indicator Message for symbols which have restrictions;
- Cross SRO Trading Action messages only for symbol that are currently halted, in a Quote Resumption or in a LULD pause;
- Market Center Trading Action messages if the Market is in a market-center specific halted state for any symbol.
- Market Wide Circuit Breaker (MWCB) Levels message;
- Limit Up – Limit Down Price Band Message reflecting the current band for LULD eligible securities (if exists);
- Auction Collar Messages for any securities that are currently in a LULD pause state;
- UTP Combined Quote Message Long-form to provide a current state of all active participants in the identified security along with the National Best Bid and Offer (NBBO); Best Odd Lot Order (BOLO); Odd Lot Attachments
- Odd Lot Quote Message Long-form to provide additional price levels for the market participant if necessary
- **New Enhanced Symbol Directory Message:**
 - UTP SIP will introduce an “Enhanced Symbol Directory Message” (Category A – Type F) in support of new releases in Q4 2026. This message will be sent alongside the current Symbol Directory Message (Category A – Type B).
- Snap-Shot message that provides the most recent sequence reflected in the transmission. This is a new message and only on this service.

Please note that UTP Snap-Shot uses the same message format’s as the [UTP Data Services Specifications](#).

At the end of the spins, UTP Snap-Shot will send a Snap-Shot message to denote where firms should begin processing real-time updates via the UTP Data Services quotation product.

5.1 Control Message

UTP Snap-Shot product is designed to support the same control messages as the UTP Data Services data feed. On Snap-Shot, UTP will send out system event messages for those events that that occurred up to the time of the Snap-Shot snapshot request.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	C – Control Messages
msgType	2	1	byte	Various Message Types
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token

UTP supports the following msgType codes on a daily basis on the UTP Data Services for the quotation data feed.

Code	Explanation
"I"	Start of Day. Each day, the Start of Day message will be sent to inform SIP subscribers that all subsequent data transmitted will be real-time updates and should be treated accordingly. Prior to 03:58 the data feed handler may be broadcasting heartbeats.
"O"	Market Session Open. This message signifies the opening of market systems for the Normal Market Session. Please note that each UTP participant may choose to provide a Market Session Open control message.
"C"	Market Session Close. This message signals the closing of market systems for the Normal Market Session.
"J"	End of Day. The message signals the end of active message dissemination for the UTP SIP operational cycle.
"Z"	End of Transmissions. The message will be sent to inform SIP subscribers that there will be no further transmissions of production data sent through the UTP SIP line for that day. This message will be transmitted at the end of the day, and will be the last production message of the day.

5.2 Issue Symbol Directory Message

New Enhanced Symbol Directory Message:

UTP SIP will introduce an “Enhanced Symbol Directory Message” (Category A – Type F) in support of new releases in Q4 2026. This message will be sent alongside the current Symbol Directory Message (Category A – Type B).

At the request of the UTP Operating Committee and the Industry, several additional fields will begin to be provided as part of a directory spin to aid the industry in preparing for new initiatives this year.

- **SEC Mandated MPI Tick Rule:** Starting November 2026, rule changes require a minimum price indicator. The Enhanced Message will include an “mpiTick” increment for each Nasdaq Listed security. Beginning on **November 2, 2026**, Nasdaq Listing Market will provide UTP SIP with MPI values as designated by the SEC mandate, which will be distributed to data recipients via the Enhanced Symbol Directory Message.
- **Extended Operational Hours:** Starting December 6, 2026, the industry has agreed to begin operating UTP SIP on a new schedule that will cover 23 hours 5 days a week. Upon implementation of this new schedule, the UTP SIP will begin on Sundays at 21:00 (9:00pm EST) through Fridays at 20:00 (8:00pm EST) with a scheduled 1-hour maintenance window each evening between approximately 20:00 – 21:00 (8:00pm – 9:00 pm EST).

UTP will offer additional data in the Enhanced Symbol Directory to help the industry adapt to new operational hours.

- New Issue Indicator: initial implementation will indicate IPO status
- ETP Indicator: Indicates if this security is an exchange-traded product
- MPI Tick: Minimum Price Interval for security
- Trading State: Trading State (halted / trading) at time of message dissemination
- Halt Reason: If Security Halted, reason code is provided
- Reg SHO Action: Reg SHO state (Rule 201) at time of dissemination

At launch, UTP SIP will fill these fields with current production info (if available). When the Listing Market supports the enhancements, UTP SIP will update these fields based on their provided data.

Beginning December 6, 2026, the following values are expected to be received from the Listing Market and populated accordingly within the new Enhanced Symbol Directory Message.

- RESERVED conPrior Close: Consolidated prior day’s close, adjusted if needed
- RESERVED ImPrior Close: Listing Market’s official prior day’s close, adjusted if needed

5.2.1 Issue Symbol Director Message Current (AB)

UTP intends to retire the existing Issue Symbol Directory Message (AB) sometime in the first quarter of 2027. A UTP Vendor notice will be issued prior to its retirement.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	B – Issue Symbol Directory Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte[]	Security Identifier
oldSymbol	40	11	byte[]	Old Security Identifier
name	51	30	byte[]	Issue Name
type	81	1	byte	Issue Type
subtype	82	2	byte[]	Issue Subtype
mktTier	84	1	byte	Market Tier
auth	85	1	byte	Authenticity
sstInd	86	1	byte	Short Sale Threshold Indicator
roundLotSz	87	2	short	Round Lot Size
finStatInd	89	1	byte	Financial Status Indicator

The *roundLotSz* indicates the number of shares that make up a round lot for the given security. Allowable values are 00001 to 99999. For most Nasdaq issues, the round lot size is 100 shares.

5.2.2 Enhanced Issue Symbol Director Message Current (AF)

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	G – Enhanced Issue Symbol Directory Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte[]	Security Identifier
oldSymbol	40	11	byte[]	Old Security Identifier
name	51	30	byte[]	Issue Name
type	81	1	byte	Issue Type
subtype	82	2	byte[]	Issue Subtype
mktTier	84	1	byte	Market Tier
auth	85	1	byte	Authenticity
sstInd	86	1	byte	Short Sale Threshold Indicator “Rule 203(b)(3)”
roundLotSz	87	2	short	Round Lot Size
finStatInd	89	1	byte	Financial Status Indicator
etpFlag	90	1	byte	Exchange Traded Product (ETP) Indicator
newIssueInd	91	1	byte	New Issue Indicator
mpiTick	92	1	byte	MPI Tick Rule
tradingState	93	1	byte	Trading State (halted / trading)
haltReason	94	6	byte []	Reason for Halt
regShoaction	100	1	byte	Reg SHO Action “Rule 201”
conPriorClose	101	8	long	RESERVED Consolidated Prior Day Close Price
lmPriorOCP	109	8	long	RESERVED Listing Market Official Prior Day Close Price

The *roundLotSz* indicates the number of shares that make up a round lot for the given security. Allowable values are 00001 to 99999.

Note: All symbols will have Penny “mpiTick” until Nov 2026, when Half Penny MPI is introduced, as mandated by the SEC.

The Enhanced Symbol Directory messages are **not** republished if the Trading Action or Reg SHO Action of a symbol changes intraday. Data recipients **must continue** to process the following, existing messages, for intraday updates to these data elements.

- Cross SRO Trading Action Message (Category A – Tye H)
- Reg SHO Short Sale Price Test Restricted Indicator (Category A – Type V)

5.3 Reg SHO Short Sale Price Test Restricted Indicator (AV)

For Nasdaq-listed issues, the UTP SIP receives, from the listing market, a full pre-opening spin of Reg SHO Short Sale Price Test Restricted Indicator messages indicating the Rule 201 status for all active issues. The listing market also sends the Reg SHO Short Sale Price Test Restricted Indicator message in the event of an intraday status change.

The Snap-Shot service will provide a full spin of all active securities reflecting the current Reg SHO Action at the time of the snap-shot transmission.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	V – Reg SHO Restriction Indicator Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte[]	Security Identifier
regShoAction	40	1	byte	Reg SHO Action

5.4 Cross SRO Trading Action message (AH)

UTP SIP uses this administrative message to indicate the current regulatory trading status of a security to the trading community.

In the Snap-Shot transmission, UTP will send out a Cross SRO Trading Action message for only those Nasdaq listed issues that are currently halted, in a Quote Resumption or in a LULD pause state.

If the Snap-Shot transmission includes a Stock Directory message, but not a Cross SRO Trading Action message, for an issue, firms may assume that the issue is eligible for normal quoting and trading.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	H – Trading Action Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte[]	Security Identifier
action	40	1	byte	Trading Action Code
actionSequence	41	4	int	Trading Action Sequence Number
actionTime	45	8	long	Timestamp of when the action occurred.
reason	53	6	byte[]	Reason for the Trading Action

The *actionSequence* field is intended for UTP SIP internal use only and Data Recipients should ignore/disregard this field to the extent that it does not impact their normal data processing.

5.5 Market Center Trading Action Message (AK)

UTP SIP uses this fixed format message to inform UTP data feed subscribers of when a UTP participant invokes or releases a market center-specific trading halt for a Nasdaq-listed security.

In contrast to the Cross SRO Trading Action (Category A – Type H) data format, the Market Center Trading Action (Category A – Type K) message impacts trading activity only for the UTP participant identified in the Market Center (MC) ID field.

Other UTP participants may continue to quote and trade the issue as normal. Because the issue remains active on other markets, the UTP participants are expected to remove their quotes or mark their quotes as non-NBBO eligible during the market center-specific trading halt.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	K – Market Center Trading Action Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte[]	Security Identifier
action	40	1	byte	Trading Action Code
actionTime	41	8	long	Timestamp of when the action occurred.
mcId	49	1	byte[]	Market Center Identifier

5.6 Market Wide Circuit Breaker Decline Level Message (AC)

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	C – MWCB Decline Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
mwcbLevel1	29	8	long	MWCB Level 1
mwcbLevel2	37	8	long	MWCB Level 2
mwcbLevel3	45	8	long	MWCB Level 3

A Market Wide Circuit Breaker (MWCB) Level message will inform participants and the UTP data recipients what the daily MWCB breach points are set to for the current trading day.

The MWCB Levels will generally remain in effect for the remainder of the current trading day and will be reset each trading day based on the prior day's closing value of the S&P 500 index.

However, there can be situations where the breach levels were set due to erroneous activity. In this case the breach levels may reset and disseminate the MWCB breach levels again. Participants and UTP data recipients should process and use the most recently disseminated levels for that trading day.

5.7 Limit Up – Limit Down Price Band Message

The Securities and Exchange Commission (SEC) adopted a Plan, to be implemented in two phases, to provide for a market-wide Limit Up–Limit Down (LULD) mechanism intended to address extraordinary market volatility in NMS Stocks. The new LULD procedures are designed to prevent trades in individual NMS Stocks from occurring outside of specified Upper and Lower Limit Price Bands.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	P – LULD Price Band Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte[]	Security Identifier
luldPriceBandInd	40	1	byte	LULD Price Band Indicator
luldTime	41	8	long	LULD Price Band Effective Time
limitDownPrice	49	8	long	Limit Down Price
limitUpPrice	57	8	long	Limit Up Price

5.8 Auction Collar Message (AE)

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Messages
msgType	2	1	byte	E – Auction Collar Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
symbol	29	11	byte []	Security Identifier
actionSequence	40	4	int	Trading Action Sequence Number
CollarReferencePrice	44	8	long	Reference price used to set collar
CollarUpPrice	52	8	long	Collar Up Price
CollarDownPrice	60	8	long	Collar Down Price
CollarExtension	68	1	byte	Collar Extension Indicator

Primary markets using an automated reopening will calculate new Auction Collars, in compliance with rules around prices for re-opening, when applicable and publish this new Auction Collar Message (Category A – Type E) to SIP.

The initial Auction Collars will be published immediately after the LULD Trading Pause.

Subsequent Auction Collars will be published approximately every five minutes, while in an LULD Trading Pause, until the primary market is able to reopen.

The collar extension indicator will be used to reflect when a new collar has been published. The first collar extension, at the time of the pause, will be set to zero indicating the first collar message and will increment by 1 for each new message received by the primary market and disseminated via the SIP, during the pause event.

Should a security have multiple pause events during the trading day, at every new pause, the collar extension indicator is reset to zero by the primary market.

Only the latest Auction collar message is sent over the snapshot service.

5.9 Snapshot Support of Combined Protected and Odd Lot Messages

With the implementation of the Odd Lot Release scheduled for April 27, 2026, the following message will be supported and will replace the previously disseminated message, this will be a “Hot Cut” implementation.

5.9.1 UTP Combined Quote Message long Form

The Combined Quote Spin will use the UTP Combined Quote Message Long-form (QD) to provide a current state of all active participants in the identified security.

In order to provide efficiency in dissemination of the messages via the Snap-Shot transmission, the NBBO Appendage Indicator will be set to “1” No National BBO can be calculated and the BOLO Appendage Indicator will be set to “1” No BOLO can be calculated until the final participant BBO has been disseminated at which time the appropriate appendage indicators will be populated. Odd Lot Attachment Type will be set appropriately to reflect what is within the message.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	Q – Quote Messages (UTP Quote Feed Only)
msgType	2	1	byte	D – Long-format UTP Combined Quotation Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
timestamp2	29	8	long	FINRA ADF Timestamp
symbol	37	11	byte[]	Security Identifier
bidPrice	48	8	long	Bid Price
bidSize	56	4	int	Bid Size
askPrice	60	8	long	Ask Price
askSize	68	4	int	Ask Size
quoteCond	72	1	byte	Quote Condition
sipGenUpdate	73	1	byte	SIP Generated Update Flag
luldBboIndicator	74	1	byte	LULD BBO Indicator
rii	75	1	byte	Retail Interest Indicator
nbboIndicator	76	1	byte	NBBO Appendage Indicator
luldNbboIndicator	77	1	byte	LULD National BBO Indicator
finraAdfMpidIndicator	78	1	byte	FINRA ADF MPID Appendage Indicator*
boloIndicator	79	1	byte	BOLO Appendage Indicator
olAttachmentType	80	1	byte	Odd Lot Attachment Type
olAttachmentCount	81	2	short	Odd Lot Attachment Count

The location of the odd lot quote attachment depends on the presence or absence of the NBBO appendage, the FINRA ADF MPID appendage and / or the BOLO appendage and, if present, the type of NBBO appendage and / or the type of BOLO appendage; the ‘nbboIndicator’, ‘finraAdfMpidIndicator’ and ‘boloIndicator’ fields provide this information.

*the Finra ADF MPID Appendage Indicator and Finra Appendage will be populated with the Finra ADF update if necessary.

In situations when a single Combined Quote update exceeds the number of attachments within a message the following odd lot only message will be sent to provide the remaining updates.

5.9.2 Odd Lot Quote Message Long Form (QB)

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	Q – Quote Messages (UTP Quote Feed Only)
msgType	2	1	byte	B – Long Format Odd Lot Quotation Message
orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
timestamp2	29	8	long	ADF Timestamp
symbol	37	11	byte[]	Security Identifier
sipGenUpdate	48	1	byte	SIP Generated Update Flag
boloIndicator	49	1	byte	BOLO Appendage Indicator
olAttachmentType	50	1	byte	Odd Lot Attachment Type
olAttachmentCount	51	2	short	Odd Lot Attachment Count

The location of the odd lot quote attachment depends on the presence or absence of the BOLO appendage and, if present, the type of BOLO appendage; the 'boloIndicator' field provides this information:

- 0 or 1: the odd lot quote attachment immediately follows the 'olAttachmentCount' field
- 2: the odd lot quote attachment immediately follows the short-form BOLO appendage
- 3: the odd lot quote attachment immediately follows the long-form BOLO appendage
- 5: the odd lot quote attachment immediately follows the MPID-form BOLO appendage

When present, the BOLO appendage immediately follows the 'olAttachmentCount' field.

5.10 Snap-Shot Support of UTP Appendages and Attachments

The following Attachments or Appendages will be supported.

5.10.1 National BBO Appendage Long-form

Name	Offset	Length	Type	Notes
nbboQuoteCond	0	1	byte	NBBO Quote Condition
nbBidMarketCenter	1	1	byte	National Best Bid Market Center
nbBidPrice	2	8	long	National Best Bid Price
nbBidSize	10	4	int	National Best Bid Size
nbAskMarketCenter	14	1	byte	National Best Ask Market Center
nbAskPrice	15	8	long	National Best Ask Price
nbAskSize	23	4	int	National Best Ask Size

5.10.2 UTP BOLO Appendage MPID-Form

Append to odd lot or combined quote message to provide BOLO information with ADF MPID attribution

Name	Offset	Length	Type	Notes
olBidMarketCenter	0	1	byte	BOLO Best Bid Market Center
olBidPrice	1	8	long	BOLO Bid Price
olBidSize	9	2	short	BOLO Bid Size
olAskMarketCenter	11	1	byte	BOLO Best Ask Market Center
olAskPrice	12	8	long	BOLO Ask Price
olAskSize	20	2	short	BOLO Ask Size
olBidMpid	22	4	byte[]	BOLO Best Bid Market Participant Identifier
olAskMpid	26	4	byte[]	BOLO Best Ask Market Participant Identifier

5.10.3 UTP ADF MPID Odd Lot Attachment

Provides one or more odd lot price levels as an attachment to the odd lot or combined quote message including ADF MPID attribution

Name	Offset	Length	Type	Notes
olMCID	0	1	byte	Market Center ID
olSide	1	1	byte	Side
olPrice	2	8	long	Odd Lot Price
olSize	10	2	short	Shares at Odd Lot Price
olMPID	12	4	byte []	ADF Market Participant Identifier (blank if MC is not D)*

*the Finra ADF Market Participant Identifier will be populated with the Finra ADF MPID update if necessary.

5.11 Snapshot message

The snapshot message reflects the UTP Data Service sequence number at the time that the UTP Snap-Shot spin was requested.

To maintain a real-time order display, firms should process real-time UTP Data Service messages beginning with the next message sequence number reflected in this snapshot message.

Name	Offset	Length	Type	Notes
version	0	1	byte	1 – Protocol Version
msgCategory	1	1	byte	A – Administrative Message
msgType	2	1	byte	S – Snapshot Sequence #
Orig	3	1	byte	Market Center Originator ID
subMarketId	4	1	byte	Sub Market Center ID
sipTime	5	8	long	SIP Timestamp
timestamp1	13	8	long	Participant Timestamp
partToken	21	8	long	Participant Token
sequenceNumber	29	8	long	UTP Data Service, for quotation data feed, sequence number when the UTP Snap-Shot snapshot was taken. To keep current, firms should process real-time UTP Data service messages beginning with the next message sequence number reflected in this snapshot message.

6 Support

- For general product/technical support for UTP Data Services, please contact products@utpplan.com.

Appendix A

Documentation Revision Control Log

October 2018 - UTP Snap-Shot Version 1.0

UTP releases initial Snap-Shot v1.0 specifications to public.

August 2025 - UTP Snap-Shot Version 2.0

Revised Snap-Shot to accomodate for the Odd Lot Release April 2026.

June 2026 - UTP Snap-Shot Version 3.0

Revised Snap-Shot to introduce a new Enhanced Symbol Directory Message supporting the following new releases :

- SEC MPI Release November 2026.
- Extended Operational Hours December 6, 2026

Corrected 5.11.2 to reflect the proper version of the BOLO Appendage MPID Form